

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 12-01-2026	
---	---	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
December 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed		Observations		
ms^{-1}		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	9640	3389	454
	4.2 < ws < 7.6	6046	7827	2585
	ws > 7.6	643	3355	12640
Number of points 46579 ; PC=64.6%; EBD=2.4%; POD1=59.0%; POD2=53.7%; POD3=80.6%				

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	15178	1032	0
	4.2 < ws < 7.6	1151	12790	793
	ws > 7.6	0	749	14886
Number of points 46579 ; PC=92.0%; EBD=0.0%; POD1=93.0%; POD2=87.8%; POD3=94.9%				

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed	Observations			
ms^{-1}	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	41074	397	0
Model data	12.0 < ws < 18.0	332	3974	132
	ws > 18.0	0	99	571
Number of points 46579 ; PC=97.9%; EBD=0.0%; POD1=99.2%; POD2=88.9%; POD3=81.2%				

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	19170	1316	56		273
	East	1834	3142	876		15
	South	183	833	6485		504
	West	637	157	80		427
Number of points 35988 ; PC=81.2%; EBD=1.1%; POD1=87.8%; POD2=57.7%; POD3=86.5%; POD4=35.0%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	21398	333	0		83
	East	388	4941	137		0
	South	0	174	7335		49
	West	38	0	25		1087
Number of points 35988 ; PC=96.6%; EBD=0.0%; POD1=98.0%; POD2=90.7%; POD3=97.8%; POD4=89.2%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	9017	2684	20
	7.1 < rh < 15.3	6582	9141	2071
	rh > 15.3	1038	4676	10993
Number of points 46222 ; PC=63.1%; EBD=2.3%; POD1=54.2%; POD2=55.4%; POD3=84.0%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	15662	705	5
	7.1 < rh < 15.3	973	15263	399
	rh > 15.3	2	533	12680
Number of points 46222 ; PC=94.3%; EBD=0.0%; POD1=94.1%; POD2=92.5%; POD3=96.9%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	45048	89	0
	50.0 < rh < 70.0	81	776	13
	rh > 70.0	0	14	201
Number of points 46222 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=88.3%; POD3=93.9%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9627	1942
	1.9 < pwv < 3.5	1596	6065
	pwv > 3.5	62	1426
Number of points 33405 ; PC=81.3%; EBD=0.2%; POD1=85.3%; POD2=64.3%; POD3=90.4%			

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	11109	275
	1.9 < pwv < 3.5	176	9024
	pwv > 3.5	0	134
Number of points 33405 ; PC=97.9%; EBD=0.0%; POD1=98.4%; POD2=95.7%; POD3=99.0%			

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	5636	4220	1486
Model data 0.6 < see < 0.8	3392	4180	3591
see > 0.8	550	1480	3836
Number of points 28371 ; PC=48.1%; EBD=7.2%; POD1=58.8%; POD2=42.3%; POD3=43.0%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	9488	1484	52
Model data 0.6 < see < 0.8	1233	7455	893
see > 0.8	16	1045	8245
Number of points 28371 ; PC=84.2%; EBD=0.2%; POD1=88.4%; POD2=74.7%; POD3=89.7%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	9151	3	1042
Model data 0.6 < see < 0.8	0	9644	1040
see > 0.8	427	233	7871
Number of points 28371 ; PC=94.0%; EBD=5.2%; POD1=95.5%; POD2=97.6%; POD3=79.1%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	10723	33	46
Model data 0.6 < see < 0.8	0	9919	45
see > 0.8	14	32	9144
Number of points 28371 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.0%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4038	2677	252
	$3.4 < \tau < 5.8$	1554	4778	2596
	$\tau > 5.8$	263	2600	7722
Number of points 26480 ; PC=62.5%; EBD=1.9%; POD1=69.0%; POD2=47.5%; POD3=73.1%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5386	504	5
	$3.4 < \tau < 5.8$	469	8885	705
	$\tau > 5.8$	0	666	9860
Number of points 26480 ; PC=91.1%; EBD=0.0%; POD1=92.0%; POD2=88.4%; POD3=93.3%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5191	306	1066
	$3.4 < \tau < 5.8$	401	8321	1066
	$\tau > 5.8$	263	1428	9504
Number of points 26480 ; PC=86.9%; EBD=5.0%; POD1=88.7%; POD2=82.8%; POD3=81.7%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5846	6	49
	$3.4 < \tau < 5.8$	9	9972	49
	$\tau > 5.8$	0	77	10521
Number of points 26480 ; PC=99.5%; EBD=0.2%; POD1=99.8%; POD2=99.2%; POD3=99.1%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3924	4404
	0.6 < glf < 0.7	2649	3509
	glf > 0.7	649	1370
Number of points 26768 ; PC=36.4%; EBD=15.7%; POD1=54.3%; POD2=37.8%; POD3=22.6%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6129	1336
	0.6 < glf < 0.7	1038	6591
	glf > 0.7	55	1356
Number of points 26768 ; PC=79.7%; EBD=0.4%; POD1=84.9%; POD2=71.0%; POD3=84.0%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6487	1238
	0.6 < glf < 0.7	86	8002
	glf > 0.7	649	43
Number of points 26768 ; PC=78.1%; EBD=16.8%; POD1=89.8%; POD2=86.2%; POD3=48.1%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	7145	75
	0.6 < glf < 0.7	22	9174
	glf > 0.7	55	34
Number of points 26768 ; PC=99.0%; EBD=0.5%; POD1=98.9%; POD2=98.8%; POD3=98.5%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	7981	2067
	4.6 < ws < 7.4	6895	9411
	ws > 7.4	611	4289
Number of points 47378 ; PC=63.2%; EBD=2.3%; POD1=51.5%; POD2=59.7%; POD3=77.9%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	13849	1131
	4.6 < ws < 7.4	1631	13735
	ws > 7.4	7	901
Number of points 47378 ; PC=90.5%; EBD=0.0%; POD1=89.4%; POD2=87.1%; POD3=94.9%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	40929	487
	12.0 < ws < 18.0	362	4478
	ws > 18.0	0	152
Number of points 47378 ; PC=97.6%; EBD=0.0%; POD1=99.1%; POD2=87.5%; POD3=86.9%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations West
Model data	North	16074	1348	26	338
	East	319	1045	205	1
	South	70	99	3774	1023
	West	5717	50	524	10543
Number of points 41156 ; PC=76.4%; EBD=0.4%; POD1=72.5%; POD2=41.1%; POD3=83.3%; POD4=88.6%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations West
Model data	North	21278	181	2	524
	East	195	2322	20	0
	South	0	37	4338	130
	West	707	2	169	11251
Number of points 41156 ; PC=95.2%; EBD=0.0%; POD1=95.9%; POD2=91.3%; POD3=95.8%; POD4=94.5%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	10335	2347	63
	8.9 < rh < 17.9	5861	11088	2715
	rh > 17.9	491	3952	10481
Number of points 47333 ; PC=67.4%; EBD=1.2%; POD1=61.9%; POD2=63.8%; POD3=79.0%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	15865	672	1
	8.9 < rh < 17.9	822	16190	396
	rh > 17.9	0	525	12862
Number of points 47333 ; PC=94.9%; EBD=0.0%; POD1=95.1%; POD2=93.1%; POD3=97.0%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	45925	56	0
	50.0 < rh < 70.0	61	967	28
	rh > 70.0	0	11	285
Number of points 47333 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=93.5%; POD3=91.1%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	11206	1648	0
	2.1 < pwv < 3.7	2286	6865	1140
	pwv > 3.7	127	1573	12097
Number of points 36942 ; PC=81.7%; EBD=0.3%; POD1=82.3%; POD2=68.1%; POD3=91.4%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	13326	182	0
	2.1 < pwv < 3.7	291	9731	172
	pwv > 3.7	2	173	13065
Number of points 36942 ; PC=97.8%; EBD=0.0%; POD1=97.8%; POD2=96.5%; POD3=98.7%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	8042	3218	384
	4.2 < ws < 7.6	4601	6135	2447
	ws > 7.6	638	2555	10098
Number of points 38118 ; PC=63.7%; EBD=2.7%; POD1=60.6%; POD2=51.5%; POD3=78.1%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	17015	1109	115
	East	1438	2712	554
	South	141	637	3982
	West	553	147	123

Number of points 29468 ; PC=81.6%; EBD=1.4%; POD1=88.9%; POD2=58.9%; POD3=83.4%; POD4=35.5%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	8440	2572
	7.1 < rh < 15.3	6177	7810
	rh > 15.3	807	3380

Number of points 37731 ; PC=61.6%; EBD=2.3%; POD1=54.7%; POD2=56.8%; POD3=81.6%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10437	2247
	1.9 < pwv < 3.5	1888	4573
	pwv > 3.5	84	1113

Number of points 27919 ; PC=75.7%; EBD=0.5%; POD1=84.1%; POD2=57.6%; POD3=80.9%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	5063	4146	1491
	0.6 < see < 0.8	3166	4037	3565
	see > 0.8	631	1465	4148
Number of points		27712	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	8387	3	1068
	0.6 < see < 0.8	0	9337	1063
	see > 0.8	473	308	8136
Number of points		27712	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5002	2915	314
	$3.4 < \tau < 5.8$	1901	4971	3080
	$\tau > 5.8$	267	2224	5963
Number of points 26637 ; PC=59.8%; EBD=2.2%; POD1=69.8%; POD2=49.2%; POD3=63.7%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	6421	375	1320
	$3.4 < \tau < 5.8$	482	8566	1320
	$\tau > 5.8$	267	1169	8037
Number of points 26637 ; PC=86.4%; EBD=6.0%; POD1=89.6%; POD2=84.7%; POD3=75.3%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4229	4682
	0.6 < glf < 0.7	2667	3711
	glf > 0.7	632	1087
Number of points 27022 ; PC=37.4%; EBD=15.8%; POD1=56.2%; POD2=39.1%; POD3=21.6%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6784	1425
	0.6 < glf < 0.7	112	8007
	glf > 0.7	632	48
Number of points 27022 ; PC=77.2%; EBD=16.9%; POD1=90.1%; POD2=84.5%; POD3=46.5%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	6230	1809	473
	4.6 < ws < 7.4	5634	7677	2806
	ws > 7.4	451	3219	10220
Number of points 38519 ; PC=62.6%; EBD=2.4%; POD1=50.6%; POD2=60.4%; POD3=75.7%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	13693	1231	35
	East	303	859	138
	South	83	106	2098
	West	5264	45	405

Number of points 33655 ; PC=74.2%; EBD=0.5%; POD1=70.8%; POD2=38.3%; POD3=78.4%; POD4=88.6%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	9463	2064
	8.9 < rh < 17.9	5835	8620
	rh > 17.9	447	3136

Number of points 38450 ; PC=64.4%; EBD=1.4%; POD1=60.1%; POD2=62.4%; POD3=75.0%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	11162	1746
	2.1 < pwv < 3.7	2504	5088
	pwv > 3.7	143	1245

Number of points 29806 ; PC=76.6%; EBD=0.6%; POD1=80.8%; POD2=63.0%; POD3=83.0%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7379	3462	546
	4.2 < ws < 7.6	5159	5826	2838
	ws > 7.6	746	2768	9461
Number of points 38185 ; PC=59.4%; EBD=3.4%; POD1=55.5%; POD2=48.3%; POD3=73.7%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	16580	1174	115
	East	1725	2661	685
	South	294	726	3842
	West	603	126	97

Number of points 29562 ; PC=78.9%; EBD=1.8%; POD1=86.3%; POD2=56.8%; POD3=81.1%; POD4=27.3%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	8018	2781
	7.1 < rh < 15.3	6530	7503
	rh > 15.3	883	3373

Number of points 37731 ; PC=59.0%; EBD=2.9%; POD1=52.0%; POD2=54.9%; POD3=78.0%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	10542	2483
	1.9 < pwv < 3.5	1583	4253
	pwv > 3.5	228	1195

Number of points 27734 ; PC=73.8%; EBD=1.5%; POD1=85.3%; POD2=53.6%; POD3=76.1%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4945	4101	1638
	0.6 < see < 0.8	3045	3939	3530
	see > 0.8	818	1639	4011
Number of points		27666	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	8178	0	1107
	0.6 < see < 0.8	0	9355	1107
	see > 0.8	630	324	8072
Number of points		27666	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4780	2902	328
	$3.4 < \tau < 5.8$	1991	4660	2846
	$\tau > 5.8$	409	2607	6159
Number of points 26682 ; PC=58.5%; EBD=2.8%; POD1=66.6%; POD2=45.8%; POD3=66.0%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	6220	322	1370
	$3.4 < \tau < 5.8$	551	8461	1370
	$\tau > 5.8$	409	1386	7963
Number of points 26682 ; PC=84.9%; EBD=6.7%; POD1=86.6%; POD2=83.2%; POD3=74.4%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3878	4277
	0.6 < glf < 0.7	2761	4051
	glf > 0.7	835	1139
Number of points 27004 ; PC=37.8%; EBD=16.1%; POD1=51.9%; POD2=42.8%; POD3=22.6%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	6533	1294
	0.6 < glf < 0.7	106	8137
	glf > 0.7	835	36
Number of points 27004 ; PC=77.5%; EBD=17.2%; POD1=87.4%; POD2=86.0%; POD3=48.3%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	6014	1928	463
	4.6 < ws < 7.4	5752	7568	2942
	ws > 7.4	484	3214	10087
Number of points 38452 ; PC=61.6%; EBD=2.5%; POD1=49.1%; POD2=59.5%; POD3=74.8%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	13331	1258	79
	East	328	832	128
	South	135	80	1979
	West	5542	65	489

Number of points 33627 ; PC=72.0%; EBD=0.8%; POD1=68.9%; POD2=37.2%; POD3=74.0%; POD4=85.9%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8913	2027
	8.9 < rh < 17.9	6232	8548
	rh > 17.9	588	3220

Number of points 38383 ; PC=62.2%; EBD=1.9%; POD1=56.7%; POD2=62.0%; POD3=72.3%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	11004	2128
	2.1 < pwv < 3.7	2596	4636
	pwv > 3.7	188	1269

Number of points 29727 ; PC=74.0%; EBD=1.0%; POD1=79.8%; POD2=57.7%; POD3=80.6%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration