

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 22-01-2024	
---	--	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
December 2023



Contents

0.1 Title for Contingency tables of Night 1 2

0.2 Title for Contingency tables of Day 1 13

0.3 Title for Contingency tables of Night 2 18

0.4 Title for Contingency tables of Day 2 22

0.5 Title for Contingency tables of Night 3 24

0.6 Title for Contingency tables of Day 3 28

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1670	811
	4.2 < ws < 7.6	873	1161
	ws > 7.6	119	537
Number of points 8169 ; PC=64.1%; EBD=2.2%; POD1=62.7%; POD2=46.3%; POD3=80.3%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	2487	216
	4.2 < ws < 7.6	175	2153
	ws > 7.6	0	140
Number of points 8169 ; PC=92.1%; EBD=0.0%; POD1=93.4%; POD2=85.8%; POD3=96.3%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

0.1 Title for Contingency tables of Night 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	7199	91
	12.0 < ws < 18.0	50	718
	ws > 18.0	0	6
Number of points 8169 ; PC=98.1%; EBD=0.0%; POD1=99.3%; POD2=88.1%; POD3=88.6%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)
 ms^{-1}

wind direction degree		Observations			
		North	East	South	West
Model data	North	4169	210	14	65
	East	251	347	89	0
	South	38	101	814	80
	West	148	55	48	122

Number of points 6551 ; PC=83.2%; EBD=1.6%; POD1=90.5%; POD2=48.7%; POD3=84.4%; POD4=45.7%

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		Observations			
		North	East	South	West
Model data	North	4554	71	0	8
	East	44	617	13	0
	South	0	25	948	3
	West	8	0	4	256

Number of points 6551 ; PC=97.3%; EBD=0.0%; POD1=98.9%; POD2=86.5%; POD3=98.2%; POD4=95.9%

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1876	593
	7.1 < rh < 15.3	1352	2215
	rh > 15.3	130	604
Number of points 8052 ; PC=62.8%; EBD=2.0%; POD1=55.9%; POD2=64.9%; POD3=75.6%			

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3105	149
	7.1 < rh < 15.3	252	3213
	rh > 15.3	1	50
Number of points 8052 ; PC=93.6%; EBD=0.0%; POD1=92.5%; POD2=94.2%; POD3=95.0%			

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	8021	0
	50.0 < rh < 70.0	1	30
	rh > 70.0	0	0
Number of points 8052 ; PC=100.0%; EBD=0.0%; POD1=100.0%; POD2=100.0%; POD3=NaN%			

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2435	376
	1.9 < pwv < 3.5	426	2031
	pwv > 3.5	8	169
Number of points 7831 ; PC=80.5%; EBD=0.1%; POD1=84.9%; POD2=78.8%; POD3=77.0%			

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2804	70
	1.9 < pwv < 3.5	65	2488
	pwv > 3.5	0	18
Number of points 7831 ; PC=97.5%; EBD=0.0%; POD1=97.7%; POD2=96.6%; POD3=98.1%			

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1054	734	195
	0.6 < see < 0.8	406	613	583
	see > 0.8	108	301	650
Number of points 4644 ; PC=49.9%; EBD=6.5%; POD1=67.2%; POD2=37.2%; POD3=45.5%				

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1581	279	12
	0.6 < see < 0.8	202	1202	125
	see > 0.8	5	152	1435
Number of points 4644 ; PC=84.5%; EBD=0.3%; POD1=88.4%; POD2=73.6%; POD3=91.3%				

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1481	0	129
	0.6 < see < 0.8	0	1582	129
	see > 0.8	87	66	1299
Number of points 4644 ; PC=93.9%; EBD=4.7%; POD1=94.5%; POD2=96.0%; POD3=83.4%				

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1785	1	10
	0.6 < see < 0.8	0	1625	9
	see > 0.8	3	7	1562
Number of points 4644 ; PC=99.6%; EBD=0.3%; POD1=99.8%; POD2=99.5%; POD3=98.8%				

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	997	299	8
	$3.4 < \tau < 5.8$	339	805	355
	$\tau > 5.8$	30	466	1000
Number of points 4299 ; PC=65.2%; EBD=0.9%; POD1=73.0%; POD2=51.3%; POD3=73.4%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1299	101	0
	$3.4 < \tau < 5.8$	67	1347	103
	$\tau > 5.8$	0	122	1260
Number of points 4299 ; PC=90.9%; EBD=0.0%; POD1=95.1%; POD2=85.8%; POD3=92.4%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1269	20	123
	$3.4 < \tau < 5.8$	67	1326	123
	$\tau > 5.8$	30	224	1240
Number of points 4299 ; PC=89.2%; EBD=3.6%; POD1=92.9%; POD2=84.5%; POD3=83.4%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1366	0	4
	$3.4 < \tau < 5.8$	0	1555	4
	$\tau > 5.8$	0	15	1359
Number of points 4299 ; PC=99.6%; EBD=0.1%; POD1=100.0%; POD2=99.0%; POD3=99.4%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	998	871
	0.6 < glf < 0.7	380	603
	glf > 0.7	121	110
Number of points 4389 ; PC=40.3%; EBD=15.3%; POD1=66.6%; POD2=38.1%; POD3=12.7%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1340	242
	0.6 < glf < 0.7	157	1137
	glf > 0.7	2	205
Number of points 4389 ; PC=80.3%; EBD=0.3%; POD1=89.4%; POD2=71.8%; POD3=80.3%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1359	227
	0.6 < glf < 0.7	19	1346
	glf > 0.7	121	11
Number of points 4389 ; PC=77.8%; EBD=16.3%; POD1=90.7%; POD2=85.0%; POD3=40.1%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1496	14
	0.6 < glf < 0.7	1	1564
	glf > 0.7	2	6
Number of points 4389 ; PC=99.2%; EBD=0.3%; POD1=99.8%; POD2=98.7%; POD3=98.0%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	496	190	20
	4.2 < ws < 7.6	834	2106	584
	ws > 7.6	49	720	2692
Number of points 7691 ; PC=68.8%; EBD=0.9%; POD1=36.0%; POD2=69.8%; POD3=81.7%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1193	164	0
	4.2 < ws < 7.6	186	2682	193
	ws > 7.6	0	170	3103
Number of points 7691 ; PC=90.7%; EBD=0.0%; POD1=86.5%; POD2=88.9%; POD3=94.1%				

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

0.2 Title for Contingency tables of Day 1

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	6355	90
	12.0 < ws < 18.0	73	835
	ws > 18.0	0	21
Number of points 7691 ; PC=97.1%; EBD=0.0%; POD1=98.9%; POD2=88.3%; POD3=87.7%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)
 ms^{-1}

wind direction		Observations			
degree		North	East	South	West
Model data	North	3070	191	0	80
	East	47	110	22	0
	South	4	11	510	139
	West	1303	10	55	1524

Number of points 7076 ; PC=73.7%; EBD=0.2%; POD1=69.4%; POD2=34.2%; POD3=86.9%; POD4=87.4%

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction		Observations			
degree		North	East	South	West
Model data	North	4237	35	0	116
	East	24	279	3	0
	South	0	8	569	16
	West	163	0	15	1611

Number of points 7076 ; PC=94.6%; EBD=0.0%; POD1=95.8%; POD2=86.6%; POD3=96.9%; POD4=92.4%

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

FATE - Monthly Report

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	635	323
	7.1 < rh < 15.3	1090	3192
	rh > 15.3	85	723
Number of points 7666 ; PC=67.6%; EBD=1.1%; POD1=35.1%; POD2=75.3%; POD3=83.7%			

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1614	125
	7.1 < rh < 15.3	196	4014
	rh > 15.3	0	99
Number of points 7666 ; PC=93.7%; EBD=0.0%; POD1=89.2%; POD2=94.7%; POD3=96.0%			

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent	Observations		
	rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	7660	0
	50.0 < rh < 70.0	6	0
	rh > 70.0	0	0
Number of points 7666 ; PC=99.9%; EBD=0.0%; POD1=99.9%; POD2=NaN%; POD3=NaN%			

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	1435	247	3
	1.9 < pwv < 3.5	597	2269	531
	pwv > 3.5	0	226	2142
Number of points 7450 ; PC=78.5%; EBD=0.0%; POD1=70.6%; POD2=82.7%; POD3=80.0%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	1957	60	0
	1.9 < pwv < 3.5	75	2650	46
	pwv > 3.5	0	32	2630
Number of points 7450 ; PC=97.1%; EBD=0.0%; POD1=96.3%; POD2=96.6%; POD3=98.3%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1459	719
	4.2 < ws < 7.6	867	1098
	ws > 7.6	117	539
Number of points 7504 ; PC=62.9%; EBD=2.3%; POD1=59.7%; POD2=46.6%; POD3=79.9%			

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

0.3 Title for Contingency tables of Night 2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	3878	204	11
	East	261	263	157
	South	31	117	673
	West	82	69	45

Number of points 6013 ; PC=81.4%; EBD=1.9%; POD1=91.2%; POD2=40.3%; POD3=76.0%; POD4=37.4%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1538	463
	7.1 < rh < 15.3	1429	2006
	rh > 15.3	198	577

Number of points 7382 ; PC=59.0%; EBD=3.4%; POD1=48.6%; POD2=65.9%; POD3=69.1%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2328	375
	1.9 < pwv < 3.5	341	1696
	pwv > 3.5	10	149

Number of points 7174 ; PC=81.0%; EBD=0.4%; POD1=86.9%; POD2=76.4%; POD3=78.5%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

FATE - Monthly Report

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	984	602	220
	0.6 < see < 0.8	495	685	546
	see > 0.8	147	416	797
Number of points 4892 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1525	0	140
	0.6 < see < 0.8	0	1598	140
	see > 0.8	101	105	1423
Number of points 4892 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time ms		Observations		
		tau < 3.4	3.4 < tau < 5.8	tau > 5.8
Model data	tau < 3.4	1028	271	21
	3.4 < tau < 5.8	361	936	317
	tau > 5.8	42	460	997
Number of points 4433 ; PC=66.8%; EBD=1.4%; POD1=71.8%; POD2=56.1%; POD3=74.7%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time ms		Observations		
		tau < 3.4	3.4 < tau < 5.8	tau > 5.8
Model data	tau < 3.4	1317	39	160
	3.4 < tau < 5.8	72	1393	160
	tau > 5.8	42	235	1175
Number of points 4433 ; PC=87.6%; EBD=4.6%; POD1=92.0%; POD2=83.6%; POD3=78.6%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	983	930
	0.6 < glf < 0.7	403	641
	glf > 0.7	62	90
Number of points 4555 ; PC=39.9%; EBD=15.6%; POD1=67.9%; POD2=38.6%; POD3=13.4%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1376	259
	0.6 < glf < 0.7	10	1402
	glf > 0.7	62	0
Number of points 4555 ; PC=76.7%; EBD=17.4%; POD1=95.0%; POD2=84.4%; POD3=34.8%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	554	192
	4.2 < ws < 7.6	776	1986
	ws > 7.6	50	713
Number of points 7557 ; PC=68.6%; EBD=1.1%; POD1=40.1%; POD2=68.7%; POD3=80.5%			

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

0.4 Title for Contingency tables of Day 2

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	2822	159	0
	East	67	61	25
	South	15	23	482
	West	1405	26	104

Number of points 6921 ; PC=69.4%; EBD=0.6%; POD1=65.5%; POD2=22.7%; POD3=78.9%; POD4=83.1%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	504	261
	7.1 < rh < 15.3	1221	2844
	rh > 15.3	122	1045

Number of points 7532 ; PC=61.2%; EBD=1.6%; POD1=27.3%; POD2=68.5%; POD3=82.0%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	1524	305
	1.9 < pwv < 3.5	625	2004
	pwv > 3.5	6	336

Number of points 7316 ; PC=73.6%; EBD=0.2%; POD1=70.7%; POD2=75.8%; POD3=73.6%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1422	727
	4.2 < ws < 7.6	921	1157
	ws > 7.6	126	455
Number of points 7571 ; PC=62.7%; EBD=2.1%; POD1=57.6%; POD2=49.5%; POD3=78.4%			

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

0.5 Title for Contingency tables of Night 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

wind direction degree		Observations			
		North	East	South	West
Model data	North	3892	247	18	66
	East	236	260	134	1
	South	39	100	768	76
	West	85	46	4	79

Number of points 6051 ; PC=82.6%; EBD=1.7%; POD1=91.5%; POD2=39.8%; POD3=83.1%; POD4=35.6%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1421	588	32
	7.1 < rh < 15.3	1539	1991	412
	rh > 15.3	205	534	727

Number of points 7449 ; PC=55.6%; EBD=3.2%; POD1=44.9%; POD2=64.0%; POD3=62.1%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2417	671	84
	1.9 < pwv < 3.5	331	1301	558
	pwv > 3.5	0	246	1633

Number of points 7241 ; PC=73.9%; EBD=1.2%; POD1=88.0%; POD2=58.7%; POD3=71.8%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

FATE - Monthly Report

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	984	670	216
	0.6 < see < 0.8	534	603	638
	see > 0.8	111	427	728
Number of points 4911 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1536	0	140
	0.6 < see < 0.8	0	1631	140
	see > 0.8	93	69	1442
Number of points 4911 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time ms		Observations		
		tau < 3.4	3.4 < tau < 5.8	tau > 5.8
Model data	tau < 3.4	1067	289	16
	3.4 < tau < 5.8	394	858	351
	tau > 5.8	22	517	972
Number of points 4486 ; PC=64.6%; EBD=0.8%; POD1=71.9%; POD2=51.6%; POD3=72.6%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time ms		Observations		
		tau < 3.4	3.4 < tau < 5.8	tau > 5.8
Model data	tau < 3.4	1359	35	173
	3.4 < tau < 5.8	102	1412	173
	tau > 5.8	22	217	1166
Number of points 4486 ; PC=87.8%; EBD=4.3%; POD1=91.6%; POD2=84.9%; POD3=77.1%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	911	864
	0.6 < glf < 0.7	489	697
	glf > 0.7	68	122
Number of points 4608 ; PC=38.0%; EBD=14.6%; POD1=62.1%; POD2=41.4%; POD3=9.9%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1383	223
	0.6 < glf < 0.7	17	1450
	glf > 0.7	68	10
Number of points 4608 ; PC=78.9%; EBD=15.7%; POD1=94.2%; POD2=86.2%; POD3=39.6%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	526	210
	4.2 < ws < 7.6	732	2066
	ws > 7.6	94	623
Number of points 7557 ; PC=68.3%; EBD=1.6%; POD1=38.9%; POD2=71.3%; POD3=77.8%			

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

0.6 Title for Contingency tables of Day 3

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	2853	167	6
	East	42	69	25
	South	8	20	486
	West	1467	19	94

Number of points 6943 ; PC=68.4%; EBD=0.5%; POD1=65.3%; POD2=25.1%; POD3=79.5%; POD4=79.5%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	357	338
	7.1 < rh < 15.3	1352	2757
	rh > 15.3	121	1072

Number of points 7532 ; PC=57.8%; EBD=1.8%; POD1=19.5%; POD2=66.2%; POD3=80.8%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	1526	360
	1.9 < pwv < 3.5	654	1988
	pwv > 3.5	15	237

Number of points 7363 ; PC=71.6%; EBD=1.1%; POD1=69.5%; POD2=76.9%; POD3=68.0%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration