



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 03-06-2025



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
May 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	4999	2010	251
	4.2 < ws < 7.6	3031	4193	1291
	ws > 7.6	337	1757	5407
Number of points 23276 ; PC=62.7%; EBD=2.5%; POD1=59.7%; POD2=52.7%; POD3=77.8%				

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	7800	549	0
	4.2 < ws < 7.6	567	6988	429
	ws > 7.6	0	423	6520
Number of points 23276 ; PC=91.5%; EBD=0.0%; POD1=93.2%; POD2=87.8%; POD3=93.8%				

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed	Observations			
ms^{-1}	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	21150	172	0
Model data	12.0 < ws < 18.0	129	1491	39
	ws > 18.0	0	61	234
Number of points 23276 ; PC=98.3%; EBD=0.0%; POD1=99.4%; POD2=86.5%; POD3=85.7%				

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	9819	627	3		119
	East	859	1581	347		10
	South	99	483	3035		151
	West	366	113	14		213
Number of points 17839 ; PC=82.1%; EBD=1.3%; POD1=88.1%; POD2=56.4%; POD3=89.3%; POD4=43.2%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	10942	157	0		39
	East	176	2554	88		0
	South	0	93	3299		16
	West	25	0	12		438
Number of points 17839 ; PC=96.6%; EBD=0.0%; POD1=98.2%; POD2=91.1%; POD3=97.1%; POD4=88.8%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	4184	1369	9
	7.1 < rh < 15.3	3031	4806	1061
	rh > 15.3	374	2373	5793
Number of points 23000 ; PC=64.3%; EBD=1.7%; POD1=55.1%; POD2=56.2%; POD3=84.4%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7133	346	3
	7.1 < rh < 15.3	456	7929	178
	rh > 15.3	0	273	6682
Number of points 23000 ; PC=94.5%; EBD=0.0%; POD1=94.0%; POD2=92.8%; POD3=97.4%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	22398	44	0
	50.0 < rh < 70.0	48	473	6
	rh > 70.0	0	0	31
Number of points 23000 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=91.5%; POD3=83.8%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6691	1298	10
	1.9 < pwv < 3.5	1120	3533	637
	pwv > 3.5	62	760	5704
Number of points 19815 ; PC=80.4%; EBD=0.4%; POD1=85.0%; POD2=63.2%; POD3=89.8%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7736	184	0
	1.9 < pwv < 3.5	137	5337	83
	pwv > 3.5	0	70	6268
Number of points 19815 ; PC=97.6%; EBD=0.0%; POD1=98.3%; POD2=95.5%; POD3=98.7%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	2734	2404	785
Model data 0.6 < see < 0.8	1795	2499	1968
see > 0.8	203	662	1841
Number of points 14891 ; PC=47.5%; EBD=6.6%; POD1=57.8%; POD2=44.9%; POD3=40.1%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	4748	883	30
Model data 0.6 < see < 0.8	646	4133	473
see > 0.8	6	600	3921
Number of points 14891 ; PC=82.9%; EBD=0.2%; POD1=87.9%; POD2=73.6%; POD3=88.6%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	4584	0	518
Model data 0.6 < see < 0.8	0	5450	518
see > 0.8	148	115	4076
Number of points 14891 ; PC=94.8%; EBD=4.5%; POD1=96.9%; POD2=97.9%; POD3=79.7%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	5394	24	28
Model data 0.6 < see < 0.8	0	5572	27
see > 0.8	6	20	4396
Number of points 14891 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.2%; POD3=98.8%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time ms		Observations		
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1377	1058	64
	$3.4 < \tau < 5.8$	756	2737	1466
	$\tau > 5.8$	108	1437	4123
Number of points 13126 ; PC=62.8%; EBD=1.3%; POD1=61.4%; POD2=52.3%; POD3=72.9%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time ms		Observations		
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2035	250	3
	$3.4 < \tau < 5.8$	206	4661	398
	$\tau > 5.8$	0	321	5252
Number of points 13126 ; PC=91.0%; EBD=0.0%; POD1=90.8%; POD2=89.1%; POD3=92.9%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time ms		Observations		
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1940	135	548
	$3.4 < \tau < 5.8$	193	4280	548
	$\tau > 5.8$	108	817	5105
Number of points 13126 ; PC=86.3%; EBD=5.0%; POD1=86.6%; POD2=81.8%; POD3=82.3%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time ms		Observations		
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2238	2	33
	$3.4 < \tau < 5.8$	3	5186	33
	$\tau > 5.8$	0	44	5620
Number of points 13126 ; PC=99.4%; EBD=0.3%; POD1=99.9%; POD2=99.1%; POD3=98.8%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2259	2450
	0.6 < glf < 0.7	1422	1810
	glf > 0.7	219	658
Number of points 13249 ; PC=37.1%; EBD=13.7%; POD1=57.9%; POD2=36.8%; POD3=19.0%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3290	717
	0.6 < glf < 0.7	580	3539
	glf > 0.7	30	662
Number of points 13249 ; PC=78.8%; EBD=0.4%; POD1=84.4%; POD2=72.0%; POD3=81.4%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3642	634
	0.6 < glf < 0.7	39	4258
	glf > 0.7	219	26
Number of points 13249 ; PC=80.0%; EBD=14.8%; POD1=93.4%; POD2=86.6%; POD3=46.2%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3859	43
	0.6 < glf < 0.7	11	4859
	glf > 0.7	30	16
Number of points 13249 ; PC=99.0%; EBD=0.5%; POD1=98.9%; POD2=98.8%; POD3=98.5%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4202	1187	217
	4.6 < ws < 7.4	3546	5126	1502
	ws > 7.4	291	2199	5765
Number of points 24035 ; PC=62.8%; EBD=2.1%; POD1=52.3%; POD2=60.2%; POD3=77.0%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	7147	609	5
	4.6 < ws < 7.4	887	7461	385
	ws > 7.4	5	442	7094
Number of points 24035 ; PC=90.3%; EBD=0.0%; POD1=88.9%; POD2=87.7%; POD3=94.8%				

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations			
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	21199	230	0
Model data	12.0 < ws < 18.0	168	1882	67
	ws > 18.0	0	66	423
Number of points 24035 ; PC=97.8%; EBD=0.0%; POD1=99.2%; POD2=86.4%; POD3=86.3%				

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	7995	597	5		189
	East	155	492	84		0
	South	36	28	1544		508
	West	3060	37	212		5882
Number of points 20824 ; PC=76.4%; EBD=0.4%; POD1=71.1%; POD2=42.6%; POD3=83.7%; POD4=89.4%						

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	10800	82	2		283
	East	80	1057	10		0
	South	0	13	1741		79
	West	366	2	92		6217
Number of points 20824 ; PC=95.2%; EBD=0.0%; POD1=96.0%; POD2=91.6%; POD3=94.4%; POD4=94.5%						

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	5178	1314	26
	8.9 < rh < 17.9	2576	6020	1514
	rh > 17.9	166	1784	5403
Number of points 23981 ; PC=69.2%; EBD=0.8%; POD1=65.4%; POD2=66.0%; POD3=77.8%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	7544	362	0
	8.9 < rh < 17.9	376	8516	200
	rh > 17.9	0	240	6743
Number of points 23981 ; PC=95.1%; EBD=0.0%; POD1=95.3%; POD2=93.4%; POD3=97.1%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	23290	34	0
	50.0 < rh < 70.0	28	613	7
	rh > 70.0	0	2	7
Number of points 23981 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.5%; POD3=50.0%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6712	1127	0
	2.1 < pwv < 3.7	1485	3810	739
	pwv > 3.7	87	964	5698
Number of points 20622 ; PC=78.7%; EBD=0.4%; POD1=81.0%; POD2=64.6%; POD3=88.5%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8085	104	0
	2.1 < pwv < 3.7	199	5693	87
	pwv > 3.7	0	104	6350
Number of points 20622 ; PC=97.6%; EBD=0.0%; POD1=97.6%; POD2=96.5%; POD3=98.6%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	5311	2250
	4.2 < ws < 7.6	2935	4067
	ws > 7.6	413	1747
Number of points 24187 ; PC=62.1%; EBD=2.7%; POD1=61.3%; POD2=50.4%; POD3=75.5%			

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	10396	662	33
	East	794	1677	368
	South	101	447	2994
	West	362	99	73

Number of points 18541 ; PC=82.6%; EBD=1.3%; POD1=89.2%; POD2=58.1%; POD3=86.3%; POD4=46.7%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	4173	1391
	7.1 < rh < 15.3	3237	5155
	rh > 15.3	441	2358

Number of points 23941 ; PC=63.8%; EBD=2.0%; POD1=53.2%; POD2=57.9%; POD3=82.9%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6656	1664
	1.9 < pwv < 3.5	1445	3554
	pwv > 3.5	84	847

Number of points 21047 ; PC=75.7%; EBD=0.6%; POD1=81.3%; POD2=58.6%; POD3=84.2%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3367	2819	993
	0.6 < see < 0.8	1976	2831	2252
	see > 0.8	275	815	2569
Number of points 17897 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	5422	0	689
	0.6 < see < 0.8	0	6285	689
	see > 0.8	196	180	5125
Number of points 17897 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2382	1391	160
	$3.4 < \tau < 5.8$	1024	2999	1756
	$\tau > 5.8$	121	1700	4555
Number of points 16088 ; PC=61.8%; EBD=1.7%; POD1=67.5%; POD2=49.2%; POD3=70.4%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3142	200	768
	$3.4 < \tau < 5.8$	264	4983	768
	$\tau > 5.8$	121	907	5703
Number of points 16088 ; PC=86.0%; EBD=5.5%; POD1=89.1%; POD2=81.8%; POD3=78.8%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2808	2971
	0.6 < glf < 0.7	1803	2423
	glf > 0.7	302	607
Number of points 16294 ; PC=38.1%; EBD=14.4%; POD1=57.2%; POD2=40.4%; POD3=18.0%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4550	871
	0.6 < glf < 0.7	61	5088
	glf > 0.7	302	42
Number of points 16294 ; PC=78.5%; EBD=15.6%; POD1=92.6%; POD2=84.8%; POD3=43.7%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4183	1142	247
	4.6 < ws < 7.4	3729	5108	1487
	ws > 7.4	289	2364	5772
Number of points 24321 ; PC=61.9%; EBD=2.2%; POD1=51.0%; POD2=59.3%; POD3=76.9%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	7985	688	16
	East	140	388	69
	South	42	50	1530
	West	3081	28	310

Number of points 20994 ; PC=75.7%; EBD=0.4%; POD1=71.0%; POD2=33.6%; POD3=79.5%; POD4=89.9%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4769	1279
	8.9 < rh < 17.9	2915	5673
	rh > 17.9	236	2099

Number of points 24249 ; PC=66.0%; EBD=1.2%; POD1=60.2%; POD2=62.7%; POD3=76.3%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6451	1233
	2.1 < pwv < 3.7	1778	3721
	pwv > 3.7	100	1046

Number of points 21214 ; PC=75.7%; EBD=0.5%; POD1=77.5%; POD2=62.0%; POD3=85.6%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	4685	2394	319
	4.2 < ws < 7.6	3408	3887	1758
	ws > 7.6	475	1896	5298
Number of points 24120 ; PC=57.5%; EBD=3.3%; POD1=54.7%; POD2=47.5%; POD3=71.8%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	9949	718	48
	East	1102	1621	473
	South	210	533	2857
	West	386	83	47

Number of points 18563 ; PC=78.6%; EBD=1.8%; POD1=85.4%; POD2=54.9%; POD3=83.4%; POD4=32.1%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3805	1438
	7.1 < rh < 15.3	3393	4929
	rh > 15.3	517	2455

Number of points 23807 ; PC=60.8%; EBD=3.0%; POD1=49.3%; POD2=55.9%; POD3=79.0%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6656	1827
	1.9 < pwv < 3.5	1168	3259
	pwv > 3.5	223	996

Number of points 20862 ; PC=72.8%; EBD=1.6%; POD1=82.7%; POD2=53.6%; POD3=78.2%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3338	2787	1065
	0.6 < see < 0.8	1840	2604	2097
	see > 0.8	390	1055	2613
Number of points 17789 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	5283	0	725
	0.6 < see < 0.8	0	6289	725
	see > 0.8	285	157	5050
Number of points 17789 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2271	1386	166
	$3.4 < \tau < 5.8$	1015	2899	1475
	$\tau > 5.8$	203	1816	4751
Number of points 15982 ; PC=62.1%; EBD=2.3%; POD1=65.1%; POD2=47.5%; POD3=74.3%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2981	168	702
	$3.4 < \tau < 5.8$	305	4927	702
	$\tau > 5.8$	203	1006	5690
Number of points 15982 ; PC=85.1%; EBD=5.7%; POD1=85.4%; POD2=80.8%; POD3=80.2%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2546	2696
	0.6 < glf < 0.7	1927	2709
	glf > 0.7	412	573
Number of points 16188 ; PC=39.3%; EBD=14.5%; POD1=52.1%; POD2=45.3%; POD3=20.8%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4400	761
	0.6 < glf < 0.7	73	5186
	glf > 0.7	412	31
Number of points 16188 ; PC=79.2%; EBD=15.5%; POD1=90.1%; POD2=86.8%; POD3=46.5%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4027	1200	227
	4.6 < ws < 7.4	3793	5106	1582
	ws > 7.4	333	2313	5673
Number of points 24254 ; PC=61.0%; EBD=2.3%; POD1=49.4%; POD2=59.2%; POD3=75.8%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	7663	697	21
	East	168	374	62
	South	92	39	1477
	West	3312	40	364

Number of points 20963 ; PC=73.1%; EBD=0.7%; POD1=68.2%; POD2=32.5%; POD3=76.8%; POD4=87.5%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4491	1195
	8.9 < rh < 17.9	3082	5597
	rh > 17.9	347	2222

Number of points 24182 ; PC=63.8%; EBD=1.8%; POD1=56.7%; POD2=62.1%; POD3=73.8%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6255	1436
	2.1 < pwv < 3.7	1934	3446
	pwv > 3.7	120	1071

Number of points 21135 ; PC=72.8%; EBD=0.8%; POD1=75.3%; POD2=57.9%; POD3=82.7%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration