

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 03-07-2025	
---	--	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
June 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	5305	2078
	4.2 < ws < 7.6	3184	4301
	ws > 7.6	370	1920
Number of points 25286 ; PC=63.8%; EBD=2.5%; POD1=59.9%; POD2=51.8%; POD3=80.2%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	8269	573
	4.2 < ws < 7.6	590	7291
	ws > 7.6	0	435
Number of points 25286 ; PC=91.9%; EBD=0.0%; POD1=93.3%; POD2=87.9%; POD3=94.5%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	22498	207
	12.0 < ws < 18.0	172	1982
	ws > 18.0	0	63
Number of points 25286 ; PC=98.0%; EBD=0.0%; POD1=99.2%; POD2=88.0%; POD3=85.7%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	11055	719	3		123
	East	979	1677	347		10
	South	111	483	3060		155
	West	436	113	20		215
Number of points 19506 ; PC=82.1%; EBD=1.2%; POD1=87.9%; POD2=56.0%; POD3=89.2%; POD4=42.7%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	12343	177	0		41
	East	212	2722	88		0
	South	0	93	3330		16
	West	26	0	12		446
Number of points 19506 ; PC=96.6%; EBD=0.0%; POD1=98.1%; POD2=91.0%; POD3=97.1%; POD4=88.7%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	4621	1554	11
	7.1 < rh < 15.3	3272	5120	1081
	rh > 15.3	401	2637	6309
Number of points 25006 ; PC=64.2%; EBD=1.6%; POD1=55.7%; POD2=55.0%; POD3=85.2%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	7803	360	3
	7.1 < rh < 15.3	490	8639	190
	rh > 15.3	1	312	7208
Number of points 25006 ; PC=94.6%; EBD=0.0%; POD1=94.1%; POD2=92.8%; POD3=97.4%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	24395	45	0
	50.0 < rh < 70.0	48	474	6
	rh > 70.0	0	3	35
Number of points 25006 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=90.8%; POD3=85.4%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6691	1298	10
	1.9 < pwv < 3.5	1120	3533	637
	pwv > 3.5	62	760	5704
Number of points 19815 ; PC=80.4%; EBD=0.4%; POD1=85.0%; POD2=63.2%; POD3=89.8%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7736	184	0
	1.9 < pwv < 3.5	137	5337	83
	pwv > 3.5	0	70	6268
Number of points 19815 ; PC=97.6%; EBD=0.0%; POD1=98.3%; POD2=95.5%; POD3=98.7%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	2825	2494	820
Model data 0.6 < see < 0.8	1980	2604	2062
see > 0.8	251	806	2176
Number of points 16018 ; PC=47.5%; EBD=6.7%; POD1=55.9%; POD2=44.1%; POD3=43.0%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	5072	900	33
Model data 0.6 < see < 0.8	684	4441	508
see > 0.8	6	619	4523
Number of points 16018 ; PC=83.6%; EBD=0.2%; POD1=88.0%; POD2=74.5%; POD3=89.3%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	4869	0	551
Model data 0.6 < see < 0.8	0	5779	551
see > 0.8	187	125	4507
Number of points 16018 ; PC=94.6%; EBD=4.6%; POD1=96.3%; POD2=97.9%; POD3=80.4%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	5756	24	30
Model data 0.6 < see < 0.8	0	5916	29
see > 0.8	6	20	5034
Number of points 16018 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=98.8%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2005	1376	104
	$3.4 < \tau < 5.8$	823	2840	1496
	$\tau > 5.8$	118	1473	4141
Number of points 14376 ; PC=62.5%; EBD=1.5%; POD1=68.1%; POD2=49.9%; POD3=72.1%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2712	289	3
	$3.4 < \tau < 5.8$	234	5071	406
	$\tau > 5.8$	0	329	5332
Number of points 14376 ; PC=91.2%; EBD=0.0%; POD1=92.1%; POD2=89.1%; POD3=92.9%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2612	183	600
	$3.4 < \tau < 5.8$	216	4684	600
	$\tau > 5.8$	118	822	5141
Number of points 14376 ; PC=86.5%; EBD=5.0%; POD1=88.7%; POD2=82.3%; POD3=81.1%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2943	2	33
	$3.4 < \tau < 5.8$	3	5642	33
	$\tau > 5.8$	0	45	5708
Number of points 14376 ; PC=99.4%; EBD=0.2%; POD1=99.9%; POD2=99.2%; POD3=98.9%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2476	2583
	0.6 < glf < 0.7	1562	1903
	glf > 0.7	244	715
Number of points 14538 ; PC=37.3%; EBD=13.9%; POD1=57.8%; POD2=36.6%; POD3=20.7%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3621	777
	0.6 < glf < 0.7	631	3697
	glf > 0.7	30	727
Number of points 14538 ; PC=79.0%; EBD=0.4%; POD1=84.6%; POD2=71.1%; POD3=82.4%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3992	658
	0.6 < glf < 0.7	46	4515
	glf > 0.7	244	28
Number of points 14538 ; PC=79.9%; EBD=15.0%; POD1=93.2%; POD2=86.8%; POD3=46.9%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4241	48
	0.6 < glf < 0.7	11	5137
	glf > 0.7	30	16
Number of points 14538 ; PC=99.0%; EBD=0.5%; POD1=99.0%; POD2=98.8%; POD3=98.5%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4456	1323	234
	4.6 < ws < 7.4	3712	5227	1601
	ws > 7.4	299	2203	6655
Number of points 25710 ; PC=63.5%; EBD=2.1%; POD1=52.6%; POD2=59.7%; POD3=78.4%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	7542	648	5
	4.6 < ws < 7.4	920	7656	391
	ws > 7.4	5	449	8094
Number of points 25710 ; PC=90.6%; EBD=0.0%; POD1=89.1%; POD2=87.5%; POD3=95.3%				

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations			
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
Model data	ws < 12.0	22261	269	0
	12.0 < ws < 18.0	187	2331	69
	ws > 18.0	0	79	514
Number of points 25710 ; PC=97.7%; EBD=0.0%; POD1=99.2%; POD2=87.0%; POD3=88.2%				

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	9068	715	5		206
	East	184	550	84		1
	South	36	28	1554		521
	West	3138	37	212		5978
Number of points 22317 ; PC=76.8%; EBD=0.4%; POD1=73.0%; POD2=41.4%; POD3=83.8%; POD4=89.1%						

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	11955	100	2		293
	East	91	1215	10		0
	South	0	13	1751		80
	West	380	2	92		6333
Number of points 22317 ; PC=95.2%; EBD=0.0%; POD1=96.2%; POD2=91.4%; POD3=94.4%; POD4=94.4%						

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	5683	1492	26
	8.9 < rh < 17.9	2618	6330	1651
	rh > 17.9	172	1940	5742
Number of points 25654 ; PC=69.2%; EBD=0.8%; POD1=67.1%; POD2=64.8%; POD3=77.4%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8067	386	0
	8.9 < rh < 17.9	406	9109	219
	rh > 17.9	0	267	7200
Number of points 25654 ; PC=95.0%; EBD=0.0%; POD1=95.2%; POD2=93.3%; POD3=97.0%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	24906	34	0
	50.0 < rh < 70.0	33	628	8
	rh > 70.0	0	2	43
Number of points 25654 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.6%; POD3=84.3%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6712	1127	0
	2.1 < pwv < 3.7	1485	3810	739
	pwv > 3.7	87	964	5698
Number of points 20622 ; PC=78.7%; EBD=0.4%; POD1=81.0%; POD2=64.6%; POD3=88.5%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8085	104	0
	2.1 < pwv < 3.7	199	5693	87
	pwv > 3.7	0	104	6350
Number of points 20622 ; PC=97.6%; EBD=0.0%; POD1=97.6%; POD2=96.5%; POD3=98.6%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed <i>ms</i> ⁻¹		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	5540	2322	252
	4.2 < ws < 7.6	3084	4196	1647
	ws > 7.6	460	1885	6744
Number of points 26130 ; PC=63.1%; EBD=2.7%; POD1=61.0%; POD2=49.9%; POD3=78.0%				

Table 33: night2 - Contingency table for wind speed (*ms*⁻¹) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11700	754	37
	East	889	1772	368
	South	113	447	3013
	West	390	99	73

Number of points 20200 ; PC=82.8%; EBD=1.2%; POD1=89.4%; POD2=57.7%; POD3=86.3%; POD4=45.9%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	4581	1554
	7.1 < rh < 15.3	3480	5438
	rh > 15.3	477	2626

Number of points 25880 ; PC=63.6%; EBD=2.0%; POD1=53.7%; POD2=56.5%; POD3=83.3%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6656	1664
	1.9 < pwv < 3.5	1445	3554
	pwv > 3.5	84	847

Number of points 21047 ; PC=75.7%; EBD=0.6%; POD1=81.3%; POD2=58.6%; POD3=84.2%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3495	2908	1015
	0.6 < see < 0.8	2150	2935	2353
	see > 0.8	323	1011	3051
Number of points 19241 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	5731	0	709
	0.6 < see < 0.8	0	6617	709
	see > 0.8	237	237	5710
Number of points 19241 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3275	1756	200
	$3.4 < \tau < 5.8$	1076	3096	1776
	$\tau > 5.8$	130	1705	4572
Number of points 17586 ; PC=62.2%; EBD=1.9%; POD1=73.1%; POD2=47.2%; POD3=69.8%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4078	270	808
	$3.4 < \tau < 5.8$	273	5380	808
	$\tau > 5.8$	130	907	5740
Number of points 17586 ; PC=86.4%; EBD=5.3%; POD1=91.0%; POD2=82.0%; POD3=78.0%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3102	3144
	0.6 < glf < 0.7	1919	2600
	glf > 0.7	314	653
Number of points 17909 ; PC=38.5%; EBD=14.2%; POD1=58.1%; POD2=40.6%; POD3=19.3%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4959	894
	0.6 < glf < 0.7	62	5461
	glf > 0.7	314	42
Number of points 17909 ; PC=79.0%; EBD=15.4%; POD1=93.0%; POD2=85.4%; POD3=45.6%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4527	1320	255
	4.6 < ws < 7.4	3885	5238	1590
	ws > 7.4	305	2387	6757
Number of points 26264 ; PC=62.9%; EBD=2.1%; POD1=51.9%; POD2=58.6%; POD3=78.6%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	9152	815	21
	East	172	510	69
	South	44	50	1540
	West	3191	28	310

Number of points 22726 ; PC=76.2%; EBD=0.4%; POD1=72.9%; POD2=36.4%; POD3=79.4%; POD4=89.6%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	5301	1447
	8.9 < rh < 17.9	2995	6158
	rh > 17.9	242	2220

Number of points 26190 ; PC=66.7%; EBD=1.1%; POD1=62.1%; POD2=62.7%; POD3=76.8%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6451	1233
	2.1 < pwv < 3.7	1778	3721
	pwv > 3.7	100	1046

Number of points 21214 ; PC=75.7%; EBD=0.5%; POD1=77.5%; POD2=62.0%; POD3=85.6%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	4937	2485	325
	4.2 < ws < 7.6	3549	3995	1873
	ws > 7.6	556	2054	6356
Number of points 26130 ; PC=58.5%; EBD=3.4%; POD1=54.6%; POD2=46.8%; POD3=74.3%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11271	812	48
	East	1177	1715	477
	South	258	533	2873
	West	419	83	48

Number of points 20254 ; PC=79.1%; EBD=1.9%; POD1=85.9%; POD2=54.6%; POD3=83.4%; POD4=31.9%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	4331	1645
	7.1 < rh < 15.3	3589	5201
	rh > 15.3	546	2693

Number of points 25813 ; PC=61.1%; EBD=2.9%; POD1=51.2%; POD2=54.5%; POD3=79.8%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6656	1827
	1.9 < pwv < 3.5	1168	3259
	pwv > 3.5	223	996

Number of points 20862 ; PC=72.8%; EBD=1.6%; POD1=82.7%; POD2=53.6%; POD3=78.2%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3483	2847	1069
	0.6 < see < 0.8	2019	2722	2244
	see > 0.8	464	1239	3046
Number of points 19133 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	5614	0	726
	0.6 < see < 0.8	0	6562	726
	see > 0.8	352	246	5633
Number of points 19133 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3122	1729	202
	$3.4 < \tau < 5.8$	1074	3045	1525
	$\tau > 5.8$	203	1825	4817
Number of points 17542 ; PC=62.6%; EBD=2.3%; POD1=71.0%; POD2=46.1%; POD3=73.6%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3883	235	753
	$3.4 < \tau < 5.8$	313	5358	753
	$\tau > 5.8$	203	1006	5791
Number of points 17542 ; PC=85.7%; EBD=5.4%; POD1=88.3%; POD2=81.2%; POD3=79.4%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2750	2795	2124
	0.6 < glf < 0.7	2058	2927	2678
	glf > 0.7	464	650	1355
Number of points 17801 ; PC=39.5%; EBD=14.5%; POD1=52.2%; POD2=45.9%; POD3=22.0%				

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4733	768	2307
	0.6 < glf < 0.7	75	5573	1814
	glf > 0.7	464	31	3850
Number of points 17801 ; PC=79.5%; EBD=15.6%; POD1=89.8%; POD2=87.5%; POD3=48.3%				

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4345	1352	244
	4.6 < ws < 7.4	3954	5228	1662
	ws > 7.4	355	2355	6702
Number of points 26197 ; PC=62.1%; EBD=2.3%; POD1=50.2%; POD2=58.5%; POD3=77.9%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	8819	828	26
	East	198	477	62
	South	99	51	1487
	West	3433	43	364

Number of points 22698 ; PC=73.6%; EBD=0.7%; POD1=70.3%; POD2=34.1%; POD3=76.7%; POD4=86.8%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	5013	1355
	8.9 < rh < 17.9	3155	6015
	rh > 17.9	373	2415

Number of points 26123 ; PC=64.3%; EBD=1.8%; POD1=58.7%; POD2=61.5%; POD3=74.1%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6255	1436
	2.1 < pwv < 3.7	1934	3446
	pwv > 3.7	120	1071

Number of points 21135 ; PC=72.8%; EBD=0.8%; POD1=75.3%; POD2=57.9%; POD3=82.7%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration