

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 06-08-2025	
---	---	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
July 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	5786	2243
	4.2 < ws < 7.6	3381	4591
	ws > 7.6	392	1973
Number of points 27360 ; PC=64.4%; EBD=2.5%; POD1=60.5%; POD2=52.1%; POD3=80.7%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	8911	621
	4.2 < ws < 7.6	648	7737
	ws > 7.6	0	449
Number of points 27360 ; PC=92.0%; EBD=0.0%; POD1=93.2%; POD2=87.9%; POD3=94.8%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	24190	218
	12.0 < ws < 18.0	186	2274
	ws > 18.0	0	68
Number of points 27360 ; PC=98.1%; EBD=0.0%; POD1=99.2%; POD2=88.8%; POD3=85.8%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	12297	778	3		135
	East	1087	1793	353		10
	South	129	509	3107		158
	West	465	117	21		226
Number of points 21188 ; PC=82.2%; EBD=1.2%; POD1=88.0%; POD2=56.1%; POD3=89.2%; POD4=42.7%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	13728	193	0		49
	East	224	2910	89		0
	South	0	94	3383		16
	West	26	0	12		464
Number of points 21188 ; PC=96.7%; EBD=0.0%; POD1=98.2%; POD2=91.0%; POD3=97.1%; POD4=87.7%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	5463	1857	11
	7.1 < rh < 15.3	3509	5611	1133
	rh > 15.3	406	2661	6432
Number of points 27083 ; PC=64.6%; EBD=1.5%; POD1=58.3%; POD2=55.4%; POD3=84.9%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	8853	404	3
	7.1 < rh < 15.3	524	9403	193
	rh > 15.3	1	322	7380
Number of points 27083 ; PC=94.7%; EBD=0.0%; POD1=94.4%; POD2=92.8%; POD3=97.4%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	26472	45	0
	50.0 < rh < 70.0	48	474	6
	rh > 70.0	0	3	35
Number of points 27083 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=90.8%; POD3=85.4%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7437	1468	10
	1.9 < pwv < 3.5	1144	3666	701
	pwv > 3.5	62	820	5893
Number of points 21201 ; PC=80.2%; EBD=0.3%; POD1=86.0%; POD2=61.6%; POD3=89.2%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8501	198	0
	1.9 < pwv < 3.5	142	5685	85
	pwv > 3.5	0	71	6519
Number of points 21201 ; PC=97.7%; EBD=0.0%; POD1=98.4%; POD2=95.5%; POD3=98.7%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	3219	2714	995
Model data 0.6 < see < 0.8	2245	2731	2176
see > 0.8	351	893	2409
Number of points 17733 ; PC=47.1%; EBD=7.6%; POD1=55.4%; POD2=43.1%; POD3=43.2%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	5803	958	34
Model data 0.6 < see < 0.8	773	4791	561
see > 0.8	6	646	5025
Number of points 17733 ; PC=84.0%; EBD=0.2%; POD1=88.2%; POD2=74.9%; POD3=89.4%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	5550	0	712
Model data 0.6 < see < 0.8	0	6200	712
see > 0.8	265	138	4868
Number of points 17733 ; PC=93.7%; EBD=5.5%; POD1=95.4%; POD2=97.8%; POD3=77.4%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6576	24	30
Model data 0.6 < see < 0.8	0	6350	29
see > 0.8	6	21	5590
Number of points 17733 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.0%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2280	1675	111
	$3.4 < \tau < 5.8$	896	3071	1646
	$\tau > 5.8$	199	1701	4558
Number of points 16137 ; PC=61.4%; EBD=1.9%; POD1=67.6%; POD2=47.6%; POD3=72.2%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3103	315	4
	$3.4 < \tau < 5.8$	272	5764	450
	$\tau > 5.8$	0	368	5861
Number of points 16137 ; PC=91.3%; EBD=0.0%; POD1=91.9%; POD2=89.4%; POD3=92.8%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2922	207	620
	$3.4 < \tau < 5.8$	254	5288	620
	$\tau > 5.8$	199	952	5695
Number of points 16137 ; PC=86.2%; EBD=5.1%; POD1=86.6%; POD2=82.0%; POD3=82.1%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3371	2	36
	$3.4 < \tau < 5.8$	4	6398	36
	$\tau > 5.8$	0	47	6279
Number of points 16137 ; PC=99.4%; EBD=0.2%; POD1=99.9%; POD2=99.2%; POD3=98.9%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2582	2732
	0.6 < glf < 0.7	1792	2254
	glf > 0.7	349	865
Number of points 16322 ; PC=37.6%; EBD=13.8%; POD1=54.7%; POD2=38.5%; POD3=22.5%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4002	867
	0.6 < glf < 0.7	688	4145
	glf > 0.7	33	839
Number of points 16322 ; PC=79.1%; EBD=0.4%; POD1=84.7%; POD2=70.8%; POD3=82.8%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4320	669
	0.6 < glf < 0.7	54	5150
	glf > 0.7	349	32
Number of points 16322 ; PC=80.5%; EBD=14.9%; POD1=91.5%; POD2=88.0%; POD3=49.0%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4676	50
	0.6 < glf < 0.7	14	5782
	glf > 0.7	33	19
Number of points 16322 ; PC=99.0%; EBD=0.5%; POD1=99.0%; POD2=98.8%; POD3=98.4%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5040	1491
	4.6 < ws < 7.4	3896	5419
	ws > 7.4	321	2229
Number of points 27720 ; PC=64.0%; EBD=2.2%; POD1=54.4%; POD2=59.3%; POD3=78.2%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	8289	690
	4.6 < ws < 7.4	963	7976
	ws > 7.4	5	473
Number of points 27720 ; PC=90.7%; EBD=0.0%; POD1=89.5%; POD2=87.3%; POD3=95.3%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	23856	296
	12.0 < ws < 18.0	212	2629
	ws > 18.0	0	84
Number of points 27720 ; PC=97.6%; EBD=0.0%; POD1=99.1%; POD2=87.4%; POD3=87.1%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	10173	810	8		234
	East	194	582	84		1
	South	45	57	1620		549
	West	3316	42	226		6074
Number of points 24015 ; PC=76.8%; EBD=0.4%; POD1=74.1%; POD2=39.0%; POD3=83.6%; POD4=88.6%						

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	13221	110	2		307
	East	107	1358	10		0
	South	0	21	1829		86
	West	400	2	97		6465
Number of points 24015 ; PC=95.2%; EBD=0.0%; POD1=96.3%; POD2=91.1%; POD3=94.4%; POD4=94.3%						

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	6690	1813	39
	8.9 < rh < 17.9	2916	6548	1675
	rh > 17.9	172	1986	5825
Number of points 27664 ; PC=68.9%; EBD=0.8%; POD1=68.4%; POD2=63.3%; POD3=77.3%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	9333	445	0
	8.9 < rh < 17.9	445	9628	222
	rh > 17.9	0	274	7317
Number of points 27664 ; PC=95.0%; EBD=0.0%; POD1=95.4%; POD2=93.1%; POD3=97.1%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	26910	36	0
	50.0 < rh < 70.0	35	630	8
	rh > 70.0	0	2	43
Number of points 27664 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.3%; POD3=84.3%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	7630	1222	0
	2.1 < pwv < 3.7	1490	3973	798
	pwv > 3.7	87	964	5849
Number of points 22013 ; PC=79.3%; EBD=0.4%; POD1=82.9%; POD2=64.5%; POD3=88.0%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	9005	110	0
	2.1 < pwv < 3.7	202	5941	95
	pwv > 3.7	0	108	6552
Number of points 22013 ; PC=97.7%; EBD=0.0%; POD1=97.8%; POD2=96.5%; POD3=98.6%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6041	2491	266
	4.2 < ws < 7.6	3239	4462	1783
	ws > 7.6	494	1909	7455
Number of points 28140 ; PC=63.8%; EBD=2.7%; POD1=61.8%; POD2=50.3%; POD3=78.4%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree		Observations			
		North	East	South	West
Model data	North	12863	787	47	186
	East	1017	1896	368	0
	South	118	483	3056	125
	West	446	100	74	260

Number of points 21826 ; PC=82.8%; EBD=1.2%; POD1=89.1%; POD2=58.1%; POD3=86.2%; POD4=45.5%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	5298	1832	42
	7.1 < rh < 15.3	3770	5945	1302
	rh > 15.3	487	2659	6555

Number of points 27890 ; PC=63.8%; EBD=1.9%; POD1=55.4%; POD2=57.0%; POD3=83.0%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7629	1858	39
	1.9 < pwv < 3.5	1476	3700	1148
	pwv > 3.5	84	907	5863

Number of points 22704 ; PC=75.7%; EBD=0.5%; POD1=83.0%; POD2=57.2%; POD3=83.2%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3897	3108	1153
	0.6 < see < 0.8	2365	3077	2509
	see > 0.8	454	1061	3266
Number of points		20890 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	6372	0	830
	0.6 < see < 0.8	0	7004	830
	see > 0.8	344	242	6098
Number of points		20890 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3496	2021	207
	$3.4 < \tau < 5.8$	1154	3350	1953
	$\tau > 5.8$	223	1915	4962
Number of points 19281 ; PC=61.2%; EBD=2.2%; POD1=71.7%; POD2=46.0%; POD3=69.7%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4334	286	836
	$3.4 < \tau < 5.8$	316	5956	836
	$\tau > 5.8$	223	1044	6286
Number of points 19281 ; PC=86.0%; EBD=5.5%; POD1=88.9%; POD2=81.7%; POD3=79.0%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3206	3278
	0.6 < glf < 0.7	2120	2929
	glf > 0.7	447	808
Number of points 19627 ; PC=38.5%; EBD=14.3%; POD1=55.5%; POD2=41.8%; POD3=20.9%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5247	916
	0.6 < glf < 0.7	79	6057
	glf > 0.7	447	42
Number of points 19627 ; PC=79.2%; EBD=15.5%; POD1=90.9%; POD2=86.3%; POD3=47.3%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5096	1471	311
	4.6 < ws < 7.4	4162	5449	1755
	ws > 7.4	316	2411	7370
Number of points 28341 ; PC=63.2%; EBD=2.2%; POD1=53.2%; POD2=58.4%; POD3=78.1%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	10203	894	29
	East	219	552	69
	South	62	85	1617
	West	3377	33	324

Number of points 24450 ; PC=76.1%; EBD=0.5%; POD1=73.6%; POD2=35.3%; POD3=79.3%; POD4=89.1%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	6314	1725
	8.9 < rh < 17.9	3354	6431
	rh > 17.9	242	2254

Number of points 28267 ; PC=66.6%; EBD=1.1%; POD1=63.7%; POD2=61.8%; POD3=76.4%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	7642	1325
	2.1 < pwv < 3.7	1778	3872
	pwv > 3.7	100	1062

Number of points 22874 ; PC=76.6%; EBD=0.5%; POD1=80.3%; POD2=61.9%; POD3=84.8%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	5449	2661	368
	4.2 < ws < 7.6	3775	4231	2019
	ws > 7.6	588	2150	6966
Number of points 28207 ; PC=59.0%; EBD=3.4%; POD1=55.5%; POD2=46.8%; POD3=74.5%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	12420	834	48
	East	1295	1863	477
	South	265	565	2935
	West	475	86	50

Number of points 21885 ; PC=79.5%; EBD=1.9%; POD1=85.9%; POD2=55.6%; POD3=83.6%; POD4=32.5%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	5091	1984
	7.1 < rh < 15.3	3934	5625
	rh > 15.3	546	2727

Number of points 27890 ; PC=61.0%; EBD=2.7%; POD1=53.2%; POD2=54.4%; POD3=78.9%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7690	2062
	1.9 < pwv < 3.5	1204	3354
	pwv > 3.5	223	1056

Number of points 22519 ; PC=72.8%; EBD=1.5%; POD1=84.3%; POD2=51.8%; POD3=77.2%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3881	3087	1246
	0.6 < see < 0.8	2230	2850	2404
	see > 0.8	611	1324	3237
Number of points		20870 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	6261	0	861
	0.6 < see < 0.8	0	6989	861
	see > 0.8	461	272	6026
Number of points		20870 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3339	1982	209
	$3.4 < \tau < 5.8$	1196	3255	1690
	$\tau > 5.8$	326	2109	5219
Number of points 19325 ; PC=61.1%; EBD=2.8%; POD1=68.7%; POD2=44.3%; POD3=73.3%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4163	235	804
	$3.4 < \tau < 5.8$	372	5947	804
	$\tau > 5.8$	326	1164	6314
Number of points 19325 ; PC=85.0%; EBD=5.8%; POD1=85.6%; POD2=81.0%; POD3=79.7%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2875	2877
	0.6 < glf < 0.7	2218	3304
	glf > 0.7	661	827
Number of points 19607 ; PC=39.6%; EBD=14.9%; POD1=50.0%; POD2=47.1%; POD3=23.1%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5011	779
	0.6 < glf < 0.7	82	6197
	glf > 0.7	661	32
Number of points 19607 ; PC=79.6%; EBD=15.9%; POD1=87.1%; POD2=88.4%; POD3=50.0%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4855	1511	288
	4.6 < ws < 7.4	4261	5410	1830
	ws > 7.4	395	2400	7324
Number of points 28274 ; PC=62.2%; EBD=2.4%; POD1=51.0%; POD2=58.0%; POD3=77.6%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	9877	904	48
	East	243	540	62
	South	110	59	1550
	West	3621	57	378

Number of points 24422 ; PC=73.6%; EBD=0.9%; POD1=71.3%; POD2=34.6%; POD3=76.1%; POD4=86.1%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	5974	1636
	8.9 < rh < 17.9	3566	6304
	rh > 17.9	373	2430

Number of points 28200 ; PC=64.3%; EBD=1.7%; POD1=60.3%; POD2=60.8%; POD3=73.8%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	7443	1587
	2.1 < pwv < 3.7	1937	3543
	pwv > 3.7	120	1082

Number of points 22795 ; PC=73.7%; EBD=0.9%; POD1=78.3%; POD2=57.0%; POD3=81.9%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration