



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 03-10-2025



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
September 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6391	2467
	4.2 < ws < 7.6	3890	5219
	ws > 7.6	451	2214
Number of points 31447 ; PC=64.9%; EBD=2.6%; POD1=59.6%; POD2=52.7%; POD3=81.3%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	10006	698
	4.2 < ws < 7.6	726	8694
	ws > 7.6	0	508
Number of points 31447 ; PC=92.1%; EBD=0.0%; POD1=93.2%; POD2=87.8%; POD3=95.0%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	27611	284
	12.0 < ws < 18.0	243	2742
	ws > 18.0	0	76
Number of points 31447 ; PC=97.9%; EBD=0.0%; POD1=99.1%; POD2=88.4%; POD3=86.2%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	14014	850	25		202
	East	1251	2117	496		10
	South	129	547	3641		266
	West	484	130	41		289
Number of points 24492 ; PC=81.9%; EBD=1.2%; POD1=88.3%; POD2=58.1%; POD3=86.6%; POD4=37.7%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	15589	210	0		58
	East	259	3319	98		0
	South	0	115	4086		20
	West	30	0	19		689
Number of points 24492 ; PC=96.7%; EBD=0.0%; POD1=98.2%; POD2=91.1%; POD3=97.2%; POD4=89.8%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		rh < 7.1	7.1 < rh < 15.3	Observations	rh > 15.3
Model data	rh < 7.1	7167	2182		11
	7.1 < rh < 15.3	4293	6189		1159
	rh > 15.3	520	2923		6610
Number of points 31054 ; PC=64.3%; EBD=1.7%; POD1=59.8%; POD2=54.8%; POD3=85.0%					

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		rh < 7.1	7.1 < rh < 15.3	Observations	rh > 15.3
Model data	rh < 7.1	11358	494		3
	7.1 < rh < 15.3	621	10458		209
	rh > 15.3	1	342		7568
Number of points 31054 ; PC=94.6%; EBD=0.0%; POD1=94.8%; POD2=92.6%; POD3=97.3%					

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		rh < 50.0	50.0 < rh < 70.0	Observations	rh > 70.0
Model data	rh < 50.0	30397	51		0
	50.0 < rh < 70.0	54	483		9
	rh > 70.0	0	7		53
Number of points 31054 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=89.3%; POD3=85.5%					

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8124	1561	10
	1.9 < pwv < 3.5	1216	3837	726
	pwv > 3.5	62	833	6038
Number of points 22407 ; PC=80.3%; EBD=0.3%; POD1=86.4%; POD2=61.6%; POD3=89.1%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	9257	206	0
	1.9 < pwv < 3.5	145	5953	87
	pwv > 3.5	0	72	6687
Number of points 22407 ; PC=97.7%; EBD=0.0%; POD1=98.5%; POD2=95.5%; POD3=98.7%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	3567	2935	1090
Model data 0.6 < see < 0.8	2471	3004	2474
see > 0.8	448	1032	2759
Number of points 19780 ; PC=47.2%; EBD=7.8%; POD1=55.0%; POD2=43.1%; POD3=43.6%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6465	1041	34
Model data 0.6 < see < 0.8	865	5291	633
see > 0.8	6	712	5765
Number of points 19780 ; PC=84.2%; EBD=0.2%; POD1=88.1%; POD2=75.1%; POD3=89.6%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6144	3	778
Model data 0.6 < see < 0.8	0	6802	776
see > 0.8	342	166	5545
Number of points 19780 ; PC=93.5%; EBD=5.7%; POD1=94.7%; POD2=97.6%; POD3=78.1%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	7330	25	30
Model data 0.6 < see < 0.8	0	6998	29
see > 0.8	6	21	6402
Number of points 19780 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.1%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2960	1935	153
	$3.4 < \tau < 5.8$	1051	3461	2036
	$\tau > 5.8$	205	1740	4760
Number of points 18301 ; PC=61.1%; EBD=2.0%; POD1=70.2%; POD2=48.5%; POD3=68.5%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3885	364	4
	$3.4 < \tau < 5.8$	331	6362	494
	$\tau > 5.8$	0	410	6451
Number of points 18301 ; PC=91.2%; EBD=0.0%; POD1=92.1%; POD2=89.2%; POD3=92.8%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3719	266	753
	$3.4 < \tau < 5.8$	292	5904	753
	$\tau > 5.8$	205	966	6196
Number of points 18301 ; PC=86.4%; EBD=5.2%; POD1=88.2%; POD2=82.7%; POD3=80.4%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4212	2	36
	$3.4 < \tau < 5.8$	4	7087	36
	$\tau > 5.8$	0	47	6913
Number of points 18301 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.0%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2662	2951
	0.6 < glf < 0.7	1940	2593
	glf > 0.7	451	1003
Number of points 18514 ; PC=37.1%; EBD=14.4%; POD1=52.7%; POD2=39.6%; POD3=23.5%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4268	946
	0.6 < glf < 0.7	750	4676
	glf > 0.7	35	925
Number of points 18514 ; PC=79.6%; EBD=0.4%; POD1=84.5%; POD2=71.4%; POD3=83.8%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4535	751
	0.6 < glf < 0.7	67	5763
	glf > 0.7	451	33
Number of points 18514 ; PC=79.9%; EBD=15.5%; POD1=89.7%; POD2=88.0%; POD3=50.3%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5002	54
	0.6 < glf < 0.7	16	6474
	glf > 0.7	35	19
Number of points 18514 ; PC=99.1%; EBD=0.4%; POD1=99.0%; POD2=98.9%; POD3=98.7%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5684	1723	358
	4.6 < ws < 7.4	4461	6074	1953
	ws > 7.4	403	2421	8395
Number of points 31472 ; PC=64.0%; EBD=2.4%; POD1=53.9%; POD2=59.4%; POD3=78.4%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	9405	797	8
	4.6 < ws < 7.4	1138	8897	501
	ws > 7.4	5	524	10197
Number of points 31472 ; PC=90.6%; EBD=0.0%; POD1=89.2%; POD2=87.1%; POD3=95.2%				

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations			
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	26856	332	0
Model data	12.0 < ws < 18.0	236	3192	90
	ws > 18.0	0	101	665
Number of points 31472 ; PC=97.6%; EBD=0.0%; POD1=99.1%; POD2=88.1%; POD3=88.1%				

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations West
Model data	North	11555	933	10	263
	East	216	748	138	1
	South	54	65	1950	719
	West	3630	42	286	6691
Number of points 27301 ; PC=76.7%; EBD=0.4%; POD1=74.8%; POD2=41.8%; POD3=81.8%; POD4=87.2%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations West
Model data	North	14865	129	2	333
	East	133	1631	13	0
	South	0	26	2254	105
	West	457	2	115	7236
Number of points 27301 ; PC=95.2%; EBD=0.0%; POD1=96.2%; POD2=91.2%; POD3=94.5%; POD4=94.3%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8637	1899	39
	8.9 < rh < 17.9	3629	6964	1694
	rh > 17.9	243	2213	6094
Number of points 31412 ; PC=69.1%; EBD=0.9%; POD1=69.0%; POD2=62.9%; POD3=77.9%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	11997	491	1
	8.9 < rh < 17.9	512	10290	239
	rh > 17.9	0	295	7587
Number of points 31412 ; PC=95.1%; EBD=0.0%; POD1=95.9%; POD2=92.9%; POD3=96.9%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	30595	36	0
	50.0 < rh < 70.0	38	652	10
	rh > 70.0	0	2	79
Number of points 31412 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.5%; POD3=88.8%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8330	1287	0
	2.1 < pwv < 3.7	1538	4051	836
	pwv > 3.7	93	975	6042
Number of points 23152 ; PC=79.6%; EBD=0.4%; POD1=83.6%; POD2=64.2%; POD3=87.8%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	9752	111	0
	2.1 < pwv < 3.7	209	6089	111
	pwv > 3.7	0	113	6767
Number of points 23152 ; PC=97.7%; EBD=0.0%; POD1=97.9%; POD2=96.5%; POD3=98.4%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6653	2718	323
	4.2 < ws < 7.6	3748	5132	2038
	ws > 7.6	546	2105	8964
Number of points 32227 ; PC=64.4%; EBD=2.7%; POD1=60.8%; POD2=51.6%; POD3=79.2%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	14613	837	107
	East	1148	2230	499
	South	123	540	3565
	West	460	106	93

Number of points 25130 ; PC=82.4%; EBD=1.3%; POD1=89.4%; POD2=60.1%; POD3=83.6%; POD4=37.3%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6872	2118
	7.1 < rh < 15.3	4640	6568
	rh > 15.3	645	2915

Number of points 31863 ; PC=63.3%; EBD=2.2%; POD1=56.5%; POD2=56.6%; POD3=83.2%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8623	1991
	1.9 < pwv < 3.5	1563	3913
	pwv > 3.5	84	954

Number of points 24446 ; PC=76.0%; EBD=0.5%; POD1=84.0%; POD2=57.1%; POD3=82.4%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4286	3462	1259
	0.6 < see < 0.8	2684	3455	2933
	see > 0.8	580	1226	3791
Number of points		23676	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	7100	3	920
	0.6 < see < 0.8	0	7858	915
	see > 0.8	450	282	7063
Number of points		23676	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4349	2353	251
	$3.4 < \tau < 5.8$	1472	3927	2498
	$\tau > 5.8$	234	1984	5217
Number of points 22285 ; PC=60.5%; EBD=2.2%; POD1=71.8%; POD2=47.5%; POD3=65.5%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5409	371	1035
	$3.4 < \tau < 5.8$	412	6841	1035
	$\tau > 5.8$	234	1052	6931
Number of points 22285 ; PC=86.1%; EBD=5.7%; POD1=89.3%; POD2=82.8%; POD3=77.0%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3436	3616
	0.6 < glf < 0.7	2443	3280
	glf > 0.7	609	1010
Number of points 22662 ; PC=38.5%; EBD=14.4%; POD1=53.0%; POD2=41.5%; POD3=24.4%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5776	1040
	0.6 < glf < 0.7	103	6824
	glf > 0.7	609	42
Number of points 22662 ; PC=79.2%; EBD=15.5%; POD1=89.0%; POD2=86.3%; POD3=50.3%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5754	1691	409
	4.6 < ws < 7.4	4746	6175	1997
	ws > 7.4	400	2587	8669
Number of points 32428 ; PC=63.5%; EBD=2.5%; POD1=52.8%; POD2=59.1%; POD3=78.3%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11805	995	35
	East	247	747	138
	South	72	98	1961
	West	3719	44	382

Number of points 28062 ; PC=76.3%; EBD=0.5%; POD1=74.5%; POD2=39.6%; POD3=77.9%; POD4=88.1%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8355	1816
	8.9 < rh < 17.9	4168	6993
	rh > 17.9	314	2472

Number of points 32353 ; PC=67.0%; EBD=1.1%; POD1=65.1%; POD2=62.0%; POD3=76.7%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8664	1485
	2.1 < pwv < 3.7	1921	3964
	pwv > 3.7	102	1071

Number of points 24593 ; PC=76.5%; EBD=0.5%; POD1=81.1%; POD2=60.8%; POD3=83.9%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6061	2983	437
	4.2 < ws < 7.6	4279	4772	2350
	ws > 7.6	624	2334	8387
Number of points 32227 ; PC=59.6%; EBD=3.3%; POD1=55.3%; POD2=47.3%; POD3=75.1%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	14104	878	114
	East	1449	2178	647
	South	267	626	3386
	West	490	96	82

Number of points 25127 ; PC=79.2%; EBD=1.9%; POD1=86.5%; POD2=57.6%; POD3=80.1%; POD4=29.8%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6645	2293
	7.1 < rh < 15.3	4798	6222
	rh > 15.3	685	2964

Number of points 31796 ; PC=60.9%; EBD=2.8%; POD1=54.8%; POD2=54.2%; POD3=79.2%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8652	2176
	1.9 < pwv < 3.5	1256	3633
	pwv > 3.5	223	1056

Number of points 24194 ; PC=73.5%; EBD=1.7%; POD1=85.4%; POD2=52.9%; POD3=76.5%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4240	3478	1389
	0.6 < see < 0.8	2536	3225	2833
	see > 0.8	731	1449	3720
Number of points		23601	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	6950	0	953
	0.6 < see < 0.8	0	7857	953
	see > 0.8	557	295	6989
Number of points		23601	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4173	2292	246
	$3.4 < \tau < 5.8$	1497	3771	2164
	$\tau > 5.8$	373	2244	5514
Number of points 22274 ; PC=60.4%; EBD=2.8%; POD1=69.1%; POD2=45.4%; POD3=69.6%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5253	318	1014
	$3.4 < \tau < 5.8$	417	6782	1014
	$\tau > 5.8$	373	1207	6910
Number of points 22274 ; PC=85.1%; EBD=6.2%; POD1=86.9%; POD2=81.6%; POD3=77.3%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3081	3198
	0.6 < glf < 0.7	2559	3624
	glf > 0.7	827	1055
Number of points 22587 ; PC=39.1%; EBD=15.0%; POD1=47.6%; POD2=46.0%; POD3=25.8%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5540	899
	0.6 < glf < 0.7	100	6942
	glf > 0.7	827	36
Number of points 22587 ; PC=79.4%; EBD=16.0%; POD1=85.7%; POD2=88.1%; POD3=52.1%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5494	1760	389
	4.6 < ws < 7.4	4906	6122	2141
	ws > 7.4	437	2561	8551
Number of points 32361 ; PC=62.3%; EBD=2.6%; POD1=50.7%; POD2=58.6%; POD3=77.2%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11451	1033	79
	East	281	704	124
	South	130	78	1841
	West	3971	65	471

Number of points 28034 ; PC=73.7%; EBD=1.0%; POD1=72.3%; POD2=37.4%; POD3=73.2%; POD4=85.3%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	7899	1733
	8.9 < rh < 17.9	4516	6815
	rh > 17.9	425	2693

Number of points 32286 ; PC=64.4%; EBD=1.6%; POD1=61.5%; POD2=60.6%; POD3=74.2%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8483	1784
	2.1 < pwv < 3.7	2057	3605
	pwv > 3.7	127	1084

Number of points 24514 ; PC=73.8%; EBD=0.8%; POD1=79.5%; POD2=55.7%; POD3=81.5%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration