

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 06-10-2025	
---	--	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
September 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6215	2431
	4.2 < ws < 7.6	3630	4955
	ws > 7.6	415	2064
Number of points 29370 ; PC=64.6%; EBD=2.5%; POD1=60.6%; POD2=52.4%; POD3=80.9%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	9562	672
	4.2 < ws < 7.6	698	8298
	ws > 7.6	0	480
Number of points 29370 ; PC=92.0%; EBD=0.0%; POD1=93.2%; POD2=87.8%; POD3=94.9%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	26035	238
	12.0 < ws < 18.0	218	2382
	ws > 18.0	0	68
Number of points 29370 ; PC=98.0%; EBD=0.0%; POD1=99.2%; POD2=88.6%; POD3=84.8%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	13061	827	25		161
	East	1149	1856	391		10
	South	129	522	3431		260
	West	477	130	41		288
Number of points 22758 ; PC=81.9%; EBD=1.3%; POD1=88.2%; POD2=55.7%; POD3=88.2%; POD4=40.1%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	14552	199	0		51
	East	234	3038	89		0
	South	0	98	3780		20
	West	30	0	19		648
Number of points 22758 ; PC=96.7%; EBD=0.0%; POD1=98.2%; POD2=91.1%; POD3=97.2%; POD4=90.1%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6507	1969	11
	7.1 < rh < 15.3	3837	5914	1159
	rh > 15.3	447	2753	6432
Number of points 29029 ; PC=64.9%; EBD=1.6%; POD1=60.3%; POD2=55.6%; POD3=84.6%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	10243	432	3
	7.1 < rh < 15.3	547	9874	195
	rh > 15.3	1	330	7404
Number of points 29029 ; PC=94.8%; EBD=0.0%; POD1=94.9%; POD2=92.8%; POD3=97.4%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	28416	47	0
	50.0 < rh < 70.0	48	474	6
	rh > 70.0	0	3	35
Number of points 29029 ; PC=99.6%; EBD=0.0%; POD1=99.8%; POD2=90.5%; POD3=85.4%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7745	1468
	1.9 < pwv < 3.5	1171	3666
	pwv > 3.5	62	820
Number of points 21603 ; PC=80.4%; EBD=0.3%; POD1=86.3%; POD2=61.6%; POD3=89.3%			

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8836	198
	1.9 < pwv < 3.5	142	5685
	pwv > 3.5	0	71
Number of points 21603 ; PC=97.7%; EBD=0.0%; POD1=98.4%; POD2=95.5%; POD3=98.7%			

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	3534	2878	1056
Model data 0.6 < see < 0.8	2355	2870	2322
see > 0.8	420	971	2600
Number of points 19006 ; PC=47.4%; EBD=7.8%; POD1=56.0%; POD2=42.7%; POD3=43.5%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	6293	1011	34
Model data 0.6 < see < 0.8	835	5084	603
see > 0.8	6	678	5346
Number of points 19006 ; PC=84.1%; EBD=0.2%; POD1=88.2%; POD2=75.1%; POD3=89.4%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	5987	3	752
Model data 0.6 < see < 0.8	0	6551	750
see > 0.8	322	165	5226
Number of points 19006 ; PC=93.5%; EBD=5.7%; POD1=94.9%; POD2=97.5%; POD3=77.7%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	7128	24	30
Model data 0.6 < see < 0.8	0	6728	29
see > 0.8	6	21	5953
Number of points 19006 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.0%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2592	1854	134
	$3.4 < \tau < 5.8$	980	3262	1903
	$\tau > 5.8$	204	1724	4757
Number of points 17410 ; PC=60.9%; EBD=1.9%; POD1=68.6%; POD2=47.7%; POD3=70.0%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3472	351	4
	$3.4 < \tau < 5.8$	304	6105	471
	$\tau > 5.8$	0	384	6319
Number of points 17410 ; PC=91.3%; EBD=0.0%; POD1=91.9%; POD2=89.3%; POD3=93.0%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3301	250	676
	$3.4 < \tau < 5.8$	271	5624	676
	$\tau > 5.8$	204	966	6118
Number of points 17410 ; PC=86.4%; EBD=5.1%; POD1=87.4%; POD2=82.2%; POD3=81.9%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	3772	2	36
	$3.4 < \tau < 5.8$	4	6791	36
	$\tau > 5.8$	0	47	6758
Number of points 17410 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=98.9%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2662	2897
	0.6 < glf < 0.7	1857	2436
	glf > 0.7	424	922
Number of points 17612 ; PC=37.3%; EBD=14.1%; POD1=53.9%; POD2=38.9%; POD3=22.8%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4186	924
	0.6 < glf < 0.7	723	4444
	glf > 0.7	34	887
Number of points 17612 ; PC=79.4%; EBD=0.4%; POD1=84.7%; POD2=71.0%; POD3=83.6%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4457	751
	0.6 < glf < 0.7	62	5471
	glf > 0.7	424	33
Number of points 17612 ; PC=80.0%; EBD=15.2%; POD1=90.2%; POD2=87.5%; POD3=50.1%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	4893	53
	0.6 < glf < 0.7	16	6183
	glf > 0.7	34	19
Number of points 17612 ; PC=99.0%; EBD=0.5%; POD1=99.0%; POD2=98.8%; POD3=98.6%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5413	1600
	4.6 < ws < 7.4	4198	5849
	ws > 7.4	336	2348
Number of points 29730 ; PC=64.2%; EBD=2.1%; POD1=54.4%; POD2=59.7%; POD3=78.3%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	8879	750
	4.6 < ws < 7.4	1063	8546
	ws > 7.4	5	501
Number of points 29730 ; PC=90.6%; EBD=0.0%; POD1=89.3%; POD2=87.2%; POD3=95.2%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	25518	320
	12.0 < ws < 18.0	224	2877
	ws > 18.0	0	90
Number of points 29730 ; PC=97.6%; EBD=0.0%; POD1=99.1%; POD2=87.5%; POD3=87.9%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations West
Model data	North	10874	857	8	239
	East	197	590	111	1
	South	50	59	1822	640
	West	3520	42	231	6557
Number of points 25798 ; PC=76.9%; EBD=0.4%; POD1=74.3%; POD2=38.1%; POD3=83.9%; POD4=88.2%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations West
Model data	North	14087	117	2	327
	East	110	1408	13	0
	South	0	21	2053	99
	West	444	2	104	7011
Number of points 25798 ; PC=95.2%; EBD=0.0%; POD1=96.2%; POD2=91.0%; POD3=94.5%; POD4=94.3%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	7880	1887	39
	8.9 < rh < 17.9	3356	6725	1675
	rh > 17.9	197	2023	5892
Number of points 29674 ; PC=69.1%; EBD=0.8%; POD1=68.9%; POD2=63.2%; POD3=77.5%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	10952	476	0
	8.9 < rh < 17.9	481	9885	222
	rh > 17.9	0	274	7384
Number of points 29674 ; PC=95.1%; EBD=0.0%; POD1=95.8%; POD2=92.9%; POD3=97.1%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	28913	36	0
	50.0 < rh < 70.0	38	634	8
	rh > 70.0	0	2	43
Number of points 29674 ; PC=99.7%; EBD=0.0%; POD1=99.9%; POD2=94.3%; POD3=84.3%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	7898	1222	0
	2.1 < pwv < 3.7	1494	3973	798
	pwv > 3.7	93	973	5897
Number of points 22348 ; PC=79.5%; EBD=0.4%; POD1=83.3%; POD2=64.4%; POD3=88.1%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	9283	110	0
	2.1 < pwv < 3.7	202	5949	95
	pwv > 3.7	0	109	6600
Number of points 22348 ; PC=97.7%; EBD=0.0%; POD1=97.9%; POD2=96.4%; POD3=98.6%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6653	2718	323
	4.2 < ws < 7.6	3748	5132	2038
	ws > 7.6	546	2105	8964
Number of points 32227 ; PC=64.4%; EBD=2.7%; POD1=60.8%; POD2=51.6%; POD3=79.2%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	14613	837	107
	East	1148	2230	499
	South	123	540	3565
	West	460	106	93

Number of points 25130 ; PC=82.4%; EBD=1.3%; POD1=89.4%; POD2=60.1%; POD3=83.6%; POD4=37.3%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6872	2118
	7.1 < rh < 15.3	4640	6568
	rh > 15.3	645	2915

Number of points 31863 ; PC=63.3%; EBD=2.2%; POD1=56.5%; POD2=56.6%; POD3=83.2%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8623	1991
	1.9 < pwv < 3.5	1563	3913
	pwv > 3.5	84	954

Number of points 24446 ; PC=76.0%; EBD=0.5%; POD1=84.0%; POD2=57.1%; POD3=82.4%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4286	3462	1259
	0.6 < see < 0.8	2684	3455	2933
	see > 0.8	580	1226	3791
Number of points		23676	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	7100	3	920
	0.6 < see < 0.8	0	7858	915
	see > 0.8	450	282	7063
Number of points		23676	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4349	2353	251
	$3.4 < \tau < 5.8$	1472	3927	2498
	$\tau > 5.8$	234	1984	5217
Number of points 22285 ; PC=60.5%; EBD=2.2%; POD1=71.8%; POD2=47.5%; POD3=65.5%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5409	371	1035
	$3.4 < \tau < 5.8$	412	6841	1035
	$\tau > 5.8$	234	1052	6931
Number of points 22285 ; PC=86.1%; EBD=5.7%; POD1=89.3%; POD2=82.8%; POD3=77.0%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3436	3616
	0.6 < glf < 0.7	2443	3280
	glf > 0.7	609	1010
Number of points 22662 ; PC=38.5%; EBD=14.4%; POD1=53.0%; POD2=41.5%; POD3=24.4%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5776	1040
	0.6 < glf < 0.7	103	6824
	glf > 0.7	609	42
Number of points 22662 ; PC=79.2%; EBD=15.5%; POD1=89.0%; POD2=86.3%; POD3=50.3%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5754	1691	409
	4.6 < ws < 7.4	4746	6175	1997
	ws > 7.4	400	2587	8669
Number of points 32428 ; PC=63.5%; EBD=2.5%; POD1=52.8%; POD2=59.1%; POD3=78.3%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11805	995	35
	East	247	747	138
	South	72	98	1961
	West	3719	44	382

Number of points 28062 ; PC=76.3%; EBD=0.5%; POD1=74.5%; POD2=39.6%; POD3=77.9%; POD4=88.1%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	8355	1816
	8.9 < rh < 17.9	4168	6993
	rh > 17.9	314	2472

Number of points 32353 ; PC=67.0%; EBD=1.1%; POD1=65.1%; POD2=62.0%; POD3=76.7%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8664	1485
	2.1 < pwv < 3.7	1921	3964
	pwv > 3.7	102	1071

Number of points 24593 ; PC=76.5%; EBD=0.5%; POD1=81.1%; POD2=60.8%; POD3=83.9%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6078	2990	437
	4.2 < ws < 7.6	4283	4800	2350
	ws > 7.6	624	2345	8387
Number of points 32294 ; PC=59.7%; EBD=3.3%; POD1=55.3%; POD2=47.4%; POD3=75.1%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	14149	889	114
	East	1449	2178	647
	South	267	626	3386
	West	490	102	82

Number of points 25189 ; PC=79.2%; EBD=1.9%; POD1=86.5%; POD2=57.4%; POD3=80.1%; POD4=29.8%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6645	2293
	7.1 < rh < 15.3	4843	6244
	rh > 15.3	685	2964

Number of points 31863 ; PC=60.8%; EBD=2.8%; POD1=54.6%; POD2=54.3%; POD3=79.2%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	8714	2176
	1.9 < pwv < 3.5	1261	3633
	pwv > 3.5	223	1056

Number of points 24261 ; PC=73.6%; EBD=1.7%; POD1=85.4%; POD2=52.9%; POD3=76.5%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	4283	3484	1389
	0.6 < see < 0.8	2542	3225	2833
	see > 0.8	731	1449	3720
Number of points		23656	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	6999	0	953
	0.6 < see < 0.8	0	7863	953
	see > 0.8	557	295	6989
Number of points		23656	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time ms	Observations			
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	4173	2292	246
	$3.4 < \tau < 5.8$	1497	3788	2202
	$\tau > 5.8$	373	2244	5514
Number of points 22329 ; PC=60.3%; EBD=2.8%; POD1=69.1%; POD2=45.5%; POD3=69.3%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time ms	Observations			
		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	5253	318	1023
	$3.4 < \tau < 5.8$	417	6799	1023
	$\tau > 5.8$	373	1207	6939
Number of points 22329 ; PC=85.1%; EBD=6.3%; POD1=86.9%; POD2=81.7%; POD3=77.2%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3083	3206
	0.6 < glf < 0.7	2559	3638
	glf > 0.7	827	1055
Number of points 22642 ; PC=39.1%; EBD=15.1%; POD1=47.7%; POD2=46.1%; POD3=25.7%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	5542	901
	0.6 < glf < 0.7	100	6962
	glf > 0.7	827	36
Number of points 22642 ; PC=79.3%; EBD=16.1%; POD1=85.7%; POD2=88.1%; POD3=52.0%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5494	1760	389
	4.6 < ws < 7.4	4906	6122	2141
	ws > 7.4	437	2561	8551
Number of points 32361 ; PC=62.3%; EBD=2.6%; POD1=50.7%; POD2=58.6%; POD3=77.2%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	11451	1033	79
	East	281	704	124
	South	130	78	1841
	West	3971	65	471

Number of points 28034 ; PC=73.7%; EBD=1.0%; POD1=72.3%; POD2=37.4%; POD3=73.2%; POD4=85.3%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	7899	1733
	8.9 < rh < 17.9	4516	6815
	rh > 17.9	425	2693

Number of points 32286 ; PC=64.4%; EBD=1.6%; POD1=61.5%; POD2=60.6%; POD3=74.2%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	8483	1784
	2.1 < pwv < 3.7	2057	3605
	pwv > 3.7	127	1084

Number of points 24514 ; PC=73.8%; EBD=0.8%; POD1=79.5%; POD2=55.7%; POD3=81.5%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration