

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 12-08-2024	
---	--	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
July 2024



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	554	397
	4.2 < ws < 7.6	219	516
	ws > 7.6	14	161
Number of points 4084 ; PC=71.5%; EBD=2.0%; POD1=70.4%; POD2=48.0%; POD3=83.3%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	742	72
	4.2 < ws < 7.6	45	963
	ws > 7.6	0	39
Number of points 4084 ; PC=94.6%; EBD=0.0%; POD1=94.3%; POD2=89.7%; POD3=97.1%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	3058	57
	12.0 < ws < 18.0	36	718
	ws > 18.0	0	30
Number of points 4084 ; PC=96.3%; EBD=0.0%; POD1=98.8%; POD2=89.2%; POD3=84.3%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	2831	145	0		0
	East	139	144	7		0
	South	26	33	78		0
	West	159	2	0		10
Number of points 3574 ; PC=85.7%; EBD=0.8%; POD1=89.7%; POD2=44.4%; POD3=91.8%; POD4=100.0%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	3133	31	0		0
	East	22	288	7		0
	South	0	5	78		0
	West	0	0	0		10
Number of points 3574 ; PC=98.2%; EBD=0.0%; POD1=99.3%; POD2=88.9%; POD3=91.8%; POD4=100.0%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1293	370	9
	7.1 < rh < 15.3	584	950	195
	rh > 15.3	54	172	379
Number of points 4006 ; PC=65.5%; EBD=1.6%; POD1=67.0%; POD2=63.7%; POD3=65.0%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1861	45	0
	7.1 < rh < 15.3	70	1428	22
	rh > 15.3	0	19	561
Number of points 4006 ; PC=96.1%; EBD=0.0%; POD1=96.4%; POD2=95.7%; POD3=96.2%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	4002	2	0
	50.0 < rh < 70.0	0	2	0
	rh > 70.0	0	0	0
Number of points 4006 ; PC=100.0%; EBD=0.0%; POD1=100.0%; POD2=50.0%; POD3=NaN%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2289	337	0
	1.9 < pwv < 3.5	127	677	107
	pwv > 3.5	0	3	462
Number of points 4002 ; PC=85.7%; EBD=0.0%; POD1=94.7%; POD2=66.6%; POD3=81.2%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2396	22	0
	1.9 < pwv < 3.5	20	994	16
	pwv > 3.5	0	1	553
Number of points 4002 ; PC=98.5%; EBD=0.0%; POD1=99.2%; POD2=97.7%; POD3=97.2%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	373	186	54
Model data	0.6 < see < 0.8	256	208	201
	see > 0.8	10	44	163
Number of points 1495 ; PC=49.8%; EBD=4.3%; POD1=58.4%; POD2=47.5%; POD3=39.0%				

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	630	70	0
Model data	0.6 < see < 0.8	65	329	30
	see > 0.8	0	35	511
Number of points 1495 ; PC=88.0%; EBD=0.0%; POD1=90.6%; POD2=75.8%; POD3=94.5%				

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	632	0	39
Model data	0.6 < see < 0.8	0	422	39
	see > 0.8	7	16	379
Number of points 1495 ; PC=95.9%; EBD=3.1%; POD1=98.9%; POD2=96.3%; POD3=82.9%				

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	695	0	0
Model data	0.6 < see < 0.8	0	434	0
	see > 0.8	0	0	541
Number of points 1495 ; PC=100.0%; EBD=0.0%; POD1=100.0%; POD2=100.0%; POD3=100.0%				

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	217	101	22
	$3.4 < \tau < 5.8$	107	242	95
	$\tau > 5.8$	12	115	321
Number of points 1232 ; PC=63.3%; EBD=2.8%; POD1=64.6%; POD2=52.8%; POD3=73.3%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	315	24	1
	$3.4 < \tau < 5.8$	21	396	38
	$\tau > 5.8$	0	38	399
Number of points 1232 ; PC=90.1%; EBD=0.1%; POD1=93.8%; POD2=86.5%; POD3=91.1%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	306	13	82
	$3.4 < \tau < 5.8$	18	413	82
	$\tau > 5.8$	12	32	356
Number of points 1232 ; PC=87.3%; EBD=7.6%; POD1=91.1%; POD2=90.2%; POD3=68.5%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	336	0	4
	$3.4 < \tau < 5.8$	0	453	4
	$\tau > 5.8$	0	5	434
Number of points 1232 ; PC=99.3%; EBD=0.3%; POD1=100.0%; POD2=98.9%; POD3=98.2%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	142	170
	0.6 < glf < 0.7	136	158
	glf > 0.7	47	118
Number of points 1298 ; PC=37.3%; EBD=8.5%; POD1=43.7%; POD2=35.4%; POD3=34.9%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	273	47
	0.6 < glf < 0.7	52	328
	glf > 0.7	0	71
Number of points 1298 ; PC=82.5%; EBD=0.1%; POD1=84.0%; POD2=73.5%; POD3=89.2%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	272	36
	0.6 < glf < 0.7	6	404
	glf > 0.7	47	6
Number of points 1298 ; PC=87.1%; EBD=9.2%; POD1=83.7%; POD2=90.6%; POD3=76.3%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	325	1
	0.6 < glf < 0.7	0	444
	glf > 0.7	0	1
Number of points 1298 ; PC=99.8%; EBD=0.1%; POD1=100.0%; POD2=99.6%; POD3=99.6%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1017	312
	4.6 < ws < 7.4	357	289
	ws > 7.4	9	105
Number of points 4087 ; PC=74.7%; EBD=1.2%; POD1=73.5%; POD2=40.9%; POD3=87.4%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1270	62
	4.6 < ws < 7.4	113	597
	ws > 7.4	0	47
Number of points 4087 ; PC=93.6%; EBD=0.0%; POD1=91.8%; POD2=84.6%; POD3=98.1%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	2865	84
	12.0 < ws < 18.0	42	758
	ws > 18.0	0	30
Number of points 4087 ; PC=95.1%; EBD=0.0%; POD1=98.6%; POD2=86.9%; POD3=85.1%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations West
Model data	North	2328	159	0	32
	East	33	196	16	0
	South	12	11	50	27
	West	359	10	10	234
Number of points 3477 ; PC=80.8%; EBD=0.6%; POD1=85.2%; POD2=52.1%; POD3=65.8%; POD4=79.9%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations West
Model data	North	2654	26	0	13
	East	26	347	4	0
	South	0	1	69	0
	West	52	2	3	280
Number of points 3477 ; PC=96.3%; EBD=0.1%; POD1=97.1%; POD2=92.3%; POD3=90.8%; POD4=95.6%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	1553	531	8
	8.9 < rh < 17.9	426	919	225
	rh > 17.9	13	77	297
Number of points 4049 ; PC=68.4%; EBD=0.5%; POD1=78.0%; POD2=60.2%; POD3=56.0%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	1918	85	0
	8.9 < rh < 17.9	74	1433	17
	rh > 17.9	0	9	513
Number of points 4049 ; PC=95.4%; EBD=0.0%; POD1=96.3%; POD2=93.8%; POD3=96.8%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	4037	2	0
	50.0 < rh < 70.0	0	10	0
	rh > 70.0	0	0	0
Number of points 4049 ; PC=100.0%; EBD=0.0%; POD1=100.0%; POD2=83.3%; POD3=NaN%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	2230	280	0
	2.1 < pwv < 3.7	166	704	223
	pwv > 3.7	0	34	444
Number of points 4081 ; PC=82.8%; EBD=0.0%; POD1=93.1%; POD2=69.2%; POD3=66.6%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	2357	34	0
	2.1 < pwv < 3.7	39	973	12
	pwv > 3.7	0	11	655
Number of points 4081 ; PC=97.6%; EBD=0.0%; POD1=98.4%; POD2=95.6%; POD3=98.2%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	527	403	63
	4.2 < ws < 7.6	202	526	338
	ws > 7.6	61	145	1822
Number of points 4087 ; PC=70.3%; EBD=3.0%; POD1=66.7%; POD2=49.0%; POD3=82.0%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree		Observations			
		North	East	South	West
Model data	North	2873	159	7	6
	East	123	143	4	0
	South	25	22	72	0
	West	134	0	2	4

Number of points 3574 ; PC=86.5%; EBD=0.9%; POD1=91.1%; POD2=44.1%; POD3=84.7%; POD4=40.0%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1194	406	0
	7.1 < rh < 15.3	680	936	163
	rh > 15.3	57	150	420

Number of points 4006 ; PC=63.7%; EBD=1.4%; POD1=61.8%; POD2=62.7%; POD3=72.0%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2245	322	0
	1.9 < pwv < 3.5	171	691	203
	pwv > 3.5	0	4	366

Number of points 4002 ; PC=82.5%; EBD=0.0%; POD1=92.9%; POD2=67.9%; POD3=64.3%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	484	239	105
	0.6 < see < 0.8	323	360	336
	see > 0.8	59	117	427
Number of points 2450 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	820	0	67
	0.6 < see < 0.8	0	663	67
	see > 0.8	46	53	801
Number of points 2450 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	682	316	59
	$3.4 < \tau < 5.8$	152	306	131
	$\tau > 5.8$	27	130	345
Number of points 2148 ; PC=62.1%; EBD=4.0%; POD1=79.2%; POD2=40.7%; POD3=64.5%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	819	47	97
	$3.4 < \tau < 5.8$	15	659	97
	$\tau > 5.8$	27	46	438
Number of points 2148 ; PC=89.2%; EBD=5.8%; POD1=95.1%; POD2=87.6%; POD3=69.3%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	264	260
	0.6 < glf < 0.7	367	463
	glf > 0.7	65	137
Number of points 2274 ; PC=42.4%; EBD=8.6%; POD1=37.9%; POD2=53.8%; POD3=33.1%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	606	43
	0.6 < glf < 0.7	25	812
	glf > 0.7	65	5
Number of points 2274 ; PC=87.3%; EBD=9.5%; POD1=87.1%; POD2=94.4%; POD3=66.0%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1033	322	43
	4.6 < ws < 7.4	346	315	194
	ws > 7.4	4	69	1761
Number of points 4087 ; PC=76.1%; EBD=1.1%; POD1=74.7%; POD2=44.6%; POD3=88.1%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	2392	214	0
	East	30	141	2
	South	10	21	60
	West	300	0	14

Number of points 3477 ; PC=81.8%; EBD=0.3%; POD1=87.6%; POD2=37.5%; POD3=78.9%; POD4=85.3%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	1475	482
	8.9 < rh < 17.9	494	958
	rh > 17.9	23	87

Number of points 4049 ; PC=67.2%; EBD=1.0%; POD1=74.0%; POD2=62.7%; POD3=54.3%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	2198	365
	2.1 < pwv < 3.7	198	600
	pwv > 3.7	0	53

Number of points 4081 ; PC=78.6%; EBD=0.1%; POD1=91.7%; POD2=58.9%; POD3=61.6%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	550	428	60
	4.2 < ws < 7.6	205	423	286
	ws > 7.6	35	223	1877
Number of points 4087 ; PC=69.7%; EBD=2.3%; POD1=69.6%; POD2=39.4%; POD3=84.4%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree		Observations			
		North	East	South	West
Model data	North	2802	160	6	1
	East	175	131	7	0
	South	70	29	72	2
	West	108	4	0	7

Number of points 3574 ; PC=84.3%; EBD=2.2%; POD1=88.8%; POD2=40.4%; POD3=84.7%; POD4=70.0%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1133	457	26
	7.1 < rh < 15.3	762	927	187
	rh > 15.3	36	108	370

Number of points 4006 ; PC=60.7%; EBD=1.5%; POD1=58.7%; POD2=62.1%; POD3=63.5%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2228	335	0
	1.9 < pwv < 3.5	188	679	305
	pwv > 3.5	0	3	264

Number of points 4002 ; PC=79.2%; EBD=0.0%; POD1=92.2%; POD2=66.8%; POD3=46.4%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	480	234	87
	0.6 < see < 0.8	318	357	320
	see > 0.8	68	125	461
Number of points		2450 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	804	0	51
	0.6 < see < 0.8	0	691	51
	see > 0.8	62	25	817
Number of points		2450 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	665	261	8
	$3.4 < \tau < 5.8$	185	387	187
	$\tau > 5.8$	11	104	340
Number of points 2148 ; PC=64.8%; EBD=0.9%; POD1=77.2%; POD2=51.5%; POD3=63.6%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	805	26	93
	$3.4 < \tau < 5.8$	45	661	93
	$\tau > 5.8$	11	65	442
Number of points 2148 ; PC=88.8%; EBD=4.8%; POD1=93.5%; POD2=87.9%; POD3=70.4%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	244	248
	0.6 < glf < 0.7	402	447
	glf > 0.7	50	165
Number of points 2274 ; PC=40.6%; EBD=7.0%; POD1=35.1%; POD2=52.0%; POD3=32.5%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	623	28
	0.6 < glf < 0.7	23	826
	glf > 0.7	50	6
Number of points 2274 ; PC=90.1%; EBD=7.4%; POD1=89.5%; POD2=96.0%; POD3=71.8%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	886	286	32
	4.6 < ws < 7.4	489	276	219
	ws > 7.4	8	144	1747
Number of points 4087 ; PC=71.2%; EBD=1.0%; POD1=64.1%; POD2=39.1%; POD3=87.4%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	2371	225	0
	East	7	134	9
	South	49	17	54
	West	305	0	13

Number of points 3477 ; PC=79.7%; EBD=1.4%; POD1=86.8%; POD2=35.6%; POD3=71.1%; POD4=72.4%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	1367	440
	8.9 < rh < 17.9	557	961
	rh > 17.9	68	126

Number of points 4049 ; PC=64.0%; EBD=1.7%; POD1=68.6%; POD2=62.9%; POD3=49.4%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	2220	416
	2.1 < pwv < 3.7	176	562
	pwv > 3.7	0	40

Number of points 4081 ; PC=79.3%; EBD=0.0%; POD1=92.7%; POD2=55.2%; POD3=67.9%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration