



FATE MONTHLY REPORT

Doc.No : FATE-001
Version : 1.0
Date : 02-09-2024



FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
August 2024



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	850	530
	4.2 < ws < 7.6	407	646
	ws > 7.6	46	333
Number of points 6159 ; PC=70.0%; EBD=2.0%; POD1=65.2%; POD2=42.8%; POD3=84.0%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1208	93
	4.2 < ws < 7.6	95	1331
	ws > 7.6	0	85
Number of points 6159 ; PC=93.7%; EBD=0.0%; POD1=92.7%; POD2=88.2%; POD3=96.7%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	4670	84
	12.0 < ws < 18.0	67	1054
	ws > 18.0	0	47
Number of points 6159 ; PC=96.2%; EBD=0.0%; POD1=98.6%; POD2=88.9%; POD3=84.0%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		Observations			
		North	East	South	West
Model data	North	4277	161	0	24
	East	157	177	14	0
	South	26	55	138	1
	West	196	25	4	27
Number of points 5282 ; PC=87.4%; EBD=1.0%; POD1=91.9%; POD2=42.3%; POD3=88.5%; POD4=51.9%					

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		Observations			
		North	East	South	West
Model data	North	4615	38	0	6
	East	33	371	8	0
	South	0	9	147	0
	West	8	0	1	46
Number of points 5282 ; PC=98.0%; EBD=0.0%; POD1=99.1%; POD2=88.8%; POD3=94.2%; POD4=88.5%					

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1984	579	9
	7.1 < rh < 15.3	894	1089	214
	rh > 15.3	105	257	838
Number of points 5969 ; PC=65.5%; EBD=1.9%; POD1=66.5%; POD2=56.6%; POD3=79.0%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	2851	106	0
	7.1 < rh < 15.3	132	1790	29
	rh > 15.3	0	29	1032
Number of points 5969 ; PC=95.0%; EBD=0.0%; POD1=95.6%; POD2=93.0%; POD3=97.3%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	5928	6	0
	50.0 < rh < 70.0	2	33	0
	rh > 70.0	0	0	0
Number of points 5969 ; PC=99.9%; EBD=0.0%; POD1=100.0%; POD2=84.6%; POD3=NaN%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	3400	542	5
	1.9 < pwv < 3.5	151	1059	168
	pwv > 3.5	0	29	709
Number of points 6063 ; PC=85.2%; EBD=0.1%; POD1=95.7%; POD2=65.0%; POD3=80.4%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	3515	46	0
	1.9 < pwv < 3.5	36	1572	16
	pwv > 3.5	0	12	866
Number of points 6063 ; PC=98.2%; EBD=0.0%; POD1=99.0%; POD2=96.4%; POD3=98.2%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	402	261	98
	0.6 < see < 0.8	303	339	414
	see > 0.8	16	135	438
Number of points 2406 ; PC=49.0%; EBD=4.7%; POD1=55.8%; POD2=46.1%; POD3=46.1%				

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	709	105	1
	0.6 < see < 0.8	76	612	77
	see > 0.8	0	74	1028
Number of points 2406 ; PC=87.6%; EBD=0.0%; POD1=90.3%; POD2=77.4%; POD3=92.9%				

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	708	0	74
	0.6 < see < 0.8	0	709	74
	see > 0.8	13	26	876
Number of points 2406 ; PC=95.3%; EBD=3.6%; POD1=98.2%; POD2=96.5%; POD3=85.5%				

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec		Observations		
		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	785	0	1
	0.6 < see < 0.8	0	787	1
	see > 0.8	0	4	1105
Number of points 2406 ; PC=99.8%; EBD=0.0%; POD1=100.0%; POD2=99.5%; POD3=99.8%				

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	613	255	27
	$3.4 < \tau < 5.8$	163	293	104
	$\tau > 5.8$	12	174	326
Number of points 1967 ; PC=62.6%; EBD=2.0%; POD1=77.8%; POD2=40.6%; POD3=71.3%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	740	45	1
	$3.4 < \tau < 5.8$	48	638	45
	$\tau > 5.8$	0	39	411
Number of points 1967 ; PC=91.0%; EBD=0.1%; POD1=93.9%; POD2=88.4%; POD3=89.9%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	751	96	92
	$3.4 < \tau < 5.8$	25	560	92
	$\tau > 5.8$	12	66	365
Number of points 1967 ; PC=85.2%; EBD=5.3%; POD1=95.3%; POD2=77.6%; POD3=66.5%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	788	0	4
	$3.4 < \tau < 5.8$	0	717	4
	$\tau > 5.8$	0	5	453
Number of points 1967 ; PC=99.5%; EBD=0.2%; POD1=100.0%; POD2=99.3%; POD3=98.3%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	250	297
	0.6 < glf < 0.7	253	316
	glf > 0.7	47	174
Number of points 2091 ; PC=36.9%; EBD=10.2%; POD1=45.5%; POD2=40.2%; POD3=27.2%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	458	76
	0.6 < glf < 0.7	90	601
	glf > 0.7	2	110
Number of points 2091 ; PC=81.4%; EBD=0.1%; POD1=83.3%; POD2=76.4%; POD3=85.3%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	497	49
	0.6 < glf < 0.7	6	732
	glf > 0.7	47	6
Number of points 2091 ; PC=85.7%; EBD=11.4%; POD1=90.4%; POD2=93.0%; POD3=60.6%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	547	5
	0.6 < glf < 0.7	1	781
	glf > 0.7	2	1
Number of points 2091 ; PC=99.5%; EBD=0.1%; POD1=99.5%; POD2=99.2%; POD3=99.7%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1328	388
	4.6 < ws < 7.4	558	588
	ws > 7.4	9	152
Number of points 6155 ; PC=75.5%; EBD=1.3%; POD1=70.1%; POD2=52.1%; POD3=87.2%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1723	92
	4.6 < ws < 7.4	172	965
	ws > 7.4	0	71
Number of points 6155 ; PC=93.4%; EBD=0.0%; POD1=90.9%; POD2=85.5%; POD3=97.7%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	4211	130
	12.0 < ws < 18.0	73	1302
	ws > 18.0	0	39
Number of points 6155 ; PC=95.2%; EBD=0.0%; POD1=98.3%; POD2=88.5%; POD3=86.2%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations West
Model data	North	3671	178	0	74
	East	34	217	16	0
	South	12	11	64	87
	West	470	10	10	496
Number of points 5350 ; PC=83.1%; EBD=0.4%; POD1=87.7%; POD2=52.2%; POD3=71.1%; POD4=75.5%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations West
Model data	North	4094	29	0	35
	East	32	384	4	0
	South	0	1	83	2
	West	61	2	3	620
Number of points 5350 ; PC=96.8%; EBD=0.0%; POD1=97.8%; POD2=92.3%; POD3=92.2%; POD4=94.4%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	2388	607	8
	8.9 < rh < 17.9	766	1164	286
	rh > 17.9	26	149	708
Number of points 6102 ; PC=69.8%; EBD=0.6%; POD1=75.1%; POD2=60.6%; POD3=70.7%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	3076	112	0
	8.9 < rh < 17.9	104	1786	23
	rh > 17.9	0	22	979
Number of points 6102 ; PC=95.7%; EBD=0.0%; POD1=96.7%; POD2=93.0%; POD3=97.7%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	6046	4	0
	50.0 < rh < 70.0	3	49	0
	rh > 70.0	0	0	0
Number of points 6102 ; PC=99.9%; EBD=0.0%; POD1=100.0%; POD2=92.5%; POD3=NaN%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	3355	373	0
	2.1 < pwv < 3.7	239	1110	317
	pwv > 3.7	0	44	720
Number of points 6158 ; PC=84.2%; EBD=0.0%; POD1=93.4%; POD2=72.7%; POD3=69.4%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	3548	37	0
	2.1 < pwv < 3.7	46	1475	20
	pwv > 3.7	0	15	1017
Number of points 6158 ; PC=98.1%; EBD=0.0%; POD1=98.7%; POD2=96.6%; POD3=98.1%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	527	403	63
	4.2 < ws < 7.6	202	526	338
	ws > 7.6	61	145	1822
Number of points 4087 ; PC=70.3%; EBD=3.0%; POD1=66.7%; POD2=49.0%; POD3=82.0%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree		Observations			
		North	East	South	West
Model data	North	2873	159	7	6
	East	123	143	4	0
	South	25	22	72	0
	West	134	0	2	4

Number of points 3574 ; PC=86.5%; EBD=0.9%; POD1=91.1%; POD2=44.1%; POD3=84.7%; POD4=40.0%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1194	406	0
	7.1 < rh < 15.3	680	936	163
	rh > 15.3	57	150	420

Number of points 4006 ; PC=63.7%; EBD=1.4%; POD1=61.8%; POD2=62.7%; POD3=72.0%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2245	322	0
	1.9 < pwv < 3.5	171	691	203
	pwv > 3.5	0	4	366

Number of points 4002 ; PC=82.5%; EBD=0.0%; POD1=92.9%; POD2=67.9%; POD3=64.3%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	484	239	105
	0.6 < see < 0.8	323	360	336
	see > 0.8	59	117	427
Number of points 2450 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	820	0	67
	0.6 < see < 0.8	0	663	67
	see > 0.8	46	53	801
Number of points 2450 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	682	316	59
	$3.4 < \tau < 5.8$	152	306	131
	$\tau > 5.8$	27	130	345
Number of points 2148 ; PC=62.1%; EBD=4.0%; POD1=79.2%; POD2=40.7%; POD3=64.5%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	819	47	97
	$3.4 < \tau < 5.8$	15	659	97
	$\tau > 5.8$	27	46	438
Number of points 2148 ; PC=89.2%; EBD=5.8%; POD1=95.1%; POD2=87.6%; POD3=69.3%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	264	260
	0.6 < glf < 0.7	367	463
	glf > 0.7	65	137
Number of points 2274 ; PC=42.4%; EBD=8.6%; POD1=37.9%; POD2=53.8%; POD3=33.1%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	606	43
	0.6 < glf < 0.7	25	812
	glf > 0.7	65	5
Number of points 2274 ; PC=87.3%; EBD=9.5%; POD1=87.1%; POD2=94.4%; POD3=66.0%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1033	322	43
	4.6 < ws < 7.4	346	315	194
	ws > 7.4	4	69	1761
Number of points 4087 ; PC=76.1%; EBD=1.1%; POD1=74.7%; POD2=44.6%; POD3=88.1%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	2392	214	0
	East	30	141	2
	South	10	21	60
	West	300	0	14

Number of points 3477 ; PC=81.8%; EBD=0.3%; POD1=87.6%; POD2=37.5%; POD3=78.9%; POD4=85.3%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	1475	482
	8.9 < rh < 17.9	494	958
	rh > 17.9	23	87

Number of points 4049 ; PC=67.2%; EBD=1.0%; POD1=74.0%; POD2=62.7%; POD3=54.3%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	2198	365
	2.1 < pwv < 3.7	198	600
	pwv > 3.7	0	53

Number of points 4081 ; PC=78.6%; EBD=0.1%; POD1=91.7%; POD2=58.9%; POD3=61.6%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	550	428	60
	4.2 < ws < 7.6	205	423	286
	ws > 7.6	35	223	1877
Number of points 4087 ; PC=69.7%; EBD=2.3%; POD1=69.6%; POD2=39.4%; POD3=84.4%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree		Observations			
		North	East	South	West
Model data	North	2802	160	6	1
	East	175	131	7	0
	South	70	29	72	2
	West	108	4	0	7

Number of points 3574 ; PC=84.3%; EBD=2.2%; POD1=88.8%; POD2=40.4%; POD3=84.7%; POD4=70.0%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	1133	457	26
	7.1 < rh < 15.3	762	927	187
	rh > 15.3	36	108	370

Number of points 4006 ; PC=60.7%; EBD=1.5%; POD1=58.7%; POD2=62.1%; POD3=63.5%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	2228	335	0
	1.9 < pwv < 3.5	188	679	305
	pwv > 3.5	0	3	264

Number of points 4002 ; PC=79.2%; EBD=0.0%; POD1=92.2%; POD2=66.8%; POD3=46.4%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	480	234	87
	0.6 < see < 0.8	318	357	320
	see > 0.8	68	125	461
Number of points		2450	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	804	0	51
	0.6 < see < 0.8	0	691	51
	see > 0.8	62	25	817
Number of points		2450	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	665	261	8
	$3.4 < \tau < 5.8$	185	387	187
	$\tau > 5.8$	11	104	340
Number of points 2148 ; PC=64.8%; EBD=0.9%; POD1=77.2%; POD2=51.5%; POD3=63.6%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	805	26	93
	$3.4 < \tau < 5.8$	45	661	93
	$\tau > 5.8$	11	65	442
Number of points 2148 ; PC=88.8%; EBD=4.8%; POD1=93.5%; POD2=87.9%; POD3=70.4%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	244	248
	0.6 < glf < 0.7	402	447
	glf > 0.7	50	165
Number of points 2274 ; PC=40.6%; EBD=7.0%; POD1=35.1%; POD2=52.0%; POD3=32.5%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	623	28
	0.6 < glf < 0.7	23	826
	glf > 0.7	50	6
Number of points 2274 ; PC=90.1%; EBD=7.4%; POD1=89.5%; POD2=96.0%; POD3=71.8%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed <i>ms</i> ⁻¹		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	886	286	32
	4.6 < ws < 7.4	489	276	219
	ws > 7.4	8	144	1747
Number of points 4087 ; PC=71.2%; EBD=1.0%; POD1=64.1%; POD2=39.1%; POD3=87.4%				

Table 57: day3 - Contingency table for wind speed (*ms*⁻¹) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	2371	225	0
	East	7	134	9
	South	49	17	54
	West	305	0	13

Number of points 3477 ; PC=79.7%; EBD=1.4%; POD1=86.8%; POD2=35.6%; POD3=71.1%; POD4=72.4%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	1367	440
	8.9 < rh < 17.9	557	961
	rh > 17.9	68	126

Number of points 4049 ; PC=64.0%; EBD=1.7%; POD1=68.6%; POD2=62.9%; POD3=49.4%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	2220	416
	2.1 < pwv < 3.7	176	562
	pwv > 3.7	0	40

Number of points 4081 ; PC=79.3%; EBD=0.0%; POD1=92.7%; POD2=55.2%; POD3=67.9%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration