

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 02-10-2024	
---	---	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
September 2024



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1305	664
	4.2 < ws < 7.6	768	1016
	ws > 7.6	108	469
Number of points 8169 ; PC=67.6%; EBD=2.3%; POD1=59.8%; POD2=47.3%; POD3=83.3%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	2015	140
	4.2 < ws < 7.6	166	1897
	ws > 7.6	0	112
Number of points 8169 ; PC=93.0%; EBD=0.0%; POD1=92.4%; POD2=88.3%; POD3=96.1%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	6611	113
	12.0 < ws < 18.0	75	1086
	ws > 18.0	0	47
Number of points 8169 ; PC=96.7%; EBD=0.0%; POD1=98.9%; POD2=87.2%; POD3=84.0%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	4754	215	0		64
	East	183	263	36		0
	South	28	83	675		83
	West	222	44	7		100
Number of points 6757 ; PC=85.7%; EBD=1.1%; POD1=91.7%; POD2=43.5%; POD3=94.0%; POD4=40.5%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	5131	44	0		15
	East	44	548	23		0
	South	0	13	690		5
	West	12	0	5		227
Number of points 6757 ; PC=97.6%; EBD=0.0%; POD1=98.9%; POD2=90.6%; POD3=96.1%; POD4=91.9%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		rh < 7.1	7.1 < rh < 15.3	Observations	rh > 15.3
Model data	rh < 7.1	3011	882		9
	7.1 < rh < 15.3	1149	1419		224
	rh > 15.3	105	257		838
Number of points 7894 ; PC=66.7%; EBD=1.4%; POD1=70.6%; POD2=55.5%; POD3=78.2%					

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		rh < 7.1	7.1 < rh < 15.3	Observations	rh > 15.3
Model data	rh < 7.1	4084	153		0
	7.1 < rh < 15.3	181	2376		29
	rh > 15.3	0	29		1042
Number of points 7894 ; PC=95.0%; EBD=0.0%; POD1=95.8%; POD2=92.9%; POD3=97.3%					

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		rh < 50.0	50.0 < rh < 70.0	Observations	rh > 70.0
Model data	rh < 50.0	7853	6		0
	50.0 < rh < 70.0	2	33		0
	rh > 70.0	0	0		0
Number of points 7894 ; PC=99.9%; EBD=0.0%; POD1=100.0%; POD2=84.6%; POD3=NaN%					

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	4752	781	5
	1.9 < pwv < 3.5	185	1330	180
	pwv > 3.5	0	41	793
Number of points 8067 ; PC=85.2%; EBD=0.1%; POD1=96.3%; POD2=61.8%; POD3=81.1%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	4878	67	0
	1.9 < pwv < 3.5	59	2070	17
	pwv > 3.5	0	15	961
Number of points 8067 ; PC=98.0%; EBD=0.0%; POD1=98.8%; POD2=96.2%; POD3=98.3%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	537	554	217
Model data	0.6 < see < 0.8	401	490	615
	see > 0.8	32	221	652
Number of points 3719 ; PC=45.1%; EBD=6.7%; POD1=55.4%; POD2=38.7%; POD3=43.9%				

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	966	171	4
Model data	0.6 < see < 0.8	106	1052	117
	see > 0.8	1	132	1538
Number of points 3719 ; PC=87.0%; EBD=0.1%; POD1=90.0%; POD2=77.6%; POD3=92.7%				

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	942	0	148
Model data	0.6 < see < 0.8	0	1228	148
	see > 0.8	28	37	1336
Number of points 3719 ; PC=94.3%; EBD=4.7%; POD1=97.1%; POD2=97.1%; POD3=81.9%				

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	1072	0	4
Model data	0.6 < see < 0.8	0	1350	4
	see > 0.8	1	5	1655
Number of points 3719 ; PC=99.8%; EBD=0.1%; POD1=99.9%; POD2=99.6%; POD3=99.5%				

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	956	564	41
	$3.4 < \tau < 5.8$	256	637	170
	$\tau > 5.8$	19	195	358
Number of points 3196 ; PC=61.0%; EBD=1.9%; POD1=77.7%; POD2=45.6%; POD3=62.9%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1167	112	1
	$3.4 < \tau < 5.8$	64	1211	67
	$\tau > 5.8$	0	73	501
Number of points 3196 ; PC=90.1%; EBD=0.0%; POD1=94.8%; POD2=86.7%; POD3=88.0%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1181	134	124
	$3.4 < \tau < 5.8$	31	1192	124
	$\tau > 5.8$	19	70	445
Number of points 3196 ; PC=88.2%; EBD=4.5%; POD1=95.9%; POD2=85.4%; POD3=64.2%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1231	0	6
	$3.4 < \tau < 5.8$	0	1390	6
	$\tau > 5.8$	0	6	563
Number of points 3196 ; PC=99.6%; EBD=0.2%; POD1=100.0%; POD2=99.6%; POD3=97.9%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	454	561
	0.6 < glf < 0.7	351	479
	glf > 0.7	68	288
Number of points 3322 ; PC=36.9%; EBD=10.2%; POD1=52.0%; POD2=36.1%; POD3=26.0%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	728	159
	0.6 < glf < 0.7	143	996
	glf > 0.7	2	173
Number of points 3322 ; PC=80.4%; EBD=0.2%; POD1=83.4%; POD2=75.0%; POD3=84.5%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	797	110
	0.6 < glf < 0.7	8	1200
	glf > 0.7	68	18
Number of points 3322 ; PC=84.6%; EBD=11.3%; POD1=91.3%; POD2=90.4%; POD3=58.0%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	868	9
	0.6 < glf < 0.7	3	1318
	glf > 0.7	2	1
Number of points 3322 ; PC=99.5%; EBD=0.2%; POD1=99.4%; POD2=99.2%; POD3=99.5%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1594	484
	4.6 < ws < 7.4	1031	1147
	ws > 7.4	77	306
Number of points 8165 ; PC=70.8%; EBD=2.0%; POD1=59.0%; POD2=59.2%; POD3=86.2%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	2411	166
	4.6 < ws < 7.4	291	1671
	ws > 7.4	0	100
Number of points 8165 ; PC=92.0%; EBD=0.0%; POD1=89.2%; POD2=86.3%; POD3=97.2%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	6139	139
	12.0 < ws < 18.0	87	1361
	ws > 18.0	0	39
Number of points 8165 ; PC=96.1%; EBD=0.0%; POD1=98.6%; POD2=88.4%; POD3=86.2%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction		Observations			
degree		North	East	South	West
Model data	North	4030	241	0	77
	East	40	298	41	0
	South	25	15	441	178
	West	743	17	20	936
Number of points 7102 ; PC=80.3%; EBD=0.6%; POD1=83.3%; POD2=52.2%; POD3=87.8%; POD4=78.6%					

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction		Observations			
degree		North	East	South	West
Model data	North	4710	36	2	74
	East	36	529	7	0
	South	0	4	481	11
	West	92	2	12	1106
Number of points 7102 ; PC=96.1%; EBD=0.1%; POD1=97.4%; POD2=92.6%; POD3=95.8%; POD4=92.9%					

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity		Observations		
percent		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	3762	775	8
	8.9 < rh < 17.9	968	1430	286
	rh > 17.9	26	149	708
Number of points 8112 ; PC=72.7%; EBD=0.4%; POD1=79.1%; POD2=60.7%; POD3=70.7%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity		Observations		
percent		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4622	137	0
	8.9 < rh < 17.9	134	2195	23
	rh > 17.9	0	22	979
Number of points 8112 ; PC=96.1%; EBD=0.0%; POD1=97.2%; POD2=93.2%; POD3=97.7%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity		Observations		
percent		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	8056	4	0
	50.0 < rh < 70.0	3	49	0
	rh > 70.0	0	0	0
Number of points 8112 ; PC=99.9%; EBD=0.0%; POD1=100.0%; POD2=92.5%; POD3=NaN%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	4857	504	0
	2.1 < pwv < 3.7	266	1280	344
	pwv > 3.7	0	58	820
Number of points 8129 ; PC=85.6%; EBD=0.0%; POD1=94.8%; POD2=69.5%; POD3=70.4%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	5064	42	0
	2.1 < pwv < 3.7	59	1784	22
	pwv > 3.7	0	16	1142
Number of points 8129 ; PC=98.3%; EBD=0.0%; POD1=98.8%; POD2=96.9%; POD3=98.1%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1369	706	76
	4.2 < ws < 7.6	650	948	563
	ws > 7.6	167	495	3200
Number of points 8174 ; PC=67.5%; EBD=3.0%; POD1=62.6%; POD2=44.1%; POD3=83.4%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree		Observations			
		North	East	South	West
Model data	North	4800	236	16	73
	East	174	283	70	0
	South	28	57	619	37
	West	185	29	13	137

Number of points 6757 ; PC=86.4%; EBD=1.1%; POD1=92.5%; POD2=46.8%; POD3=86.2%; POD4=55.5%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	2912	844	0
	7.1 < rh < 15.3	1251	1478	194
	rh > 15.3	105	236	877

Number of points 7897 ; PC=66.7%; EBD=1.3%; POD1=68.2%; POD2=57.8%; POD3=81.9%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm		Observations		
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	4671	818	32
	1.9 < pwv < 3.5	266	1293	315
	pwv > 3.5	0	41	631

Number of points 8067 ; PC=81.8%; EBD=0.4%; POD1=94.6%; POD2=60.1%; POD3=64.5%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	696	613	283
	0.6 < see < 0.8	554	824	817
	see > 0.8	90	343	1303
Number of points		5523	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1270	0	180
	0.6 < see < 0.8	0	1678	180
	see > 0.8	70	102	2223
Number of points		5523	; PC=%; EBD=%; POD1=%; POD2=%; POD3=%	

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1827	873	91
	$3.4 < \tau < 5.8$	305	740	299
	$\tau > 5.8$	37	246	433
Number of points 4851 ; PC=61.8%; EBD=2.6%; POD1=84.2%; POD2=39.8%; POD3=52.6%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2076	188	233
	$3.4 < \tau < 5.8$	56	1559	233
	$\tau > 5.8$	37	112	590
Number of points 4851 ; PC=87.1%; EBD=5.6%; POD1=95.7%; POD2=83.9%; POD3=55.9%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	595	741
	0.6 < glf < 0.7	726	971
	glf > 0.7	105	294
Number of points 5040 ; PC=40.6%; EBD=10.2%; POD1=41.7%; POD2=48.4%; POD3=30.0%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1295	194
	0.6 < glf < 0.7	26	1776
	glf > 0.7	105	36
Number of points 5040 ; PC=83.8%; EBD=11.1%; POD1=90.8%; POD2=88.5%; POD3=57.1%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1605	502	89
	4.6 < ws < 7.4	1028	1142	399
	ws > 7.4	78	293	3038
Number of points 8174 ; PC=70.8%; EBD=2.0%; POD1=59.2%; POD2=59.0%; POD3=86.2%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	4077	304	0
	East	42	229	30
	South	36	33	440
	West	683	5	32

Number of points 7102 ; PC=79.6%; EBD=0.6%; POD1=84.3%; POD2=40.1%; POD3=87.6%; POD4=76.2%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	3551	724
	8.9 < rh < 17.9	1169	1451
	rh > 17.9	36	179

Number of points 8112 ; PC=69.8%; EBD=0.7%; POD1=74.7%; POD2=61.6%; POD3=66.0%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	4806	579
	2.1 < pwv < 3.7	317	1196
	pwv > 3.7	0	67

Number of points 8129 ; PC=83.3%; EBD=0.1%; POD1=93.8%; POD2=64.9%; POD3=65.8%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	1051	646	107
	4.2 < ws < 7.6	879	863	553
	ws > 7.6	229	600	3179
Number of points 8107 ; PC=62.8%; EBD=4.1%; POD1=48.7%; POD2=40.9%; POD3=82.8%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	4624	236	16
	East	284	250	95
	South	94	94	598
	West	128	15	9

Number of points 6690 ; PC=82.8%; EBD=1.9%; POD1=90.1%; POD2=42.0%; POD3=83.3%; POD4=26.3%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	2765	851
	7.1 < rh < 15.3	1355	1485
	rh > 15.3	116	211

Number of points 7854 ; PC=64.7%; EBD=1.8%; POD1=65.3%; POD2=58.3%; POD3=77.8%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	4660	862
	1.9 < pwv < 3.5	223	1188
	pwv > 3.5	0	89

Number of points 8000 ; PC=79.1%; EBD=0.5%; POD1=95.4%; POD2=55.5%; POD3=48.9%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	672	524	262
	0.6 < see < 0.8	509	757	784
	see > 0.8	145	458	1357
Number of points		5468 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1204	0	158
	0.6 < see < 0.8	0	1648	158
	see > 0.8	122	91	2245
Number of points		5468 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%		

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1751	814	42
	$3.4 < \tau < 5.8$	390	766	359
	$\tau > 5.8$	28	235	414
Number of points 4799 ; PC=61.1%; EBD=1.5%; POD1=80.7%; POD2=42.2%; POD3=50.8%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2042	167	240
	$3.4 < \tau < 5.8$	99	1516	240
	$\tau > 5.8$	28	132	575
Number of points 4799 ; PC=86.1%; EBD=5.6%; POD1=94.1%; POD2=83.5%; POD3=54.5%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	580	698	352
	0.6 < glf < 0.7	711	945	725
	glf > 0.7	119	330	528
Number of points 4988 ; PC=41.2%; EBD=9.4%; POD1=41.1%; POD2=47.9%; POD3=32.9%				

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless		Observations		
		glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1260	133	385
	0.6 < glf < 0.7	31	1810	342
	glf > 0.7	119	30	1220
Number of points 4988 ; PC=86.0%; EBD=10.1%; POD1=89.4%; POD2=91.7%; POD3=62.7%				

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	1442	444	102
	4.6 < ws < 7.4	1122	1095	381
	ws > 7.4	147	398	3043
Number of points 8174 ; PC=68.3%; EBD=3.0%; POD1=53.2%; POD2=56.5%; POD3=86.3%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	4006	317	8
	East	32	214	28
	South	80	33	427
	West	720	7	39

Number of points 7102 ; PC=76.9%; EBD=1.3%; POD1=82.8%; POD2=37.5%; POD3=85.1%; POD4=68.3%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	3421	639
	8.9 < rh < 17.9	1241	1475
	rh > 17.9	94	240

Number of points 8112 ; PC=68.2%; EBD=1.2%; POD1=71.9%; POD2=62.7%; POD3=63.3%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	4727	714
	2.1 < pwv < 3.7	396	1054
	pwv > 3.7	0	74

Number of points 8129 ; PC=81.1%; EBD=0.1%; POD1=92.3%; POD2=57.2%; POD3=69.7%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration