

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 03-02-2025	
---	---	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
January 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	3329	1299	177
	4.2 < ws < 7.6	2127	2677	878
	ws > 7.6	260	1052	4187
Number of points 15986 ; PC=63.8%; EBD=2.7%; POD1=58.2%; POD2=53.2%; POD3=79.9%				

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	5320	333	0
	4.2 < ws < 7.6	396	4432	280
	ws > 7.6	0	263	4962
Number of points 15986 ; PC=92.0%; EBD=0.0%; POD1=93.1%; POD2=88.1%; POD3=94.7%				

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed	Observations			
ms^{-1}	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
Model data	ws < 12.0	14098	131	0
	12.0 < ws < 18.0	110	1313	39
	ws > 18.0	0	61	234
Number of points 15986 ; PC=97.9%; EBD=0.0%; POD1=99.2%; POD2=87.2%; POD3=85.7%				

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	6749	369	3		110
	East	575	1026	252		0
	South	46	305	2081		115
	West	293	78	10		199
Number of points 12211 ; PC=82.3%; EBD=1.0%; POD1=88.1%; POD2=57.7%; POD3=88.7%; POD4=46.9%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	7537	92	0		29
	East	107	1623	65		0
	South	0	63	2273		12
	West	19	0	8		383
Number of points 12211 ; PC=96.8%; EBD=0.0%; POD1=98.4%; POD2=91.3%; POD3=96.9%; POD4=90.3%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3763	1253	9
	7.1 < rh < 15.3	2471	3362	548
	rh > 15.3	285	1514	2499
Number of points 15704 ; PC=61.3%; EBD=1.9%; POD1=57.7%; POD2=54.9%; POD3=81.8%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6167	290	3
	7.1 < rh < 15.3	352	5712	82
	rh > 15.3	0	127	2971
Number of points 15704 ; PC=94.6%; EBD=0.0%; POD1=94.6%; POD2=93.2%; POD3=97.2%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	15658	6	0
	50.0 < rh < 70.0	3	37	0
	rh > 70.0	0	0	0
Number of points 15704 ; PC=99.9%; EBD=0.0%; POD1=100.0%; POD2=86.0%; POD3=NaN%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6450	1277	10
	1.9 < pwv < 3.5	1048	2945	492
	pwv > 3.5	29	514	2983
Number of points 15748 ; PC=78.6%; EBD=0.2%; POD1=85.7%; POD2=62.2%; POD3=85.6%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7414	169	0
	1.9 < pwv < 3.5	113	4512	63
	pwv > 3.5	0	55	3422
Number of points 15748 ; PC=97.5%; EBD=0.0%; POD1=98.5%; POD2=95.3%; POD3=98.2%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	1570	1604	476
Model data	0.6 < see < 0.8	1031	1562	1290
	see > 0.8	109	450	1208
Number of points 9300 ; PC=46.7%; EBD=6.3%; POD1=57.9%; POD2=43.2%; POD3=40.6%				

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	2716	601	14
Model data	0.6 < see < 0.8	417	2683	280
	see > 0.8	4	356	2622
Number of points 9300 ; PC=82.8%; EBD=0.2%; POD1=86.6%; POD2=73.7%; POD3=89.9%				

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	2619	0	286
Model data	0.6 < see < 0.8	0	3525	286
	see > 0.8	91	91	2688
Number of points 9300 ; PC=95.0%; EBD=4.1%; POD1=96.6%; POD2=97.5%; POD3=82.5%				

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
	see < 0.6	3133	17	13
Model data	0.6 < see < 0.8	0	3614	12
	see > 0.8	4	9	2903
Number of points 9300 ; PC=99.6%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=99.1%				

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1113	763	55
	$3.4 < \tau < 5.8$	546	1849	898
	$\tau > 5.8$	34	818	2020
Number of points 8096 ; PC=61.5%; EBD=1.1%; POD1=65.7%; POD2=53.9%; POD3=67.9%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1557	187	1
	$3.4 < \tau < 5.8$	136	3023	251
	$\tau > 5.8$	0	220	2721
Number of points 8096 ; PC=90.2%; EBD=0.0%; POD1=92.0%; POD2=88.1%; POD3=91.5%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1527	135	392
	$3.4 < \tau < 5.8$	132	2880	392
	$\tau > 5.8$	34	415	2581
Number of points 8096 ; PC=86.3%; EBD=5.3%; POD1=90.2%; POD2=84.0%; POD3=76.7%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1692	0	16
	$3.4 < \tau < 5.8$	1	3407	16
	$\tau > 5.8$	0	23	2957
Number of points 8096 ; PC=99.5%; EBD=0.2%; POD1=99.9%; POD2=99.3%; POD3=98.9%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1520	1740
	0.6 < glf < 0.7	745	1042
	glf > 0.7	93	403
Number of points 8219 ; PC=37.4%; EBD=13.5%; POD1=64.5%; POD2=32.7%; POD3=19.3%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1987	478
	0.6 < glf < 0.7	358	2310
	glf > 0.7	13	397
Number of points 8219 ; PC=78.7%; EBD=0.4%; POD1=84.3%; POD2=72.5%; POD3=81.2%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2246	500
	0.6 < glf < 0.7	19	2667
	glf > 0.7	93	18
Number of points 8219 ; PC=79.1%; EBD=14.4%; POD1=95.3%; POD2=83.7%; POD3=44.9%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2336	32
	0.6 < glf < 0.7	9	3147
	glf > 0.7	13	6
Number of points 8219 ; PC=99.0%; EBD=0.4%; POD1=99.1%; POD2=98.8%; POD3=98.6%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	2823	748
	4.6 < ws < 7.4	2367	3286
	ws > 7.4	192	1539
Number of points 16398 ; PC=63.7%; EBD=2.1%; POD1=52.5%; POD2=59.0%; POD3=79.6%			

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	4758	372
	4.6 < ws < 7.4	621	4907
	ws > 7.4	3	294
Number of points 16398 ; PC=90.5%; EBD=0.0%; POD1=88.4%; POD2=88.0%; POD3=95.0%			

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	14022	163
	12.0 < ws < 18.0	110	1549
	ws > 18.0	0	64
Number of points 16398 ; PC=97.5%; EBD=0.0%; POD1=99.2%; POD2=87.2%; POD3=86.3%			

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	5449	453	2		141
	East	98	391	72		0
	South	27	21	1162		388
	West	1955	26	171		3896
Number of points 14252 ; PC=76.5%; EBD=0.4%; POD1=72.4%; POD2=43.9%; POD3=82.6%; POD4=88.0%						

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	7264	64	2		154
	East	57	820	10		0
	South	0	5	1334		56
	West	208	2	61		4215
Number of points 14252 ; PC=95.7%; EBD=0.0%; POD1=96.5%; POD2=92.0%; POD3=94.8%; POD4=95.3%						

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4554	1106	8
	8.9 < rh < 17.9	2367	4002	731
	rh > 17.9	122	1165	2288
Number of points 16343 ; PC=66.4%; EBD=0.8%; POD1=64.7%; POD2=63.8%; POD3=75.6%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	6709	315	0
	8.9 < rh < 17.9	334	5824	99
	rh > 17.9	0	134	2928
Number of points 16343 ; PC=94.6%; EBD=0.0%; POD1=95.3%; POD2=92.8%; POD3=96.7%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	16187	13	0
	50.0 < rh < 70.0	19	120	4
	rh > 70.0	0	0	0
Number of points 16343 ; PC=99.8%; EBD=0.0%; POD1=99.9%; POD2=90.2%; POD3=0.0%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6629	986	0
	2.1 < pwv < 3.7	1291	3091	592
	pwv > 3.7	55	668	2940
Number of points 16252 ; PC=77.9%; EBD=0.3%; POD1=83.1%; POD2=65.1%; POD3=83.2%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	7807	84	0
	2.1 < pwv < 3.7	168	4581	62
	pwv > 3.7	0	80	3470
Number of points 16252 ; PC=97.6%; EBD=0.0%; POD1=97.9%; POD2=96.5%; POD3=98.2%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	3564	1471	175
	4.2 < ws < 7.6	2046	2593	948
	ws > 7.6	328	1081	4142
Number of points 16348 ; PC=63.0%; EBD=3.1%; POD1=60.0%; POD2=50.4%; POD3=78.7%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	6913	396	28
	East	490	1047	269
	South	78	286	2084
	West	272	78	13

Number of points 12411 ; PC=82.8%; EBD=1.5%; POD1=89.2%; POD2=57.9%; POD3=87.1%; POD4=51.6%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3727	1269
	7.1 < rh < 15.3	2657	3376
	rh > 15.3	370	1583

Number of points 16042 ; PC=59.8%; EBD=2.6%; POD1=55.2%; POD2=54.2%; POD3=81.6%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6454	1484
	1.9 < pwv < 3.5	1174	2840
	pwv > 3.5	68	591

Number of points 16103 ; PC=74.4%; EBD=0.7%; POD1=83.9%; POD2=57.8%; POD3=76.8%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1791	1829	636
	0.6 < see < 0.8	1228	1818	1445
	see > 0.8	195	652	1925
Number of points 11519 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3067	0	432
	0.6 < see < 0.8	0	4136	432
	see > 0.8	147	163	3574
Number of points 11519 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2006	1070	147
	$3.4 < \tau < 5.8$	616	2068	946
	$\tau > 5.8$	49	987	2254
Number of points 10143 ; PC=62.4%; EBD=1.9%; POD1=75.1%; POD2=50.1%; POD3=67.3%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2449	200	506
	$3.4 < \tau < 5.8$	173	3445	506
	$\tau > 5.8$	49	480	2841
Number of points 10143 ; PC=86.1%; EBD=5.5%; POD1=91.7%; POD2=83.5%; POD3=73.7%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1710	1996
	0.6 < glf < 0.7	1155	1611
	glf > 0.7	160	420
Number of points 10332 ; PC=39.1%; EBD=12.8%; POD1=56.5%; POD2=40.0%; POD3=21.9%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2828	653
	0.6 < glf < 0.7	37	3336
	glf > 0.7	160	38
Number of points 10332 ; PC=79.2%; EBD=13.8%; POD1=93.5%; POD2=82.8%; POD3=47.3%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	2806	757	194
	4.6 < ws < 7.4	2392	3206	968
	ws > 7.4	201	1610	4281
Number of points 16415 ; PC=62.7%; EBD=2.4%; POD1=52.0%; POD2=57.5%; POD3=78.7%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	5465	516	13
	East	97	311	59
	South	36	45	1104
	West	1931	19	230

Number of points 14252 ; PC=75.5%; EBD=0.5%; POD1=72.6%; POD2=34.9%; POD3=78.5%; POD4=87.8%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4232	1043
	8.9 < rh < 17.9	2616	3742
	rh > 17.9	195	1488

Number of points 16343 ; PC=62.4%; EBD=1.3%; POD1=60.1%; POD2=59.7%; POD3=73.5%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6380	1106
	2.1 < pwv < 3.7	1514	2915
	pwv > 3.7	81	724

Number of points 16252 ; PC=74.2%; EBD=0.6%; POD1=80.0%; POD2=61.4%; POD3=78.2%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	2978	1509	198
	4.2 < ws < 7.6	2470	2305	994
	ws > 7.6	399	1297	4064
Number of points 16214 ; PC=57.6%; EBD=3.7%; POD1=50.9%; POD2=45.1%; POD3=77.3%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	6682	419	24
	East	676	1002	347
	South	161	335	1932
	West	232	53	38

Number of points 12359 ; PC=79.1%; EBD=1.9%; POD1=86.2%; POD2=55.4%; POD3=82.5%; POD4=35.2%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3445	1208
	7.1 < rh < 15.3	2785	3280
	rh > 15.3	486	1655

Number of points 15908 ; PC=57.3%; EBD=4.0%; POD1=51.3%; POD2=53.4%; POD3=78.2%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6443	1631
	1.9 < pwv < 3.5	958	2491
	pwv > 3.5	195	775

Number of points 15918 ; PC=70.8%; EBD=1.6%; POD1=84.8%; POD2=50.9%; POD3=68.4%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1714	1647	620
	0.6 < see < 0.8	1228	1801	1339
	see > 0.8	288	831	1945
Number of points 11413 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3024	0	397
	0.6 < see < 0.8	0	4147	397
	see > 0.8	206	132	3507
Number of points 11413 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1948	1068	153
	$3.4 < \tau < 5.8$	657	2014	990
	$\tau > 5.8$	63	974	2181
Number of points 10048 ; PC=61.1%; EBD=2.1%; POD1=73.0%; POD2=49.7%; POD3=65.6%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2355	168	530
	$3.4 < \tau < 5.8$	250	3378	530
	$\tau > 5.8$	63	510	2794
Number of points 10048 ; PC=84.9%; EBD=5.9%; POD1=88.3%; POD2=83.3%; POD3=72.5%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1585	1803
	0.6 < glf < 0.7	1187	1753
	glf > 0.7	213	443
Number of points 10237 ; PC=40.5%; EBD=12.9%; POD1=53.1%; POD2=43.8%; POD3=24.9%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2727	573
	0.6 < glf < 0.7	45	3396
	glf > 0.7	213	30
Number of points 10237 ; PC=80.1%; EBD=13.6%; POD1=91.4%; POD2=84.9%; POD3=50.2%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	2641	742	186
	4.6 < ws < 7.4	2496	3240	948
	ws > 7.4	262	1591	4309
Number of points 16415 ; PC=62.1%; EBD=2.7%; POD1=48.9%; POD2=58.1%; POD3=79.2%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	5305	522	20
	East	103	297	47
	South	90	38	1090
	West	2031	34	249

Number of points 14252 ; PC=73.4%; EBD=1.0%; POD1=70.5%; POD2=33.3%; POD3=77.5%; POD4=85.1%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	3947	966
	8.9 < rh < 17.9	2792	3665
	rh > 17.9	304	1642

Number of points 16343 ; PC=59.8%; EBD=2.0%; POD1=56.0%; POD2=58.4%; POD3=71.6%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6173	1235
	2.1 < pwv < 3.7	1684	2680
	pwv > 3.7	118	830

Number of points 16252 ; PC=71.3%; EBD=0.9%; POD1=77.4%; POD2=56.5%; POD3=77.6%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration