

	FATE MONTHLY REPORT Doc.No : FATE-001 Version : 1.0 Date : 03-03-2025	
---	---	---

FORECAST SYSTEM FOR ATMOSPHERE AND TURBULENCE at the VERY LARGE TELESCOPE

Performance assessment
Annex
February 2025



Contents

1	NIGHT1: Contingency tables	2
2	DAY1: Contingency tables	8
3	NIGHT2: Contingency tables	11
4	DAY2: Contingency tables	16
5	NIGHT3: Contingency tables	18
6	DAY3: Contingency tables	23

1 NIGHT1: Contingency tables

Tables in section 1 are included in the range: 1-22.

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	3794	1402
	4.2 < ws < 7.6	2405	3126
	ws > 7.6	314	1318
Number of points 17856 ; PC=63.2%; EBD=2.8%; POD1=58.3%; POD2=53.5%; POD3=79.3%			

Table 1: night1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed ms^{-1}	Observations		
	ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	6061	393
	4.2 < ws < 7.6	452	5131
	ws > 7.6	0	322
Number of points 17856 ; PC=91.7%; EBD=0.0%; POD1=93.1%; POD2=87.8%; POD3=94.2%			

Table 2: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations		
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0
Model data	ws < 12.0	15952	137
	12.0 < ws < 18.0	116	1317
	ws > 18.0	0	61
Number of points 17856 ; PC=98.0%; EBD=0.0%; POD1=99.3%; POD2=86.9%; POD3=85.7%			

Table 3: night1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	7199	407	3		111
	East	652	1290	284		2
	South	46	409	2445		116
	West	293	91	10		210
Number of points 13568 ; PC=82.1%; EBD=1.0%; POD1=87.9%; POD2=58.7%; POD3=89.2%; POD4=47.8%						

Table 4: night1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	8045	111	0		29
	East	121	2007	74		0
	South	0	79	2660		12
	West	24	0	8		398
Number of points 13568 ; PC=96.6%; EBD=0.0%; POD1=98.2%; POD2=91.4%; POD3=97.0%; POD4=90.7%						

Table 5: night1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3763	1253	9
	7.1 < rh < 15.3	2471	3386	571
	rh > 15.3	292	1565	4270
Number of points 17580 ; PC=65.0%; EBD=1.7%; POD1=57.7%; POD2=54.6%; POD3=88.0%				

Table 6: night1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	6173	290	3
	7.1 < rh < 15.3	353	5775	93
	rh > 15.3	0	139	4754
Number of points 17580 ; PC=95.0%; EBD=0.0%; POD1=94.6%; POD2=93.1%; POD3=98.0%				

Table 7: night1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	17022	39	0
	50.0 < rh < 70.0	48	434	6
	rh > 70.0	0	0	31
Number of points 17580 ; PC=99.5%; EBD=0.0%; POD1=99.7%; POD2=91.8%; POD3=83.8%				

Table 8: night1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6462	1277	10
	1.9 < pwv < 3.5	1062	3005	492
	pwv > 3.5	47	590	4505
Number of points 17450 ; PC=80.1%; EBD=0.3%; POD1=85.4%; POD2=61.7%; POD3=90.0%				

Table 9: night1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	7438	169	0
	1.9 < pwv < 3.5	133	4644	67
	pwv > 3.5	0	59	4940
Number of points 17450 ; PC=97.5%; EBD=0.0%; POD1=98.2%; POD2=95.3%; POD3=98.7%				

Table 10: night1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

FATE - Monthly Report

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	1693	1763	581
Model data 0.6 < see < 0.8	1159	1799	1599
see > 0.8	128	536	1403
Number of points 10661 ; PC=45.9%; EBD=6.7%; POD1=56.8%; POD2=43.9%; POD3=39.2%			

Table 11: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	2978	695	29
Model data 0.6 < see < 0.8	484	2993	353
see > 0.8	4	458	3139
Number of points 10661 ; PC=81.8%; EBD=0.3%; POD1=85.9%; POD2=72.2%; POD3=89.2%			

Table 12: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.0

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	2877	0	356
Model data 0.6 < see < 0.8	0	4001	356
see > 0.8	103	97	3227
Number of points 10661 ; PC=94.8%; EBD=4.3%; POD1=96.5%; POD2=97.6%; POD3=81.9%			

Table 13: night1 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

total seeing arcsec	Observations		
	see < 0.6	0.6 < see < 0.8	see > 0.8
see < 0.6	3462	22	27
Model data 0.6 < see < 0.8	0	4108	26
see > 0.8	4	16	3494
Number of points 10661 ; PC=99.4%; EBD=0.3%; POD1=99.9%; POD2=99.1%; POD3=98.5%			

Table 14: night1 - Contingency table for total seeing (arcsec) processed with AR (1H) and accuracy 0.24

FATE - Monthly Report

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1113	763	55
	$3.4 < \tau < 5.8$	555	1883	909
	$\tau > 5.8$	60	1054	2922
Number of points 9314 ; PC=63.5%; EBD=1.2%; POD1=64.4%; POD2=50.9%; POD3=75.2%				

Table 15: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1585	198	3
	$3.4 < \tau < 5.8$	143	3254	288
	$\tau > 5.8$	0	248	3595
Number of points 9314 ; PC=90.6%; EBD=0.0%; POD1=91.7%; POD2=87.9%; POD3=92.5%				

Table 16: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1529	135	392
	$3.4 < \tau < 5.8$	139	2962	392
	$\tau > 5.8$	60	603	3494
Number of points 9314 ; PC=85.7%; EBD=4.9%; POD1=88.5%; POD2=80.1%; POD3=81.7%				

Table 17: night1 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1727	1	25
	$3.4 < \tau < 5.8$	1	3666	25
	$\tau > 5.8$	0	33	3861
Number of points 9314 ; PC=99.4%; EBD=0.3%; POD1=99.9%; POD2=99.1%; POD3=98.7%				

Table 18: night1 - Contingency table for wavefront coherence time (ms) processed with AR (1H) and accuracy 1.22

FATE - Monthly Report

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1756	1948
	0.6 < glf < 0.7	849	1211
	glf > 0.7	122	481
Number of points 9437 ; PC=37.8%; EBD=13.5%; POD1=64.4%; POD2=33.3%; POD3=19.6%			

Table 19: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2304	554
	0.6 < glf < 0.7	405	2625
	glf > 0.7	18	461
Number of points 9437 ; PC=78.6%; EBD=0.4%; POD1=84.5%; POD2=72.1%; POD3=81.0%			

Table 20: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2585	568
	0.6 < glf < 0.7	20	3054
	glf > 0.7	122	18
Number of points 9437 ; PC=79.2%; EBD=14.4%; POD1=94.8%; POD2=83.9%; POD3=45.3%			

Table 21: night1 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	2699	37
	0.6 < glf < 0.7	10	3594
	glf > 0.7	18	9
Number of points 9437 ; PC=99.0%; EBD=0.4%; POD1=99.0%; POD2=98.7%; POD3=98.6%			

Table 22: night1 - Contingency table for ground layer fraction (dimensionless) processed with AR (1H) and accuracy 0.14

2 DAY1: Contingency tables

Tables in section 2 are included in the range: 23-32.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	3127	775	152
	4.6 < ws < 7.4	2674	3581	1072
	ws > 7.4	255	1831	4404
Number of points 17871 ; PC=62.2%; EBD=2.3%; POD1=51.6%; POD2=57.9%; POD3=78.3%				

Table 23: day1 - Contingency table for wind speed (ms^{-1}) in standard configuration

wind speed		Observations		
ms^{-1}		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	5375	413	4
	4.6 < ws < 7.4	678	5451	291
	ws > 7.4	3	323	5333
Number of points 17871 ; PC=90.4%; EBD=0.0%; POD1=88.8%; POD2=88.1%; POD3=94.8%				

Table 24: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H)

wind speed ms^{-1}	Observations			
	ws < 12.0	12.0 < ws < 18.0	ws > 18.0	
	ws < 12.0	15495	163	0
Model data	12.0 < ws < 18.0	110	1549	67
	ws > 18.0	0	64	423
Number of points 17871 ; PC=97.7%; EBD=0.0%; POD1=99.3%; POD2=87.2%; POD3=86.3%				

Table 25: day1 - Contingency table for wind speed (ms^{-1}) processed with AR (1H) and thresholds (12.0,18.0)

FATE - Monthly Report

wind direction degree		North	East	South	Observations	West
Model data	North	5585	463	2		144
	East	113	403	72		0
	South	27	21	1276		420
	West	2077	29	191		4564
Number of points 15387 ; PC=76.9%; EBD=0.4%; POD1=71.6%; POD2=44.0%; POD3=82.8%; POD4=89.0%						

Table 26: day1 - Contingency table for wind direction (degree) in standard configuration

wind direction degree		North	East	South	Observations	West
Model data	North	7519	64	2		173
	East	59	845	10		0
	South	0	5	1456		71
	West	224	2	73		4884
Number of points 15387 ; PC=95.6%; EBD=0.0%; POD1=96.4%; POD2=92.2%; POD3=94.5%; POD4=95.2%						

Table 27: day1 - Contingency table for wind direction (degree) processed with AR (1H)

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4554	1106	8
	8.9 < rh < 17.9	2381	4002	771
	rh > 17.9	122	1214	3659
Number of points 17817 ; PC=68.6%; EBD=0.7%; POD1=64.5%; POD2=63.3%; POD3=82.4%				

Table 28: day1 - Contingency table for relative humidity (percent) in standard configuration

relative humidity percent		Observations		
		rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	6722	315	0
	8.9 < rh < 17.9	335	5873	103
	rh > 17.9	0	134	4335
Number of points 17817 ; PC=95.0%; EBD=0.0%; POD1=95.3%; POD2=92.9%; POD3=97.7%				

Table 29: day1 - Contingency table for relative humidity (percent) processed with AR (1H)

relative humidity percent		Observations		
		rh < 50.0	50.0 < rh < 70.0	rh > 70.0
Model data	rh < 50.0	17203	25	0
	50.0 < rh < 70.0	27	546	7
	rh > 70.0	0	2	7
Number of points 17817 ; PC=99.7%; EBD=0.0%; POD1=99.8%; POD2=95.3%; POD3=50.0%				

Table 30: day1 - Contingency table for relative humidity (percent) processed with AR (1H) and thresholds (50,70) percent

FATE - Monthly Report

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6629	986	0
	2.1 < pwv < 3.7	1293	3137	637
	pwv > 3.7	55	730	4199
Number of points 17666 ; PC=79.1%; EBD=0.3%; POD1=83.1%; POD2=64.6%; POD3=86.8%				

Table 31: day1 - Contingency table for precipitable water vapor (mm) in standard configuration

precipitable water vapor mm	Observations			
		pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	7807	85	0
	2.1 < pwv < 3.7	170	4681	64
	pwv > 3.7	0	87	4772
Number of points 17666 ; PC=97.7%; EBD=0.0%; POD1=97.9%; POD2=96.5%; POD3=98.7%				

Table 32: day1 - Contingency table for precipitable water vapor (mm) processed with AR (1H)

3 NIGHT2: Contingency tables

Tables in section 3 are included in the range: 33-42.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	4028	1620	183
	4.2 < ws < 7.6	2334	2982	1028
	ws > 7.6	379	1361	4309
Number of points 18224 ; PC=62.1%; EBD=3.1%; POD1=59.8%; POD2=50.0%; POD3=78.1%				

Table 33: night2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	7350	449	32
	East	569	1337	303
	South	80	354	2415
	West	281	86	40

Number of points 13768 ; PC=82.4%; EBD=1.4%; POD1=88.8%; POD2=60.1%; POD3=86.6%; POD4=52.3%

Table 34: night2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3727	1269
	7.1 < rh < 15.3	2657	3397
	rh > 15.3	377	1637

Number of points 17918 ; PC=63.5%; EBD=2.3%; POD1=55.1%; POD2=53.9%; POD3=87.6%

Table 35: night2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6454	1484
	1.9 < pwv < 3.5	1218	2889
	pwv > 3.5	68	678

Number of points 17805 ; PC=76.1%; EBD=0.6%; POD1=83.4%; POD2=57.2%; POD3=83.8%

Table 36: night2 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1961	2023	766
	0.6 < see < 0.8	1317	2052	1743
	see > 0.8	206	706	2106
Number of points 12880 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 37: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3330	0	514
	0.6 < see < 0.8	0	4613	514
	see > 0.8	154	168	4101
Number of points 12880 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 38: night2 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2006	1070	147
	$3.4 < \tau < 5.8$	616	2101	959
	$\tau > 5.8$	84	1224	3154
Number of points 11361 ; PC=63.9%; EBD=2.0%; POD1=74.1%; POD2=47.8%; POD3=74.0%				

Table 39: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2449	200	507
	$3.4 < \tau < 5.8$	173	3541	507
	$\tau > 5.8$	84	654	3753
Number of points 11361 ; PC=85.8%; EBD=5.2%; POD1=90.5%; POD2=80.6%; POD3=78.7%				

Table 40: night2 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1946	2240
	0.6 < glf < 0.7	1262	1785
	glf > 0.7	186	457
Number of points 11550 ; PC=39.0%; EBD=13.2%; POD1=57.3%; POD2=39.8%; POD3=20.9%			

Table 41: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3165	712
	0.6 < glf < 0.7	43	3732
	glf > 0.7	186	38
Number of points 11550 ; PC=78.9%; EBD=14.2%; POD1=93.3%; POD2=83.3%; POD3=46.0%			

Table 42: night2 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

4 DAY2: Contingency tables

Tables in section 4 are included in the range: 43-46.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	3168	792	200
	4.6 < ws < 7.4	2831	3530	1065
	ws > 7.4	265	1988	4385
Number of points 18224 ; PC=60.8%; EBD=2.6%; POD1=50.6%; POD2=55.9%; POD3=77.6%				

Table 43: day2 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	5612	536	13
	East	97	311	59
	South	36	49	1270
	West	2059	20	279

Number of points 15595 ; PC=76.1%; EBD=0.4%; POD1=71.9%; POD2=34.0%; POD3=78.3%; POD4=89.1%

Table 44: day2 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	4232	1043
	8.9 < rh < 17.9	2630	3774
	rh > 17.9	195	1505

Number of points 18152 ; PC=65.8%; EBD=1.2%; POD1=60.0%; POD2=59.7%; POD3=82.3%

Table 45: day2 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6380	1106
	2.1 < pwv < 3.7	1521	2950
	pwv > 3.7	81	811

Number of points 18001 ; PC=75.9%; EBD=0.5%; POD1=79.9%; POD2=60.6%; POD3=84.3%

Table 46: day2 - Contingency table for precipitable water vapor (mm) in standard configuration

5 NIGHT3: Contingency tables

Tables in section 5 are included in the range: 47-56.

wind speed ms^{-1}		Observations		
		ws < 4.2	4.2 < ws < 7.6	ws > 7.6
Model data	ws < 4.2	3420	1615	200
	4.2 < ws < 7.6	2751	2777	1093
	ws > 7.6	451	1581	4202
Number of points 18090 ; PC=57.5%; EBD=3.6%; POD1=51.6%; POD2=46.5%; POD3=76.5%				

Table 47: night3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	7152	479	43
	East	775	1291	396
	South	161	403	2236
	West	232	60	42

Number of points 13743 ; PC=79.0%; EBD=1.9%; POD1=86.0%; POD2=57.8%; POD3=82.3%; POD4=36.4%

Table 48: night3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 7.1	7.1 < rh < 15.3	rh > 15.3
Model data	rh < 7.1	3445	1208
	7.1 < rh < 15.3	2785	3295
	rh > 15.3	486	1758

Number of points 17784 ; PC=61.1%; EBD=3.6%; POD1=51.3%; POD2=52.6%; POD3=85.9%

Table 49: night3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 1.9	1.9 < pwv < 3.5	pwv > 3.5
Model data	pwv < 1.9	6443	1631
	1.9 < pwv < 3.5	1002	2555
	pwv > 3.5	195	847

Number of points 17620 ; PC=72.9%; EBD=1.5%; POD1=84.3%; POD2=50.8%; POD3=77.7%

Table 50: night3 - Contingency table for precipitable water vapor (mm) in standard configuration

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	1851	1835	741
	0.6 < see < 0.8	1326	2021	1641
	see > 0.8	302	889	2165
Number of points 12771 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 51: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.0

total seeing		Observations		
arcsec		see < 0.6	0.6 < see < 0.8	see > 0.8
Model data	see < 0.6	3262	0	479
	0.6 < see < 0.8	0	4609	479
	see > 0.8	217	136	4068
Number of points 12771 ; PC=%; EBD=%; POD1=%; POD2=%; POD3=%				

Table 52: night3 - Contingency table for total seeing (arcsec) in standard configuration and accuracy 0.24

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	1948	1068	153
	$3.4 < \tau < 5.8$	657	2054	992
	$\tau > 5.8$	98	1235	3059
Number of points 11264 ; PC=62.7%; EBD=2.2%; POD1=72.1%; POD2=47.1%; POD3=72.8%				

Table 53: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 0.0

wavefront coherence time		Observations		
ms		$\tau < 3.4$	$3.4 < \tau < 5.8$	$\tau > 5.8$
Model data	$\tau < 3.4$	2355	168	530
	$3.4 < \tau < 5.8$	250	3480	530
	$\tau > 5.8$	98	709	3674
Number of points 11264 ; PC=84.4%; EBD=5.6%; POD1=87.1%; POD2=79.9%; POD3=77.6%				

Table 54: night3 - Contingency table for wavefront coherence time (ms) in standard configuration and accuracy 1.22

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	1762	2046
	0.6 < glf < 0.7	1368	1928
	glf > 0.7	249	465
Number of points 11453 ; PC=39.8%; EBD=13.2%; POD1=52.1%; POD2=43.4%; POD3=23.9%			

Table 55: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.0

ground layer fraction dimensionless	Observations		
	glf < 0.6	0.6 < glf < 0.7	glf > 0.7
Model data	glf < 0.6	3081	636
	0.6 < glf < 0.7	49	3772
	glf > 0.7	249	31
Number of points 11453 ; PC=79.8%; EBD=14.0%; POD1=91.2%; POD2=85.0%; POD3=49.1%			

Table 56: night3 - Contingency table for ground layer fraction (dimensionless) in standard configuration and accuracy 0.14

6 DAY3: Contingency tables

Tables in section 6 are included in the range: 57-60.

wind speed ms^{-1}		Observations		
		ws < 4.6	4.6 < ws < 7.4	ws > 7.4
Model data	ws < 4.6	3047	795	192
	4.6 < ws < 7.4	2909	3590	1045
	ws > 7.4	301	1932	4413
Number of points 18224 ; PC=60.6%; EBD=2.7%; POD1=48.7%; POD2=56.8%; POD3=78.1%				

Table 57: day3 - Contingency table for wind speed (ms^{-1}) in standard configuration

FATE - Monthly Report

wind direction degree	Observations			
	North	East	South	West
Model data	North	5438	546	20
	East	117	305	47
	South	90	38	1257
	West	2180	34	296

Number of points 15611 ; PC=73.9%; EBD=0.9%; POD1=69.5%; POD2=33.0%; POD3=77.6%; POD4=86.5%

Table 58: day3 - Contingency table for wind direction (degree) in standard configuration

relative humidity percent	Observations		
	rh < 8.9	8.9 < rh < 17.9	rh > 17.9
Model data	rh < 8.9	3947	966
	8.9 < rh < 17.9	2803	3665
	rh > 17.9	307	1691

Number of points 18152 ; PC=63.2%; EBD=1.8%; POD1=55.9%; POD2=58.0%; POD3=80.7%

Table 59: day3 - Contingency table for relative humidity (percent) in standard configuration

precipitable water vapor mm	Observations		
	pwv < 2.1	2.1 < pwv < 3.7	pwv > 3.7
Model data	pwv < 2.1	6173	1237
	2.1 < pwv < 3.7	1689	2693
	pwv > 3.7	120	937

Number of points 17989 ; PC=73.1%; EBD=0.9%; POD1=77.3%; POD2=55.3%; POD3=83.3%

Table 60: day3 - Contingency table for precipitable water vapor (mm) in standard configuration