






Candidate 000000: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 122.9545
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
120
100
80
60
40
20
68
70
72
74
76
74.975
75.000
75.025



Candidate 000001: DM = 23.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 222.3148
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
225
200
175
150
125
100
75
50
96
98
100
102
104
99.975
100.000
100.025



Candidate 000002: DM = 23.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 186.7362
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
180
160
140
120
100
80
60
40
20
96
98
100
102
104
175
150
125
100
75
50
25
99.975
100.000
100.025



Candidate 000003: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 639.6466
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
186
188
190
192
194
500
550
600
650
186.46
186.49
186.52



Candidate 000004: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 721.9283
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
186
188
190
192
194
550
600
650
700
750
800
186.49
186.52
186.55



Candidate 000005: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 704.5212
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
186
188
190
192
194
550
600
650
700
750
186.55
186.58
186.61



Candidate 000006: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 764.8836
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
800
600
400
200
186
188
190
192
194
186.600
186.625



Candidate 000007: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 1027.7228
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
800
600
400
200
186
188
190
192
194
186.625
186.650
186.675



Candidate 000008: DM = 24.80 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 670.1652
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
100
200
300
400
500
600
700
186
188
190
192
194
186.625
186.650
186.675



Candidate 000009: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 931.9237
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
186
188
190
192
194
186.61
186.64
186.67



Candidate 000010: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 515.7196
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
800
600
400
200
186
188
190
192
194
186.675
186.700
186.725



Candidate 000011: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 790.4381
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
186
188
190
192
194
550
600
650
700
750
800
850
186.70
186.73
186.76



Candidate 000012: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 724.1213
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
186
188
190
192
194
550
600
650
700
750
186.76
186.79
186.82



Candidate 000013: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 588.5001
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
194
196
198
200
202
750
700
650
600
550
500
199.90
199.93
199.96



Candidate 000014: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 225.1231
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
500
400
300
200
100
194
196
198
200
202
199.950
199.975



Candidate 000015: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 785.7443
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
100
200
300
400
500
600
700
800
194
196
198
200
202
199.975
200.000
200.025



Candidate 000016: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 503.3894
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
194
196
198
200
202
199.975
200.000
200.025



Candidate 000017: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 799.0265
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
194
196
198
200
202
550
600
650
700
750
800
199.96
199.99
200.02



Candidate 000018: DM = 25.00 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 201.6257
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
400
350
300
250
200
150
100
50
194
196
198
200
202
200.025
200.050



Candidate 000019: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 586.9504
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
194
196
198
200
202
750
700
650
600
550
500
200.02
200.05
200.08



Candidate 000020: DM = 23.70 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 86.6731
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
208.150
208.175



Candidate 000021: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 639.0350
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
450
500
550
600
650
216.43
216.46
216.49



Candidate 000022: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 700.5130
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
575
600
625
650
675
700
216.46
216.49
216.52



Candidate 000023: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 701.4810
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
600
650
700
216.52
216.55
216.58



Candidate 000024: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 719.0130
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
600
650
700
216.55
216.58
216.61



Candidate 000025: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 741.5586
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
600
650
700
750
216.58
216.61
216.64



Candidate 000026: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 687.1616
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
216.600
216.625
216.650



Candidate 000027: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 721.5817
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
216.650
216.675



Candidate 000028: DM = 23.90 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 583.5963
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
100
200
300
400
500
600
212
214
216
218
220
216.650
216.675



Candidate 000029: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 745.7808
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
600
650
700
750
216.64
216.67
216.70



Candidate 000030: DM = 25.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 605.4114
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
212
214
216
218
220
216.675
216.700
216.725



Candidate 000031: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 731.5589
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
600
650
700
750
216.67
216.70
216.73



Candidate 000032: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 722.4320
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
600
650
700
216.70
216.73
216.76



Candidate 000033: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 691.9300
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
600
650
700
216.76
216.79
216.82



Candidate 000034: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 664.1002
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
550
575
600
625
650
675
216.82
216.85
216.88



Candidate 000035: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 584.2616
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
212
214
216
218
220
200
300
400
500
600
216.85
216.88
216.91



Candidate 000036: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 136.9811
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
140
120
100
80
60
40
20
248
250
252
254
256
249.975
250.000
250.025



Candidate 000037: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204I; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 100.4510
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
90
80
70
60
50
40
30
20
284
286
288
290
292
100
80
60
40
286.925
286.950
286.975



Candidate 000038: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 98.5186
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
90
80
70
60
50
40
30
20
294
296
298
300
302
299.975
300.000



Candidate 000039: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204as; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 592.9584
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
800
600
400
200
366
368
370
372
374
700
600
500
400
373.09
373.12
373.15



Candidate 000040: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 665.1472
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
366
368
370
372
374
550
600
650
700
373.18
373.21
373.24



Candidate 000041: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 709.2044
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000042: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 601.4474
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
600
500
400
300
200
100
366
368
370
372
374
373.275
373.300
373.325



Candidate 000043: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1017.5531
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
800
600
400
200
366
368
370
372
374
373.27
373.30
373.33



Candidate 000044: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 1199.8248
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
200
400
600
800
1000
1200
366
368
370
372
374
373.275
373.300
373.325



Candidate 000045: DM = 24.30 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 239.2467
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
250
225
200
175
150
125
100
75
50
366
368
370
372
374
373.325
373.350



Candidate 000046: DM = 24.90 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 769.4409
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000047: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 779.4518
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
800
600
400
200
366
368
370
372
374
850
800
750
700
650
600
550
373.39
373.42
373.45



Candidate 000048: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 589.2703
Selected endpoint
700
600
500
400
373.48
373.51
373.54
1000
800
600
400
200
Accumulated path score
366
368
370
372
374
Final-state barycentric frequency (Hz)



Candidate 000049: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 379.7770
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
374
376
378
380
382
378.250
378.275



Candidate 000050: DM = 24.30 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 316.6639
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
300
250
200
150
100
50
374
376
378
380
382
378.275
378.300
378.325



Candidate 000051: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 562.3386
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
300
400
500
374
376
378
380
382
530
540
550
560
378.28
378.31
378.34



Candidate 000052: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 563.5287
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
374
376
378
380
382
200
300
400
500
378.275
378.300
378.325



Candidate 000053: DM = 24.30 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 505.4265
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
374
376
378
380
382
378.325
378.350
378.375



Candidate 000054: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204F; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 228.3824
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
374
376
378
380
382
190
200
210
220
230
381.125
381.150
381.175



Candidate 000055: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204F; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 291.4915
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
300
250
200
150
100
50
374
376
378
380
382
381.150
381.175



Candidate 000056: DM = 24.90 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 368.8498
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
392
394
396
398
400
50
100
150
200
250
300
350
399.975
400.000



Candidate 000057: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 437.4324
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
450
400
350
300
250
200
150
100
50
392
394
396
398
400
399.975
400.000



Candidate 000058: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 949.6509
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000059: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1023.0290
Selected endpoint
1000
900
800
700
600
433.18
433.21
Accumulated path score
1000
800
600
400
200
428
430
432
434
436
Final-state barycentric frequency (Hz)



Candidate 000060: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1048.0926
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
800
600
400
200
428
430
432
434
436
900
700
433.21
433.24
433.27



Candidate 000061: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 555.8937
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
600
500
400
300
200
100
428
430
432
434
436
433.275
433.300



Candidate 000062: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1065.6291
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
800
600
400
200
428
430
432
434
436
1000
900
800
700
600
433.27
433.30
433.33



Candidate 000063: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 891.3733
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
200
400
600
800
428
430
432
434
436
433.300
433.325
433.350



Candidate 000064: DM = 25.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 954.7964
Selected endpoint
800
600
400
200
433.300
433.325
433.350
Accumulated path score
800
600
400
200
428
430
432
434
436
Final-state barycentric frequency (Hz)



Candidate 000065: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1069.9773
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000066: DM = 25.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 906.2258
Selected endpoint
800
600
400
200
433.350
433.375
Accumulated path score
800
600
400
200
428
430
432
434
436
Final-state barycentric frequency (Hz)



Candidate 000067: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1049.8357
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000068: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1034.2516
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000069: DM = 24.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 837.1534
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
428
430
432
434
436
850
800
750
700
650
600
550
433.45
433.48
433.51



Candidate 000070: DM = 25.00 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 731.9197
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
428
430
432
434
436
750
700
650
600
550
500
433.51
433.54



Candidate 000071: DM = 25.30 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 85.6551
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
20
30
40
50
60
70
80
438
440
442
444
446
437.550
437.575
437.600



Candidate 000072: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1224.1313
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
400
600
800
1000
1200
474
476
478
480
482
475.87
475.90
475.93



Candidate 000073: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1248.9670
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
400
600
800
1000
1200
474
476
478
480
482
475.93
475.96
475.99



Candidate 000074: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1266.2667
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
400
600
800
1000
1200
474
476
478
480
482
475.96
475.99
476.02



Candidate 000075: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 848.4013
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
474
476
478
480
482
800
600
400
200
475.975
476.000
476.025



Candidate 000076: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 864.1651
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
474
476
478
480
482
800
600
400
200
476.025
476.050
476.075



Candidate 000077: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1261.0783
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
400
600
800
1000
1200
474
476
478
480
482
476.02
476.05
476.08



Candidate 000078: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 332.5417
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
300
250
200
150
100
50
474
476
478
480
482
476.050
476.075



Candidate 000079: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 688.9063
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
474
476
478
480
482
800
600
400
200
476.075
476.100



Candidate 000080: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 773.2217
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
800
700
600
500
400
300
200
100
474
476
478
480
482
750
700
650
600
550
476.05
476.08
476.11



Candidate 000081: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1250.0922
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
400
600
800
1000
1200
474
476
478
480
482
476.08
476.11
476.14



Candidate 000082: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1238.2632
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
400
600
800
1000
1200
474
476
478
480
482
476.14
476.17



Candidate 000083: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 213.9497
Selected endpoint
200
150
100
50
499.975
500.000
Accumulated path score
200
175
150
125
100
75
50
25
492
494
496
498
500
Final-state barycentric frequency (Hz)



Candidate 000084: DM = 25.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 253.3329
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
250
225
200
175
150
125
100
75
50
492
494
496
498
500
499.975
500.000



Candidate 000085: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 727.5773
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000086: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 776.7003
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000087: DM = 24.90 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 591.7919
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
300
400
500
600
554
556
558
560
562
540
560
580
600
620
640
559.88
559.92
559.96



Candidate 000088: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 431.3502
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
450
400
350
300
250
200
150
100
50
554
556
558
560
562
400
300
200
100
559.925
559.950
559.975



Candidate 000089: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 748.3004
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
554
556
558
560
562
559.925
559.950
559.975



Candidate 000090: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 904.2782
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
554
556
558
560
562
559.93
559.96
559.99



Candidate 000091: DM = 25.00 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 258.1958
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
300
250
200
150
100
50
554
556
558
560
562
559.975
560.000
560.025



Candidate 000092: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 794.8795
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
554
556
558
560
562
850
800
750
700
650
600
550
559.99
560.02
560.05



Candidate 000093: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 736.2328
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
554
556
558
560
562
550
600
650
700
750
560.05
560.08
560.11



Candidate 000094: DM = 24.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 371.9778
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
350
300
250
200
150
100
50
600
602
604
606
608
599.975
600.000



Candidate 000095: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 362.5261
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
590
592
594
596
598
50
100
150
200
250
300
350
100
200
300
599.96
599.98
600.00



Candidate 000096: DM = 24.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 570.5296
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
700
600
500
400
300
200
644
646
648
650
652
600
550
500
450
649.76
649.80



Candidate 000097: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 785.4086
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
750
700
650
600
550
649.80
649.84



Candidate 000098: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 805.2278
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
750
700
650
600
550
649.84
649.87
649.90



Candidate 000099: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 813.5578
Selected endpoint
800
700
600
649.92
649.96
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652



Candidate 000100: DM = 25.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 688.7261
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
800
700
600
500
400
300
200
100
644
646
648
650
652
600
400
200
649.925
649.950



Candidate 000101: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 872.4009
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
700
600
649.96
650.00



Candidate 000102: DM = 25.20 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 694.4339
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
100
200
300
400
500
600
700
644
646
648
650
652
649.975
650.000



Candidate 000103: DM = 25.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 766.3268
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
800
700
600
500
400
300
200
100
644
646
648
650
652
649.975
650.000



Candidate 000104: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 864.2323
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
700
600
649.99
650.02
650.05



Candidate 000105: DM = 23.60 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 485.4521
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
644
646
648
650
652
650.000
650.025
650.050



Candidate 000106: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 819.5091
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
700
600
650.00
650.04
650.08



Candidate 000107: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 815.0438
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
750
700
650
600
550
650.05
650.08
650.11



Candidate 000108: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 789.2980
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
750
700
650
600
550
650.12
650.16



Candidate 000109: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 771.2560
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
900
800
700
600
500
400
300
200
100
644
646
648
650
652
800
750
700
650
600
550
650.12
650.16
650.20



Candidate 000110: DM = 23.60 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 100.8980
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
90
80
70
60
50
40
30
20
698
700
702
704
706
100
80
60
40
699.950
699.975
700.000



Candidate 000111: DM = 24.90 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 263.9918
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
746.550
746.575



Candidate 000112: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 654.7854
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
744
746
748
750
752
746.575
746.600
746.625



Candidate 000113: DM = 24.80 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 626.4551
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
100
200
300
400
500
600
744
746
748
750
752
746.575
746.600
746.625



Candidate 000114: DM = 23.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 94.8509
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
744
746
748
750
752
749.950
749.975
750.000



Candidate 000115: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 633.3086
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
700
600
500
400
300
200
752
754
756
758
760
640
620
600
580
560
540
756.48
756.52



Candidate 000116: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 649.1088
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
700
600
500
400
300
200
752
754
756
758
760
675
650
625
600
575
550
756.52
756.55
756.58



Candidate 000117: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 394.7954
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
450
400
350
300
250
200
150
100
50
752
754
756
758
760
400
350
300
250
200
756.550
756.575



Candidate 000118: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 685.0646
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
752
754
756
758
760
200
300
400
500
600
700
550
600
650
700
756.56
756.60



Candidate 000119: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 190.5652
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
175
150
125
100
75
50
25
752
754
756
758
760
150
100
50
756.575
756.600
756.625



Candidate 000120: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 720.1505
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
700
600
500
400
300
200
752
754
756
758
760
650
550
756.60
756.64



Candidate 000121: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 433.1734
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
450
400
350
300
250
200
150
100
50
752
754
756
758
760
400
350
300
250
200
756.600
756.625



Candidate 000122: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 303.5560
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
300
250
200
150
100
50
752
754
756
758
760
756.625
756.650
756.675



Candidate 000123: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 663.8055
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
700
600
500
400
300
200
752
754
756
758
760
650
550
756.64
756.68



Candidate 000124: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 662.3639
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
700
600
500
400
300
200
752
754
756
758
760
660
640
620
600
580
560
540
756.68
756.72



Candidate 000125: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 654.5258
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
700
600
500
400
300
200
752
754
756
758
760
660
640
620
600
580
560
540
756.72
756.76



Candidate 000126: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204F; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 299.1652
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
300
250
200
150
100
50
762
764
766
768
770
280
260
240
220
762.300
762.325



Candidate 000127: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204F; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 198.1057
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
175
150
125
100
75
50
25
762
764
766
768
770
200
150
100
50
762.300
762.325



Candidate 000128: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 212.8398
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
220
200
180
160
140
120
100
80
60
798
800
802
804
806
799.950
799.975
800.000



Candidate 000129: DM = 24.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 133.6457
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
120
100
80
60
40
20
798
800
802
804
806
799.950
799.975
800.000



Candidate 000130: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 686.2001
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
860
862
864
866
868
550
600
650
700
866.47
866.50



Candidate 000131: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 705.2275
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000132: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 714.0969
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000133: DM = 25.10 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 628.4315
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
860
862
864
866
868
866.575
866.600
866.625



Candidate 000134: DM = 25.10 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 713.2448
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
860
862
864
866
868
866.625
866.650



Candidate 000135: DM = 25.10 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 714.7608
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
100
200
300
400
500
600
700
860
862
864
866
868
866.625
866.650
866.675



Candidate 000136: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 805.3810
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
860
862
864
866
868
550
600
650
700
750
800
866.60
866.64
866.68



Candidate 000137: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 406.9497
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
860
862
864
866
868
866.675
866.700
866.725



Candidate 000138: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 724.3556
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000139: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 691.8409
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
860
862
864
866
868
550
600
650
700
866.76
866.80



Candidate 000140: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 656.6288
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
860
862
864
866
868
550
600
650
700
866.80
866.84



Candidate 000141: DM = 23.90 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 89.3154
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
896
898
900
902
904
20
30
40
50
60
70
80
90
899.950
899.975
900.000



Candidate 000142: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 227.2700
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
50
100
150
200
250
932
934
936
938
940
933.200
933.225
933.250



Candidate 000143: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 283.4856
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
50
100
150
200
250
932
934
936
938
940
200
220
240
260
280
933.250
933.275



Candidate 000144: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 196.8882
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
200
175
150
125
100
75
50
25
932
934
936
938
940
200
150
100
50
933.250
933.275



Candidate 000145: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 206.3823
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
250
200
150
100
50
932
934
936
938
940
933.275
933.300
933.325



Candidate 000146: DM = 23.60 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 94.2445
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
20
30
40
50
60
70
80
90
932
934
936
938
940
938.425
938.450
938.475



Candidate 000147: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 859.0419
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
500
600
700
800
900
951.88
951.92
951.96



Candidate 000148: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 904.9210
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
600
700
800
900
951.94
951.97
952.00



Candidate 000149: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 916.1328
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
952.00
952.03
952.06



Candidate 000150: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 211.5226
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
250
200
150
100
50
950
952
954
956
958
952.025
952.050
952.075



Candidate 000151: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 926.5567
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
952.04
952.08



Candidate 000152: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 105.8121
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
225
200
175
150
125
100
75
50
25
950
952
954
956
958
100
80
60
40
952.050
952.075
952.100



Candidate 000153: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 388.3135
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
400
350
300
250
200
150
100
50
950
952
954
956
958
952.075
952.100



Candidate 000154: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 929.2570
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
952.06
952.09
952.12



Candidate 000155: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 215.7493
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
225
200
175
150
125
100
75
50
25
950
952
954
956
958
200
150
100
50
952.100
952.125
952.150



Candidate 000156: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 403.2167
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
400
350
300
250
200
150
100
50
950
952
954
956
958
952.125
952.150



Candidate 000157: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 922.8398
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
952.12
952.16



Candidate 000158: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 908.5301
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
952.15
952.18
952.21



Candidate 000159: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 891.6015
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
952.20
952.24



Candidate 000160: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 694.0243
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
100
200
300
400
500
600
700
800
900
950
952
954
956
958
600
700
800
952.24
952.28



Candidate 000161: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7646.3588
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7700
7600
7500
7400
995.2
995.5



Candidate 000162: DM = 23.60 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7967.2147
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8600
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8000
7800
7600
7400
995.2
995.5
995.8



Candidate 000163: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7633.2987
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7600
7500
7400
995.2
995.6



Candidate 000164: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7573.8968
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
7700
7600
7500
7400
995.2
995.6



Candidate 000165: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9782.0792
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
995.2
995.6
996.0



Candidate 000166: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7407.2408
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7750
7700
7650
7600
7550
7500
7450
7400
7350
996
998
1000
1002
1004
7475
7450
7425
7400
7375
7350
995.0
995.5
996.0



Candidate 000167: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7839.5268
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7700
7600
7500
7400
995.0
995.5
996.0



Candidate 000168: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7844.9632
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
995.5
996.0



Candidate 000169: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7686.6390
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7700
7600
7500
7400
995.5
996.0
996.5



Candidate 000170: DM = 24.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8294.6258
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8800
8600
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8400
8200
8000
7800
7600
7400
996.0
996.5



Candidate 000171: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7689.8841
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7700
7600
7500
7400
996.0
996.5
997.0



Candidate 000172: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7876.5923
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7900
7800
7700
7600
7500
7400
996.0
996.5
997.0



Candidate 000173: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7719.8292
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7700
7600
7500
7400
996.0
996.5
997.0



Candidate 000174: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7250.6986
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7200
7000
6800
6600
996.25
996.50
996.75



Candidate 000175: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7221.5833
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7200
7000
6800
6600
996.50
996.75
997.00



Candidate 000176: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7225.8447
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7200
7000
6800
6600
996.50
996.75
997.00



Candidate 000177: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7304.0332
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7400
7200
7000
6800
6600
996.50
996.75
997.00



Candidate 000178: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9472.1768
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
9500
9000
8500
8000
7500
996.5
997.0
997.5



Candidate 000179: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9997.5773
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
996.5
997.0
997.5



Candidate 000180: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7401.5320
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7400
7200
7000
6800
6600
997.00
997.25



Candidate 000181: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8040.2418
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8000
7800
7600
7400
996.5
997.0
997.5



Candidate 000182: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6783.6346
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
6800
6750
6700
6650
997.00
997.25
997.50



Candidate 000183: DM = 23.60 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8419.0237
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8600
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8400
8200
8000
7800
7600
7400
997.0
997.5
998.0



Candidate 000184: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7356.4267
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7400
7200
7000
6800
6600
997.25
997.50



Candidate 000185: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7896.6859
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
997.0
997.5
998.0



Candidate 000186: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7231.8773
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7200
7000
6800
6600
997.25
997.50



Candidate 000187: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6849.2376
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7500
7000
6500
6000
5500
996
998
1000
1002
1004
6900
6850
6800
6750
6700
6650
6600
997.25
997.50
997.75



Candidate 000188: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10585.5195
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
997.0
997.5
998.0



Candidate 000189: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6850.0768
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7500
7000
6500
6000
5500
996
998
1000
1002
1004
6900
6850
6800
6750
6700
6650
6600
997.25
997.50
997.75



Candidate 000190: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7767.9378
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
997.0
997.5
998.0



Candidate 000191: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 8815.4991
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
9000
8500
8000
7500
7000
997.50
997.75



Candidate 000192: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9084.0586
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
9000
8500
8000
7500
7000
6500
997.50
997.75



Candidate 000193: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10477.9908
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
997.0
997.5
998.0



Candidate 000194: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10604.0927
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
997.5
998.0



Candidate 000195: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6896.7553
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7500
7000
6500
6000
5500
996
998
1000
1002
1004
6900
6850
6800
6750
6700
6650
6600
997.50
997.75
998.00



Candidate 000196: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 8850.1280
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
9000
8500
8000
7500
7000
6500
997.50
997.75
998.00



Candidate 000197: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8104.3524
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8200
8000
7800
7600
7400
997.5
998.0



Candidate 000198: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10069.7047
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
997.5
998.0
998.5



Candidate 000199: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7959.3183
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
997.5
998.0
998.5



Candidate 000200: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9140.5055
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
997.75
998.00
998.25



Candidate 000201: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6894.2502
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
6900
6800
6700
6600
997.75
998.00
998.25



Candidate 000202: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7910.0023
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
997.5
998.0
998.5



Candidate 000203: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6932.8276
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7000
6900
6800
6700
6600
998.00
998.25



Candidate 000204: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10506.8256
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
997.5
998.0
998.5



Candidate 000205: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9451.8817
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
998.00
998.25
998.50



Candidate 000206: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7645.3262
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7750
7700
7650
7600
7550
7500
7450
7400
7350
996
998
1000
1002
1004
7700
7600
7500
7400
998.0
998.5



Candidate 000207: DM = 23.80 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3448.8456
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3300
3400
3500
3600
998.20
998.35



Candidate 000208: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6972.5928
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7100
7000
6900
6800
6700
6600
998.00
998.25
998.50



Candidate 000209: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7025.7455
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7100
7000
6900
6800
6700
6600
998.00
998.25
998.50



Candidate 000210: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7997.5233
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8100
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
998.0
998.5



Candidate 000211: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 8999.9780
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
9000
8500
8000
7500
7000
6500
998.00
998.25
998.50



Candidate 000212: DM = 23.80 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3527.0507
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3400
3500
3600
3700
3800
3900
998.20
998.35
998.50



Candidate 000213: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6621.7350
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6500
6000
5500
5000
996
998
1000
1002
1004
6680
6660
6640
6620
6600
6580
998.25
998.50



Candidate 000214: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8002.9424
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8100
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
998.0
998.5
999.0



Candidate 000215: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7463.4195
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7600
7400
7200
7000
6800
6600
998.25
998.50
998.75



Candidate 000216: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10525.9952
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
998.0
998.5
999.0



Candidate 000217: DM = 23.60 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8560.4599
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8600
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8500
8250
8000
7750
7500
998.0
998.5
999.0



Candidate 000218: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4099.9421
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3400
3600
3800
4000
4200
998.50
998.65



Candidate 000219: DM = 24.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7357.7398
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7400
7300
7200
7100
7000
6900
996
998
1000
1002
1004
7400
7380
7360
7340
7320
998.5
999.0



Candidate 000220: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3437.5593
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
996
998
1000
1002
1004
3100
3200
3300
3400
3500
998.65
998.80



Candidate 000221: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10701.3080
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
998.5
999.0



Candidate 000222: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7831.1730
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7700
7600
7500
7400
998.5
999.0
999.5



Candidate 000223: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3507.2172
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
996
998
1000
1002
1004
3400
3500
3600
3700
998.80
998.95



Candidate 000224: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4178.9536
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4400
4200
4000
3800
3600
3400
998.80
998.95
999.10



Candidate 000225: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9545.9079
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
998.75
999.00
999.25



Candidate 000226: DM = 23.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3946.1082
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4200
4000
3800
3600
3400
998.95
999.10



Candidate 000227: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8001.1444
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
998.5
999.0
999.5



Candidate 000228: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8286.4556
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8200
8000
7800
7600
7400
998.5
999.0
999.5



Candidate 000229: DM = 24.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3603.8276
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4500
4000
3500
3000
2500
2000
1500
1000
500
996
998
1000
1002
1004
3800
3700
3600
3500
3400
3300
998.95
999.10
999.25



Candidate 000230: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6676.3670
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6750
6500
6250
6000
5750
5500
5250
5000
996
998
1000
1002
1004
6700
6650
6600
6550
999.00
999.25



Candidate 000231: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7994.2529
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
998.5
999.0
999.5



Candidate 000232: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 5364.9888
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3500
4000
4500
5000
5500
999.10
999.25



Candidate 000233: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9675.9109
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
999.00
999.25
999.50



Candidate 000234: DM = 24.10 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4742.7515
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4750
4500
4250
4000
3750
3500
999.10
999.25



Candidate 000235: DM = 25.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3920.4416
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4500
4000
3500
3000
2500
2000
1500
1000
500
996
998
1000
1002
1004
4000
3800
3600
3400
999.10
999.25
999.40



Candidate 000236: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8071.8980
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8100
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
999.0
999.5



Candidate 000237: DM = 24.50 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 2231.9233
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
1600
1800
2000
2200
2400
2600
999.28
999.36



Candidate 000238: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9898.4728
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
10000
9000
8000
7000
999.00
999.25
999.50



Candidate 000239: DM = 23.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7985.6986
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
7300
996
998
1000
1002
1004
8000
7800
7600
7400
999.0
999.5
1000.0



Candidate 000240: DM = 24.30 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4334.3625
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4400
4200
4000
3800
3600
3400
999.25
999.40
999.55



Candidate 000241: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7985.2064
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
8000
7750
7500
7250
7000
6750
999.25
999.50



Candidate 000242: DM = 23.80 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 4287.5250
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
8000
6000
4000
2000
0
996
998
1000
1002
1004
5000
4000
3000
2000
999.36
999.44



Candidate 000243: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4725.6893
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4750
4500
4250
4000
3750
3500
999.25
999.40
999.55



Candidate 000244: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6939.2205
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6750
6500
6250
6000
5750
5500
5250
996
998
1000
1002
1004
6900
6800
6700
6600
999.25
999.50
999.75



Candidate 000245: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8044.2647
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
999.0
999.5
1000.0



Candidate 000246: DM = 25.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 3819.8646
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
2000
2500
3000
3500
4000
999.36
999.44
999.52



Candidate 000247: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4318.5597
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
996
998
1000
1002
1004
3400
3600
3800
4000
4200
4400
999.40
999.55



Candidate 000248: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10185.9911
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
999.0
999.5
1000.0



Candidate 000249: DM = 23.60 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 3897.7781
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
996
998
1000
1002
1004
1500
2000
2500
3000
3500
4000
4500
999.44
999.52
999.60



Candidate 000250: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7085.0258
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
5500
6000
6500
7000
996
998
1000
1002
1004
6600
6700
6800
6900
7000
7100
999.25
999.50
999.75



Candidate 000251: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8331.1067
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
999.0
999.5
1000.0



Candidate 000252: DM = 23.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4050.0047
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4500
4000
3500
3000
2500
2000
1500
1000
500
996
998
1000
1002
1004
4200
4000
3800
3600
3400
999.55
999.70



Candidate 000253: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6804.6203
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6750
6500
6250
6000
5750
5500
5250
5000
996
998
1000
1002
1004
6800
6750
6700
6650
999.50
999.75



Candidate 000254: DM = 23.80 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 6234.8510
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
2000
4000
6000
8000
10000
996
998
1000
1002
1004
2000
3000
4000
5000
6000
7000
999.60
999.68



Candidate 000255: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10622.7074
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
999.0
999.5
1000.0



Candidate 000256: DM = 23.60 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 4820.7818
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
996
998
1000
1002
1004
2000
3000
4000
5000
999.60
999.68



Candidate 000257: DM = 25.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4302.3741
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4500
4000
3500
3000
2500
2000
1500
1000
500
996
998
1000
1002
1004
4400
4200
4000
3800
3600
3400
999.55
999.70



Candidate 000258: DM = 25.00 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 3660.6209
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
996
998
1000
1002
1004
2000
2500
3000
3500
4000
999.60
999.68
999.76



Candidate 000259: DM = 23.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7005.9568
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6500
6000
5500
5000
996
998
1000
1002
1004
6900
6800
6700
6600
999.50
999.75
1000.00



Candidate 000260: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9895.1704
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
999.5
1000.0



Candidate 000261: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7120.3147
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
5500
6000
6500
7000
996
998
1000
1002
1004
6600
6700
6800
6900
7000
7100
999.50
999.75
1000.00



Candidate 000262: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1622.1686
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
0
996
998
1000
1002
1004
2000
1750
1500
1250
1000
750
500
999.76
999.80



Candidate 000263: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9795.3236
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6500
7000
7500
8000
8500
9000
9500
996
998
1000
1002
1004
7000
8000
9000
999.50
999.75
1000.00



Candidate 000264: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8081.4895
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8100
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
999.5
1000.0



Candidate 000265: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 6419.3955
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3500
4000
4500
5000
5500
6000
6500
999.70
999.85



Candidate 000266: DM = 24.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 2733.4047
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7000
6000
5000
4000
3000
2000
1000
0
996
998
1000
1002
1004
3500
3000
2500
2000
1500
1000
500
999.80
999.84



Candidate 000267: DM = 24.10 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 7296.6642
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
2000
4000
6000
8000
996
998
1000
1002
1004
999.76
999.84
999.92



Candidate 000268: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 6438.7578
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3500
4000
4500
5000
5500
6000
6500
999.70
999.85
1000.00



Candidate 000269: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7132.2164
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
5500
6000
6500
7000
996
998
1000
1002
1004
6600
6700
6800
6900
7000
7100
999.75
1000.00



Candidate 000270: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10201.0692
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
999.5
1000.0
1000.5



Candidate 000271: DM = 25.10 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 4479.1734
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
996
998
1000
1002
1004
999.84
999.92



Candidate 000272: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4629.9457
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
996
998
1000
1002
1004
4500
4250
4000
3750
3500
999.70
999.85
1000.00



Candidate 000273: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 86.3985
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
500
1000
1500
2000
2500
3000
3500
996
998
1000
1002
1004
60
70
80
999.875
999.900



Candidate 000274: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 3682.3865
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
996
998
1000
1002
1004
999.88
999.92



Candidate 000275: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7930.5427
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7750
7500
7250
7000
6750
999.75
1000.00



Candidate 000276: DM = 23.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 5051.6038
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4500
3500
999.85
1000.00



Candidate 000277: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7831.7975
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7800
7600
7400
7200
7000
6800
6600
999.75
1000.00
1000.25



Candidate 000278: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10807.5472
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
999.5
1000.0
1000.5



Candidate 000279: DM = 24.30 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 5380.3274
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
996
998
1000
1002
1004
999.91
999.94
999.97



Candidate 000280: DM = 25.30 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 94.4759
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
500
1000
1500
2000
2500
3000
3500
996
998
1000
1002
1004
200
400
600
800
1000
1200
999.925
999.950



Candidate 000281: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 3055.0169
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
8000
996
998
1000
1002
1004
999.925
999.950



Candidate 000282: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 10203.2499
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
10000
9000
8000
7000
999.75
1000.00
1000.25



Candidate 000283: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 6564.5083
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3500
4000
4500
5000
5500
6000
6500
999.85
1000.00



Candidate 000284: DM = 24.00 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 10120.4492
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
2000
4000
6000
8000
10000
996
998
1000
1002
1004
999.92
1000.00



Candidate 000285: DM = 24.00 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 8825.7672
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
2000
4000
6000
8000
996
998
1000
1002
1004
999.96
1000.00



Candidate 000286: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 8066.2724
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
8000
996
998
1000
1002
1004
999.950
999.975
1000.000



Candidate 000287: DM = 24.00 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 5482.0484
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
996
998
1000
1002
1004
999.950
999.975
1000.000



Candidate 000288: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 6540.0391
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000289: DM = 24.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6984.8739
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6750
6500
6250
6000
5750
5500
5250
5000
996
998
1000
1002
1004
6900
6800
6700
6600
999.75
1000.00
1000.25



Candidate 000290: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10637.0133
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000291: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 200.2334
Selected endpoint = 1828.0770
Selected endpoint
4000
3000
2000
1000
1000.000
1000.025
Accumulated path score
4000
3000
2000
1000
0
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000292: DM = 24.30 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 5376.2224
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
996
998
1000
1002
1004
1000.00
1000.04



Candidate 000293: DM = 23.90 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 9974.0188
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
2000
4000
6000
8000
10000
996
998
1000
1002
1004
999.92
1000.00
1000.08



Candidate 000294: DM = 24.80 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 99.5963
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
3000
2500
2000
1500
1000
500
0
996
998
1000
1002
1004
100
90
80
70
60
1000.000
1000.025
1000.050



Candidate 000295: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4575.7936
Selected endpoint
4600
4400
4200
4000
3800
3600
3400
1000.00
1000.15
Accumulated path score
4000
3000
2000
1000
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000296: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8019.8895
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7600
7400
999.5
1000.0
1000.5



Candidate 000297: DM = 24.00 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 8920.8879
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
2000
4000
6000
8000
10000
996
998
1000
1002
1004
1000.00
1000.08
1000.16



Candidate 000298: DM = 25.30 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 2859.6824
Selected endpoint
3500
3000
2500
2000
1500
1000
500
1000.08
1000.12
Accumulated path score
5000
4000
3000
2000
1000
0
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000299: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 6453.0523
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
3500
4000
4500
5000
5500
6000
6500
1000.00
1000.15



Candidate 000300: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6830.4119
Selected endpoint
6800
6750
6700
6650
1000.00
1000.25
Accumulated path score
6750
6500
6250
6000
5750
5500
5250
5000
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000301: DM = 24.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 85.3403
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4000
3500
3000
2500
2000
1500
1000
500
0
996
998
1000
1002
1004
85
80
75
70
65
60
55
1000.100
1000.125



Candidate 000302: DM = 24.30 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 6369.7276
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7000
6000
5000
4000
3000
2000
1000
0
996
998
1000
1002
1004
1000.08
1000.16



Candidate 000303: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 6439.4183
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000304: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8062.2250
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
999.5
1000.0
1000.5



Candidate 000305: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4546.5432
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4000
3000
2000
1000
996
998
1000
1002
1004
4600
4400
4200
4000
3800
3600
3400
1000.15
1000.30



Candidate 000306: DM = 23.50 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 5101.1452
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
1000.16
1000.24



Candidate 000307: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7117.8050
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000308: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 542.8387
Selected endpoint = 1024.3581
Selected endpoint
1800
1600
1400
1200
1000
800
600
1000.16
1000.20
Accumulated path score
5000
4000
3000
2000
1000
0
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000309: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10201.2776
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1000.0
1000.5



Candidate 000310: DM = 24.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7196.3259
Selected endpoint
7200
7000
6800
6600
1000.00
1000.25
1000.50
Accumulated path score
7000
6500
6000
5500
5000
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000311: DM = 23.70 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 5709.1779
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
996
998
1000
1002
1004
1000.16
1000.24
1000.32



Candidate 000312: DM = 24.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 4465.0592
Selected endpoint
5000
4000
3000
2000
1000.24
1000.32
Accumulated path score
6000
5000
4000
3000
2000
1000
0
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000313: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4507.0123
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4000
3000
2000
1000
996
998
1000
1002
1004
4600
4400
4200
4000
3800
3600
3400
1000.15
1000.30



Candidate 000314: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9894.1107
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1000.0
1000.5



Candidate 000315: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7907.3251
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7750
7500
7250
7000
6750
1000.00
1000.25
1000.50



Candidate 000316: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4481.9414
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4000
3000
2000
1000
996
998
1000
1002
1004
4600
4400
4200
4000
3800
3600
3400
1000.15
1000.30
1000.45



Candidate 000317: DM = 25.20 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 4297.6790
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
996
998
1000
1002
1004
1500
2000
2500
3000
3500
4000
4500
1000.24
1000.32
1000.40



Candidate 000318: DM = 25.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6659.4110
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6750
6500
6250
6000
5750
5500
5250
5000
996
998
1000
1002
1004
6680
6660
6640
6620
1000.00
1000.25
1000.50



Candidate 000319: DM = 24.00 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 84.9533
Selected endpoint = 99.6286
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
996
998
1000
1002
1004
40
50
60
70
80
90
100
1000.300
1000.325
1000.350



Candidate 000320: DM = 23.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4065.1899
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4500
4000
3500
3000
2500
2000
1500
1000
500
996
998
1000
1002
1004
4200
4000
3800
3600
3400
1000.30
1000.45



Candidate 000321: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10194.9131
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000322: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6980.1300
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6750
6500
6250
6000
5750
5500
5250
996
998
1000
1002
1004
6900
6800
6700
6600
1000.25
1000.50



Candidate 000323: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7900.3478
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7750
7500
7250
7000
6750
1000.25
1000.50



Candidate 000324: DM = 25.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 4092.9064
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
1500
2000
2500
3000
3500
4000
4500
1000.32
1000.40
1000.48



Candidate 000325: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 5855.8305
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
6000
5500
5000
4500
4000
3500
1000.30
1000.45



Candidate 000326: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8056.3608
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
1000.0
1000.5
1001.0



Candidate 000327: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6780.7329
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000328: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4738.0461
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4750
4500
4250
3750
3500
1000.45
1000.60



Candidate 000329: DM = 25.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 3808.0658
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
996
998
1000
1002
1004
2000
2500
3000
3500
4000
1000.40
1000.48
1000.56



Candidate 000330: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10777.0948
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
1000.0
1000.5
1001.0



Candidate 000331: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6948.8973
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6750
6500
6250
6000
5750
5500
5250
996
998
1000
1002
1004
6900
6800
6700
6600
1000.25
1000.50
1000.75



Candidate 000332: DM = 24.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3975.2731
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4500
4000
3500
3000
2500
2000
1500
1000
500
996
998
1000
1002
1004
4000
3800
3600
3400
1000.45
1000.60



Candidate 000333: DM = 23.70 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 3291.3108
Selected endpoint
3500
3000
2500
2000
1000.48
1000.56
Accumulated path score
7000
6000
5000
4000
3000
2000
1000
0
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000334: DM = 24.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7049.1281
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6500
6000
5500
5000
996
998
1000
1002
1004
7200
7100
7000
6900
6800
6700
6600
1000.25
1000.50
1000.75



Candidate 000335: DM = 24.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7402.3559
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7400
7300
7200
7100
7000
6900
996
998
1000
1002
1004
7420
7400
7380
7360
7340
1000.0
1000.5
1001.0



Candidate 000336: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 10078.5143
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
1000.25
1000.50
1000.75



Candidate 000337: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 5692.6993
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
5500
5000
4500
4000
3500
1000.45
1000.60
1000.75



Candidate 000338: DM = 23.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8640.5259
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8600
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
8500
8250
8000
7750
7500
1000.0
1000.5
1001.0



Candidate 000339: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9898.7846
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000340: DM = 23.60 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 2495.2725
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
996
998
1000
1002
1004
2000
2500
3000
1000.56
1000.64
1000.72



Candidate 000341: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4633.0849
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4750
4500
4250
4000
3750
3500
1000.60
1000.75



Candidate 000342: DM = 23.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7974.4582
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
7300
996
998
1000
1002
1004
7400
7600
7800
8000
1000.5
1001.0



Candidate 000343: DM = 23.90 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 1627.0449
Selected endpoint = 2315.5288
Selected endpoint
2750
2500
2250
2000
1750
1500
1000.72
1000.80
Accumulated path score
10000
8000
6000
4000
2000
0
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000344: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4043.5532
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4000
3000
2000
1000
996
998
1000
1002
1004
4200
4000
3800
3600
3400
1000.60
1000.75
1000.90



Candidate 000345: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4597.6535
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4500
4250
4000
3750
3500
1000.75
1000.90



Candidate 000346: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10587.5208
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
1000.5
1001.0



Candidate 000347: DM = 24.30 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4178.6419
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4200
4000
3800
3600
3400
1000.75
1000.90



Candidate 000348: DM = 25.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3418.8600
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
4000
3500
3000
2500
2000
1500
1000
500
996
998
1000
1002
1004
3550
3500
3450
3400
3350
3300
1000.75
1000.90
1001.05



Candidate 000349: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8019.7833
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
1000.5
1001.0
1001.5



Candidate 000350: DM = 23.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3922.2088
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
4000
3000
2000
1000
996
998
1000
1002
1004
4000
3800
3600
3400
1000.90
1001.05



Candidate 000351: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4708.1866
Selected endpoint
5000
4500
4000
3500
1000.90
1001.05
Accumulated path score
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000352: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6850.6639
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6750
6500
6250
6000
5750
5500
5250
996
998
1000
1002
1004
6900
6850
6800
6750
6700
6650
6600
1000.75
1001.00
1001.25



Candidate 000353: DM = 24.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7364.3513
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7400
7300
7200
7100
7000
6900
996
998
1000
1002
1004
7400
7380
7360
7340
7320
1000.5
1001.0
1001.5



Candidate 000354: DM = 24.30 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3550.9691
Selected endpoint
3700
3600
3500
3400
1001.05
1001.20
Accumulated path score
5000
4000
3000
2000
1000
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000355: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10682.8965
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
10000
9000
8000
1001.0
1001.5



Candidate 000356: DM = 23.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3537.3371
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
4000
3000
2000
1000
996
998
1000
1002
1004
3700
3650
3600
3550
3500
3450
3400
1001.20
1001.35



Candidate 000357: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6680.7150
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6500
6000
5500
5000
996
998
1000
1002
1004
6850
6800
6750
6700
6650
6600
1001.00
1001.25
1001.50



Candidate 000358: DM = 24.10 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3688.6031
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
3800
3700
3600
3500
3400
1001.20
1001.35



Candidate 000359: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8005.2943
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7600
7400
1001.0
1001.5



Candidate 000360: DM = 23.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3498.6705
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
5000
4000
3000
2000
1000
996
998
1000
1002
1004
3550
3500
3450
3400
3350
3300
1001.20
1001.35



Candidate 000361: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9334.1851
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000362: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10129.9802
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000363: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6657.6902
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7000
6500
6000
5500
5000
996
998
1000
1002
1004
6800
6750
6700
6650
6600
1001.25
1001.50



Candidate 000364: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 4026.1304
Selected endpoint
4200
4000
3800
3600
3400
1001.35
1001.50
Accumulated path score
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000365: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7958.4754
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7600
7400
1001.0
1001.5
1002.0



Candidate 000366: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9466.5897
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
1001.25
1001.50
1001.75



Candidate 000367: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6982.7344
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
7100
7000
6900
6800
6700
6600
1001.50
1001.75



Candidate 000368: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 3394.0722
Selected endpoint = 3397.4886
Selected endpoint
3800
3700
3600
3500
3400
3300
1001.50
1001.65
Accumulated path score
6000
5000
4000
3000
2000
1000
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000369: DM = 23.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8593.8664
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8600
8400
8200
8000
7800
7600
7400
996
998
1000
1002
1004
1001.5
1002.0



Candidate 000370: DM = 24.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9568.6651
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1001.5
1002.0
1002.5



Candidate 000371: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6937.1965
Selected endpoint
7000
6900
6800
6700
6600
1001.75
1002.00
Accumulated path score
7500
7000
6500
6000
5500
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000372: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7973.0735
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7600
7400
1001.5
1002.0
1002.5



Candidate 000373: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9133.2165
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000374: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7634.0162
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7750
7700
7650
7600
7550
7500
7450
7400
7350
996
998
1000
1002
1004
7600
7500
7400
1001.5
1002.0
1002.5



Candidate 000375: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 8880.3878
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000376: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9113.9633
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
1002.00
1002.25



Candidate 000377: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7965.6999
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8100
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
8000
7800
7600
7400
1001.5
1002.0
1002.5



Candidate 000378: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7918.5848
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
1002.0
1002.5



Candidate 000379: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 8835.7665
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000380: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6878.3120
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7500
7000
6500
6000
5500
996
998
1000
1002
1004
6900
6850
6800
6750
6700
6650
6600
1002.00
1002.25
1002.50



Candidate 000381: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7874.5568
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
1002.0
1002.5



Candidate 000382: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 8815.8347
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000383: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 9242.5842
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
7000
6500
996
998
1000
1002
1004
1002.25
1002.50



Candidate 000384: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10467.8234
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1002.0
1002.5
1003.0



Candidate 000385: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6820.3891
Selected endpoint
6850
6800
6750
6700
6650
1002.25
1002.50
1002.75
Accumulated path score
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000386: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7366.4691
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000387: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9600.7841
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1002.0
1002.5
1003.0



Candidate 000388: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7361.5989
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000389: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7890.9734
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
1002.0
1002.5
1003.0



Candidate 000390: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10430.0620
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1002.5
1003.0



Candidate 000391: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 9986.0801
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1002.5
1003.0
1003.5



Candidate 000392: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6716.5861
Selected endpoint
6800
6750
6700
6650
6600
6550
1002.75
1003.00
Accumulated path score
7500
7000
6500
6000
5500
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000393: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 6752.7124
Selected endpoint
6800
6750
6700
6650
6600
1002.75
1003.00
Accumulated path score
8000
7500
7000
6500
6000
5500
996
998
1000
1002
1004
Final-state barycentric frequency (Hz)



Candidate 000394: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7907.8714
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
1002.5
1003.0
1003.5



Candidate 000395: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7258.9444
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7200
7000
6800
6600
1002.75
1003.00
1003.25



Candidate 000396: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7812.7052
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
1002.5
1003.0
1003.5



Candidate 000397: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7338.6380
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000398: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7904.2189
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
1002.5
1003.0
1003.5



Candidate 000399: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7212.1092
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7200
7000
6800
6600
1003.00
1003.25



Candidate 000400: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7861.8632
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8100
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7900
7800
7700
7600
7500
7400
1002.5
1003.0
1003.5



Candidate 000401: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; J0024-7204af; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7297.1763
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7200
7000
6800
6600
1003.00
1003.25
1003.50



Candidate 000402: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 10359.0797
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10500
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
1003.0
1003.5



Candidate 000403: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; J0024-7204af; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7297.0627
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9000
8500
8000
7500
7000
6500
6000
996
998
1000
1002
1004
7200
7000
6800
6600
1003.00
1003.25
1003.50



Candidate 000404: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7539.1762
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7750
7700
7650
7600
7550
7500
7450
7400
7350
996
998
1000
1002
1004
7600
7550
7500
7450
7400
7350
1003.0
1003.5
1004.0



Candidate 000405: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7864.4539
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7900
7800
7700
7600
7500
7400
1003.0
1003.5
1004.0



Candidate 000406: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7683.9779
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7700
7600
7500
7400
1003.5
1004.0
1004.5



Candidate 000407: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7716.6810
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7800
7700
7600
7500
7400
1003.5
1004.0
1004.5



Candidate 000408: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 6613.9305
Selected endpoint = 7342.0396
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)



Candidate 000409: DM = 24.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8847.0051
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
9500
9000
8500
8000
7500
996
998
1000
1002
1004
9000
8500
8000
7500
1004.0
1004.5


Candidate 000410: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7707.8213
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8100
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7700
7600
7500
7400
1004.0
1004.5


Candidate 000411: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7685.5688
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
8000
7900
7800
7700
7600
7500
7400
996
998
1000
1002
1004
7700
7600
7500
7400
1004.0
1004.4
1004.8


Candidate 000412: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7395.3178
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7750
7700
7650
7600
7550
7500
7450
7400
7350
996
998
1000
1002
1004
7440
7420
7400
7380
7360
7340
1004.0
1004.4
1004.8


Candidate 000413: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 7395.5462
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
7750
7700
7650
7600
7550
7500
7450
7400
7350
996
998
1000
1002
1004
7420
7400
7380
7360
7340
1004.2
1004.5
1004.8


Candidate 000414: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Best-path ending-state score
Selection threshold = 7343.3171
Selected endpoint = 8813.1756
Selected endpoint
Accumulated path score
Final-state barycentric frequency (Hz)
10000
9500
9000
8500
8000
7500
996
998
1000
1002
1004
9000
8500
8000
7500
1004.2
1004.5
1004.8