






Candidate 000000: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
120
100
80
60
40
20
74.0
74.5
75.0
75.5
76.0
Frequency (Hz)



Candidate 000001: DM = 23.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
220
200
180
160
140
120
100
80
60
99.0
99.5
100.0
100.5
101.0



Candidate 000002: DM = 23.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
180
160
140
120
100
80
60
40
20
99.0
99.5
100.0
100.5
101.0



Candidate 000003: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
185.5
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000004: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
185.5
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000005: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
800
700
600
500
400
300
200
185.5
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000006: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
1000
800
600
400
200
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000007: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
1000
800
600
400
200
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000008: DM = 24.80 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
0
100
200
300
400
500
600
700
186.0
186.5
187.0
187.5



Candidate 000009: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000010: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
800
600
400
200
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000011: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000012: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
186.0
186.5
187.0
187.5
Frequency (Hz)



Candidate 000013: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
100
200
300
400
500
600
700
800
199.0
199.5
200.0
200.5
201.0



Candidate 000014: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
500
400
300
200
100
199.0
199.5
200.0
200.5
201.0
Frequency (Hz)



Candidate 000015: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
0
100
200
300
400
500
600
700
800
199.0
199.5
200.0
200.5
201.0
Frequency (Hz)



Candidate 000016: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
100
200
300
400
500
199.0
199.5
200.0
200.5
201.0
Frequency (Hz)



Candidate 000017: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
800
700
600
500
400
300
200
100
199.0
199.5
200.0
200.5
201.0



Candidate 000018: DM = 25.00 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
400
350
300
250
200
150
100
50
199.0
199.5
200.0
200.5
201.0
Frequency (Hz)



Candidate 000019: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
100
200
300
400
500
600
700
800
199.0
199.5
200.0
200.5
201.0



Candidate 000020: DM = 23.70 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
80
70
60
50
40
30
207.5
208.0
208.5
209.0
Frequency (Hz)



Candidate 000021: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
215.5
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000022: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
215.5
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000023: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
200
300
400
500
600
700
215.5
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000024: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
200
300
400
500
600
700
215.5
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000025: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000026: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
100
200
300
400
500
600
700
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000027: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
100
200
300
400
500
600
700
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000028: DM = 23.90 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
0
100
200
300
400
500
600
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000029: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000030: DM = 25.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
100
200
300
400
500
600
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000031: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000032: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000033: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000034: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000035: DM = 23.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
216.0
216.5
217.0
217.5
Frequency (Hz)



Candidate 000036: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
140
120
100
80
60
40
249.0
249.5
250.0
250.5
251.0
Frequency (Hz)



Candidate 000037: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204I; RFI flag: none (retained)
Log likelihood
100
90
80
70
60
50
40
30
286.0
286.5
287.0
287.5
288.0
Frequency (Hz)



Candidate 000038: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
100
90
80
70
60
50
40
30
299.0
299.5
300.0
300.5
301.0
Frequency (Hz)



Candidate 000039: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204as; RFI flag: none (retained)
Log likelihood
1000
800
600
400
200
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000040: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
800
700
600
500
400
300
200
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000041: DM = 24.50 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
800
700
600
500
400
300
200
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000042: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
600
500
400
300
200
100
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000043: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
1000
800
600
400
200
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000044: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
0
200
400
600
800
1000
1200
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000045: DM = 24.30 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
250
225
200
175
150
125
100
75
50
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000046: DM = 24.90 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
900
800
700
600
500
400
300
200
100
372.5
373.0
373.5
374.0
Frequency (Hz)



Candidate 000047: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
1000
800
600
400
200
372.5
373.0
373.5
374.0
374.5
Frequency (Hz)



Candidate 000048: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
1000
800
600
400
200
372.5
373.0
373.5
374.0
374.5
Frequency (Hz)



Candidate 000049: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
377.5
378.0
378.5
379.0
Frequency (Hz)



Candidate 000050: DM = 24.30 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
300
250
200
150
100
50
377.5
378.0
378.5
379.0
Frequency (Hz)



Candidate 000051: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
500
400
300
200
377.5
378.0
378.5
379.0
Frequency (Hz)



Candidate 000052: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
377.5
378.0
378.5
379.0
Frequency (Hz)



Candidate 000053: DM = 24.30 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
377.5
378.0
378.5
379.0
Frequency (Hz)



Candidate 000054: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204F; RFI flag: none (retained)
Log likelihood
225
200
175
150
125
100
75
380.5
381.0
381.5
382.0
Frequency (Hz)



Candidate 000055: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204F; RFI flag: none (retained)
Log likelihood
300
250
200
150
100
50
380.5
381.0
381.5
382.0
Frequency (Hz)



Candidate 000056: DM = 24.90 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
350
300
250
200
150
100
50
399.0
399.5
400.0
400.5
401.0
Frequency (Hz)



Candidate 000057: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
450
400
350
300
250
200
150
100
50
399.0
399.5
400.0
400.5
401.0



Candidate 000058: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
1000
800
600
400
200
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000059: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
1000
800
600
400
200
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000060: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
1000
800
600
400
200
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000061: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
600
500
400
300
200
100
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000062: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
1000
800
600
400
200
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000063: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
0
200
400
600
800
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000064: DM = 25.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
800
600
400
200
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000065: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
1000
800
600
400
200
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000066: DM = 25.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
200
400
600
800
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000067: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
1000
800
600
400
200
432.5
433.0
433.5
434.0
Frequency (Hz)



Candidate 000068: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
1000
800
600
400
200
432.5
433.0
433.5
434.0
434.5
Frequency (Hz)



Candidate 000069: DM = 24.90 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
100
200
300
400
500
600
700
800
900
432.5
433.0
433.5
434.0
434.5



Candidate 000070: DM = 25.00 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
100
200
300
400
500
600
700
800
432.5
433.0
433.5
434.0
434.5
Frequency (Hz)



Candidate 000071: DM = 25.30 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
80
70
60
50
40
30
20
437.2
437.6
438.0
438.4
Frequency (Hz)



Candidate 000072: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
200
400
600
800
1000
1200
475.0
475.5
476.0
476.5
Frequency (Hz)



Candidate 000073: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
200
400
600
800
1000
1200
475.0
475.5
476.0
476.5
477.0
Frequency (Hz)



Candidate 000074: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
200
400
600
800
1000
1200
475.0
475.5
476.0
476.5
477.0
Frequency (Hz)



Candidate 000075: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
475.0
475.5
476.0
476.5
477.0



Candidate 000076: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
475.0
475.5
476.0
476.5
477.0



Candidate 000077: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
200
400
600
800
1000
1200
475.0
475.5
476.0
476.5
477.0
Frequency (Hz)



Candidate 000078: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
300
250
200
150
100
50
475.0
475.5
476.0
476.5
477.0
Frequency (Hz)



Candidate 000079: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
900
800
700
600
500
400
300
200
100
475.0
475.5
476.0
476.5
477.0
Frequency (Hz)



Candidate 000080: DM = 24.80 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
800
700
600
500
400
300
200
100
475.0
475.5
476.0
476.5
477.0



Candidate 000081: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
1200
1000
800
600
400
200
475.5
476.0
476.5
477.0
Frequency (Hz)



Candidate 000082: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
200
400
600
800
1000
1200
475.5
476.0
476.5
477.0
Frequency (Hz)



Candidate 000083: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
200
175
150
125
100
75
50
25
499.0
499.5
500.0
500.5
501.0
Frequency (Hz)



Candidate 000084: DM = 25.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
250
225
200
175
150
125
100
75
499.0
499.5
500.0
500.5
501.0
Frequency (Hz)



Candidate 000085: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
559.0
559.5
560.0
560.5
Frequency (Hz)



Candidate 000086: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
900
800
700
600
500
400
300
200
100
559.0
559.5
560.0
560.5
Frequency (Hz)



Candidate 000087: DM = 24.90 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
600
500
400
300
200
559.0
559.5
560.0
560.5
561.0
Frequency (Hz)



Candidate 000088: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
450
400
350
300
250
200
150
100
50
559.0
559.5
560.0
560.5
561.0
Frequency (Hz)



Candidate 000089: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
559.0
559.5
560.0
560.5
561.0
Frequency (Hz)



Candidate 000090: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
100
200
300
400
500
600
700
800
900
559.0
559.5
560.0
560.5
561.0



Candidate 000091: DM = 25.00 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
300
250
200
150
100
50
559.0
559.5
560.0
560.5
561.0
Frequency (Hz)



Candidate 000092: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
559.0
559.5
560.0
560.5
561.0
Frequency (Hz)



Candidate 000093: DM = 24.70 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
559.0
559.5
560.0
560.5
561.0
Frequency (Hz)



Candidate 000094: DM = 24.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
350
300
250
200
150
100
50
599.0
599.5
600.0
600.5
601.0
Frequency (Hz)



Candidate 000095: DM = 25.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
350
300
250
200
150
100
50
599.00
599.25
599.50
599.75
600.00
Frequency (Hz)



Candidate 000096: DM = 24.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
700
600
500
400
300
200
649.0
649.5
650.0
650.5
Frequency (Hz)



Candidate 000097: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5



Candidate 000098: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5



Candidate 000099: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5
651.0



Candidate 000100: DM = 25.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5
651.0
Frequency (Hz)



Candidate 000101: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5
651.0



Candidate 000102: DM = 25.20 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
0
100
200
300
400
500
600
700
649.0
649.5
650.0
650.5
651.0
Frequency (Hz)



Candidate 000103: DM = 25.20 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5
651.0
Frequency (Hz)



Candidate 000104: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5
651.0



Candidate 000105: DM = 23.60 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
100
200
300
400
500
649.0
649.5
650.0
650.5
651.0
Frequency (Hz)



Candidate 000106: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5
651.0



Candidate 000107: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.0
649.5
650.0
650.5
651.0



Candidate 000108: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
900
800
700
600
500
400
300
200
100
649.5
650.0
650.5
651.0



Candidate 000109: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
900
800
700
600
500
400
300
200
100
649.5
650.0
650.5
651.0
Frequency (Hz)



Candidate 000110: DM = 23.60 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
100
90
80
70
60
50
40
30
699.0
699.5
700.0
700.5
701.0
Frequency (Hz)



Candidate 000111: DM = 24.90 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
450
400
350
300
250
200
150
100
50
745.5
746.0
746.5
747.0
747.5
Frequency (Hz)



Candidate 000112: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
746.0
746.5
747.0
747.5
Frequency (Hz)



Candidate 000113: DM = 24.80 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
0
100
200
300
400
500
600
746.0
746.5
747.0
747.5
Frequency (Hz)



Candidate 000114: DM = 23.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
90
80
70
60
50
40
30
749.0
749.5
750.0
750.5
751.0
Frequency (Hz)



Candidate 000115: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
700
600
500
400
300
200
755.5
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000116: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
700
600
500
400
300
200
755.5
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000117: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
450
400
350
300
250
200
150
100
50
755.5
756.0
756.5
757.0
757.5



Candidate 000118: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
700
600
500
400
300
200
755.5
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000119: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
175
150
125
100
75
50
25
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000120: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
700
600
500
400
300
200
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000121: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
450
400
350
300
250
200
150
100
50
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000122: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
300
250
200
150
100
50
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000123: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
700
600
500
400
300
200
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000124: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
700
600
500
400
300
200
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000125: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204O; RFI flag: none (retained)
Log likelihood
700
600
500
400
300
200
756.0
756.5
757.0
757.5
Frequency (Hz)



Candidate 000126: DM = 24.40 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204F; RFI flag: none (retained)
Log likelihood
300
250
200
150
100
50
761.5
762.0
762.5
763.0
Frequency (Hz)



Candidate 000127: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204F; RFI flag: none (retained)
Log likelihood
200
175
150
125
100
75
50
25
761.5
762.0
762.5
763.0
Frequency (Hz)



Candidate 000128: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
220
200
180
160
140
120
100
80
60
799.0
799.5
800.0
800.5
801.0



Candidate 000129: DM = 24.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
120
100
80
60
40
20
799.0
799.5
800.0
800.5
801.0
Frequency (Hz)



Candidate 000130: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
100
200
300
400
500
600
700
800
865.5
866.0
866.5
867.0
867.5



Candidate 000131: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
100
200
300
400
500
600
700
800
865.5
866.0
866.5
867.0
867.5



Candidate 000132: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
100
200
300
400
500
600
700
800
865.5
866.0
866.5
867.0
867.5



Candidate 000133: DM = 25.10 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
100
200
300
400
500
600
700
866.0
866.5
867.0
867.5
Frequency (Hz)



Candidate 000134: DM = 25.10 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
100
200
300
400
500
600
700
866.0
866.5
867.0
867.5
Frequency (Hz)



Candidate 000135: DM = 25.10 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
0
100
200
300
400
500
600
700
866.0
866.5
867.0
867.5
Frequency (Hz)



Candidate 000136: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
800
700
600
500
400
300
200
100
866.0
866.5
867.0
867.5
Frequency (Hz)



Candidate 000137: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
100
200
300
400
500
866.0
866.5
867.0
867.5
Frequency (Hz)



Candidate 000138: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
800
700
600
500
400
300
200
100
866.0
866.5
867.0
867.5
Frequency (Hz)



Candidate 000139: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
800
700
600
500
400
300
200
100
866.0
866.5
867.0
867.5
Frequency (Hz)



Candidate 000140: DM = 25.10 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_family (retained)
Log likelihood
Frequency (Hz)
800
700
600
500
400
300
200
100
866.0
866.5
867.0
867.5



Candidate 000141: DM = 23.90 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_comb (retained)
Log likelihood
Frequency (Hz)
90
80
70
60
50
40
30
20
899.0
899.5
900.0
900.5
901.0



Candidate 000142: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
250
200
150
100
50
932.5
933.0
933.5
934.0
Frequency (Hz)



Candidate 000143: DM = 24.70 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
250
200
150
100
50
932.5
933.0
933.5
934.0
Frequency (Hz)



Candidate 000144: DM = 24.70 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
200
175
150
125
100
75
50
25
932.5
933.0
933.5
934.0
Frequency (Hz)



Candidate 000145: DM = 24.80 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204D; RFI flag: none (retained)
Log likelihood
250
200
150
100
50
932.5
933.0
933.5
934.0
Frequency (Hz)



Candidate 000146: DM = 23.60 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
90
80
70
60
50
40
30
937.5
938.0
938.5
939.0
939.5
Frequency (Hz)



Candidate 000147: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.0
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000148: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.0
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000149: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.0
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000150: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
250
200
150
100
50
951.0
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000151: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.0
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000152: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
225
200
175
150
125
100
75
50
25
951.0
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000153: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
Frequency (Hz)
400
350
300
250
200
150
100
50
951.0
951.5
952.0
952.5
953.0



Candidate 000154: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.0
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000155: DM = 24.60 pc cm^{-3}, $N_T = 16$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
225
200
175
150
125
100
75
50
25
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000156: DM = 24.60 pc cm^{-3}, $N_T = 32$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
400
350
300
250
200
150
100
50
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000157: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000158: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000159: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; J0024-7204J; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000160: DM = 24.60 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: none (retained)
Log likelihood
100
200
300
400
500
600
700
800
900
951.5
952.0
952.5
953.0
Frequency (Hz)



Candidate 000161: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7720
7700
7680
7660
7640
995.00
995.25
995.50
995.75
996.00
Frequency (Hz)



Candidate 000162: DM = 23.60 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8150
8100
8050
8000
7950
995.2
995.5
995.8
996.1
Frequency (Hz)



Candidate 000163: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7700
7690
7680
7670
7660
7650
7640
7630
7620
995.2
995.5
995.8
996.1
Frequency (Hz)



Candidate 000164: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7800
7750
7700
7650
7600
7550
7500
995.2
995.5
995.8
996.1
Frequency (Hz)



Candidate 000165: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9700
9750
9800
9850
9900
995.2
995.5
995.8
996.1
996.4
Frequency (Hz)



Candidate 000166: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7500
7480
7460
7440
7420
7400
7380
7360
995.2
995.6
996.0
996.4
Frequency (Hz)



Candidate 000167: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7880
7860
7840
7820
7800
995.2
995.6
996.0
996.4
Frequency (Hz)



Candidate 000168: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7900
7880
7860
7840
7820
7800
995.2
995.6
996.0
996.4
996.8
Frequency (Hz)



Candidate 000169: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7760
7740
7720
7700
7680
7660
7640
7620
995.0
995.5
996.0
996.5
997.0
Frequency (Hz)



Candidate 000170: DM = 24.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8600
8500
8400
8300
8200
8100
8000
995.5
996.0
996.5
997.0
Frequency (Hz)



Candidate 000171: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7800
7750
7700
7650
7600
7550
995.5
996.0
996.5
997.0
Frequency (Hz)



Candidate 000172: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7820
7840
7860
7880
7900
7920
995.5
996.0
996.5
997.0
Frequency (Hz)



Candidate 000173: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7760
7740
7720
7700
7680
7660
7640
995.5
996.0
996.5
997.0
997.5
Frequency (Hz)



Candidate 000174: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
6600
6400
6200
995.5
996.0
996.5
997.0
997.5
Frequency (Hz)



Candidate 000175: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7200
7000
6800
6600
6400
996.0
996.5
997.0
997.5
Frequency (Hz)



Candidate 000176: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7200
7000
6800
6600
996.0
996.5
997.0
997.5
Frequency (Hz)



Candidate 000177: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
6600
6400
996.0
996.5
997.0
997.5
Frequency (Hz)



Candidate 000178: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9100
9200
9300
9400
9500
9600
Frequency (Hz)
996.0
996.5
997.0
997.5



Candidate 000179: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10050
10000
9950
9900
996.0
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000180: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
6600
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000181: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8150
8100
8050
8000
7950
7900
7850
7800
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000182: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6900
6800
6700
6600
6500
6400
6300
6200
6100
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000183: DM = 23.60 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8550
8500
8450
8400
8350
8300
8250
8200
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000184: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7500
7400
7300
7200
7100
7000
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000185: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7950
7925
7900
7875
7850
7825
7800
7775
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000186: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7200
7000
6800
6600
996.5
997.0
997.5
998.0
Frequency (Hz)



Candidate 000187: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
6500
6400
996.5
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000188: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10650
10600
10550
10500
10450
10400
10350
996.5
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000189: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
6500
996.5
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000190: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7800
7780
7760
7740
7720
996.5
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000191: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9000
8800
8600
8400
8200
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000192: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9200
9000
8800
8600
8400
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000193: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10525
10500
10475
10450
10425
10400
10375
10350
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000194: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10650
10600
10550
10500
10450
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000195: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7100
7000
6900
6800
6700
6600
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000196: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9200
9000
8800
8600
8400
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000197: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8250
8200
8150
8100
8050
8000
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000198: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10140
10120
10100
10080
10060
10040
10020
10000
9980
997.0
997.5
998.0
998.5
Frequency (Hz)



Candidate 000199: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8020
8000
7980
7960
7940
7920
997.0
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000200: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9400
9200
9000
8800
8600
997.0
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000201: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
997.0
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000202: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8000
7975
7950
7925
7900
7875
7850
7825
997.0
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000203: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7800
7600
7400
7200
7000
6800
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000204: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10560
10540
10520
10500
10480
10460
10440
10420
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000205: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10000
9800
9600
9400
9200
9000
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000206: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7700
7680
7660
7640
7620
7600
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000207: DM = 23.80 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5500
5000
4500
4000
3500
3000
2500
2000
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000208: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7800
7600
7400
7200
7000
6800
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000209: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000210: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8060
8040
8020
8000
7980
7960
7940
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000211: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9800
9600
9400
9200
9000
8800
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000212: DM = 23.80 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
2000
2500
3000
3500
4000
4500
5000
5500
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000213: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
6500
6400
6300
997.5
998.0
998.5
999.0
Frequency (Hz)



Candidate 000214: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8060
8040
8020
8000
7980
7960
7940
997.5
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000215: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7800
7700
7600
7500
7400
7300
997.5
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000216: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10620
10600
10580
10560
10540
10520
10500
10480
10460
997.5
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000217: DM = 23.60 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8650
8600
8550
8500
8450
997.5
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000218: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
2500
3000
3500
4000
4500
5000
5500
6000
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000219: DM = 24.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7380
7360
7340
7320
7300
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000220: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4500
4000
3500
3000
2500
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000221: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10600
10625
10650
10675
10700
10725
10750
10775
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000222: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7860
7840
7820
7800
7780
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000223: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
2500
3000
3500
4000
4500
998.0
998.5
999.0
999.5
Frequency (Hz)



Candidate 000224: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
2500
3000
3500
4000
4500
5000
5500
998.0
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000225: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9800
9700
9600
9500
9400
9300
9200
998.0
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000226: DM = 23.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
2500
3000
3500
4000
4500
5000
998.0
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000227: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8040
8020
8000
7980
7960
7940
7920
7900
998.0
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000228: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8350
8325
8300
8275
8250
8225
8200
8175
8150
998.0
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000229: DM = 24.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
2500
2750
3000
3250
3500
3750
4000
4250
998.0
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000230: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6800
6700
6600
6500
6400
6300
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000231: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8020
8000
7980
7960
7940
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000232: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6000
5500
5000
4500
4000
3500
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000233: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9800
9700
9600
9500
9400
9300
9200
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000234: DM = 24.10 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
3000
3500
4000
4500
5000
5500
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000235: DM = 25.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4400
4200
4000
3800
3600
3400
3200
3000
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000236: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8000
8020
8040
8060
8080
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000237: DM = 24.50 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000238: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10000
9800
9600
9400
9200
9000
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000239: DM = 23.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8020
8000
7980
7960
7940
7920
7900
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000240: DM = 24.30 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4500
4000
3500
3000
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000241: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8200
8000
7800
7600
7400
7200
7000
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000242: DM = 23.80 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
2000
4000
6000
8000
10000
998.5
999.0
999.5
1000.0
Frequency (Hz)



Candidate 000243: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5500
5000
4500
4000
3500
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000244: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000245: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8060
8050
8040
8030
8020
8010
8000
7990
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000246: DM = 25.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000247: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4750
4500
4250
4000
3750
3500
3250
3000
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000248: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10200
10180
10160
10140
10120
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000249: DM = 23.60 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
7000
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000250: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7100
7000
6900
6800
6700
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000251: DM = 24.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8360
8340
8320
8300
8280
8260
8240
8220
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000252: DM = 23.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4600
4400
4200
4000
3800
3600
3400
3200
998.5
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000253: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6850
6800
6750
6700
6650
6600
6550
6500
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000254: DM = 23.80 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
Frequency (Hz)
0
2000
4000
6000
8000
10000
999.0
999.5
1000.0
1000.5



Candidate 000255: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10640
10620
10600
10580
10560
10540
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000256: DM = 23.60 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
7000
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000257: DM = 25.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4400
4200
4000
3800
3600
3400
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000258: DM = 25.00 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4000
3000
2000
1000
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000259: DM = 23.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
6500
6400
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000260: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9900
9880
9860
9840
9820
9800
9780
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000261: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7100
7000
6900
6800
6700
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000262: DM = 24.40 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
Frequency (Hz)
6000
5000
4000
3000
2000
1000
0
999.0
999.5
1000.0
1000.5



Candidate 000263: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9800
9750
9700
9650
9600
9550
9500
9450
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000264: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8080
8070
8060
8050
8040
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000265: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6000
5500
5000
4500
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000266: DM = 24.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8000
7000
6000
5000
4000
3000
2000
1000
0
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000267: DM = 24.10 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
2000
4000
6000
8000
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000268: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6250
6000
5750
5500
5250
5000
4750
4500
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000269: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7150
7100
7050
7000
6950
6900
6850
6800
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000270: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10210
10200
10190
10180
10170
10160
10150
10140
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000271: DM = 25.10 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4000
3000
2000
1000
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000272: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4600
4400
4200
4000
3800
3600
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000273: DM = 24.40 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
500
1000
1500
2000
2500
3000
3500
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000274: DM = 25.20 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000275: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7900
7850
7800
7750
7700
7650
7600
999.0
999.5
1000.0
1000.5
Frequency (Hz)



Candidate 000276: DM = 23.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4800
4600
4400
4200
4000
3800
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000277: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7800
7700
7600
7500
7400
7300
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000278: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10800
10780
10760
10740
10720
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000279: DM = 24.30 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
Frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
999.0
999.5
1000.0
1000.5
1001.0



Candidate 000280: DM = 25.30 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
500
1000
1500
2000
2500
3000
3500
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000281: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8000
7000
6000
5000
4000
3000
2000
1000
0
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000282: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10200
10150
10100
10050
10000
9950
9900
9850
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000283: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6250
6000
5750
5500
5250
5000
4750
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000284: DM = 24.00 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10000
8000
6000
4000
2000
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000285: DM = 24.00 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
2000
4000
6000
8000
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000286: DM = 23.90 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8000
7000
6000
5000
4000
3000
2000
1000
0
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000287: DM = 24.00 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000288: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6250
6000
5750
5500
5250
5000
4750
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000289: DM = 24.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6950
6900
6850
6800
6750
6700
6650
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000290: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10640
10630
10620
10610
10600
10590
10580
10570
10560
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000291: DM = 24.50 pc cm^{-3}, $N_T = 32$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000292: DM = 24.30 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
Frequency (Hz)
0
1000
2000
3000
4000
5000
6000
7000
999.0
999.5
1000.0
1000.5
1001.0



Candidate 000293: DM = 23.90 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
2000
4000
6000
8000
10000
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000294: DM = 24.80 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
3000
2500
2000
1500
1000
500
0
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000295: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4600
4400
4200
4000
3800
3600
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000296: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8020
8015
8010
8005
8000
7995
7990
7985
7980
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000297: DM = 24.00 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
2000
4000
6000
8000
10000
999.0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000298: DM = 25.30 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000299: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6000
5500
5000
4500
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000300: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6800
6750
6700
6650
6600
6550
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000301: DM = 24.50 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4000
3500
3000
2500
2000
1500
1000
500
0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000302: DM = 24.30 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
7000
8000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000303: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6000
5500
5000
4500
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000304: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8060
8050
8040
8030
8020
8010
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000305: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4600
4400
4200
4000
3800
3600
3400
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000306: DM = 23.50 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000307: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7100
7000
6900
6800
6700
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000308: DM = 25.50 pc cm^{-3}, $N_T = 64$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000309: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10210
10200
10190
10180
10170
10160
10150
10140
10130
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000310: DM = 24.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7300
7200
7100
7000
6900
6800
6700
6600
6500
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000311: DM = 23.70 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
7000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000312: DM = 24.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000313: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4600
4400
4200
4000
3800
3600
3400
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000314: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9900
9880
9860
9840
9820
9800
9780
9760
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000315: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7900
7800
7700
7600
7500
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000316: DM = 25.40 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4600
4400
4200
4000
3800
3600
3400
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000317: DM = 25.20 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000318: DM = 25.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6650
6600
6550
6500
6450
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000319: DM = 24.00 pc cm^{-3}, $N_T = 16$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4000
3000
2000
1000
0
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000320: DM = 23.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4600
4400
4200
4000
3800
3600
3400
3200
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000321: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10210
10200
10190
10180
10170
10160
10150
10140
10130
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000322: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6950
6900
6850
6800
6750
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000323: DM = 23.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7900
7800
7700
7600
7500
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000324: DM = 25.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
999.5
1000.0
1000.5
1001.0
Frequency (Hz)



Candidate 000325: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6000
5500
5000
4500
4000
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000326: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8060
8050
8040
8030
8020
8010
8000
7990
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000327: DM = 25.50 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6850
6800
6750
6700
6650
6600
6550
6500
6450
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000328: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5500
5000
4500
4000
3500
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000329: DM = 25.40 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000330: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10800
10780
10760
10740
10720
10700
10680
10660
10640
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000331: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000332: DM = 24.50 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4500
4250
4000
3750
3500
3250
3000
2750
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000333: DM = 23.70 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
7000
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000334: DM = 24.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7200
7000
6800
6600
6400
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000335: DM = 24.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7420
7400
7380
7360
7340
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000336: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10200
10100
10000
9900
9800
9700
9600
9500
999.5
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000337: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6000
5500
5000
4500
4000
3500
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000338: DM = 23.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8660
8650
8640
8630
8620
8610
8600
8590
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000339: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10000
9800
9600
9400
9200
9000
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000340: DM = 23.60 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
0
1000
2000
3000
4000
5000
6000
7000
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000341: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5500
5000
4500
4000
3500
3000
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000342: DM = 23.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8020
8000
7980
7960
7940
7920
7900
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000343: DM = 23.90 pc cm^{-3}, $N_T = 128$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10000
8000
6000
4000
2000
0
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000344: DM = 24.70 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4750
4500
4250
4000
3750
3500
3250
3000
2750
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000345: DM = 24.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5500
5000
4500
4000
3500
3000
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000346: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10640
10620
10600
10580
10560
10540
10520
10500
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000347: DM = 24.30 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4500
4000
3500
3000
2500
1000.0
1000.5
1001.0
1001.5
Frequency (Hz)



Candidate 000348: DM = 25.20 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4000
3800
3600
3400
3200
3000
2800
2600
1000.0
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000349: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8060
8040
8020
8000
7980
1000.0
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000350: DM = 23.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4500
4000
3500
3000
1000.0
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000351: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6500
6000
5500
5000
4500
4000
3500
3000
1000.0
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000352: DM = 25.40 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
6500
1000.0
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000353: DM = 24.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7380
7360
7340
7320
7300
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000354: DM = 24.30 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4500
4000
3500
3000
2500
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000355: DM = 24.00 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10800
10775
10750
10725
10700
10675
10650
10625
10600
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000356: DM = 23.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4500
4000
3500
3000
2500
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000357: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7100
7000
6900
6800
6700
6600
6500
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000358: DM = 24.10 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
5000
4500
4000
3500
3000
2500
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000359: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8060
8040
8020
8000
7980
7960
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000360: DM = 23.60 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
4500
4000
3500
3000
2500
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000361: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9700
9600
9500
9400
9300
9200
9100
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000362: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10200
10175
10150
10125
10100
10075
10050
10025
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000363: DM = 24.70 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7100
7000
6900
6800
6700
6600
6500
6400
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000364: DM = 24.00 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6000
5500
5000
4500
4000
3500
3000
2500
1000.5
1001.0
1001.5
1002.0
Frequency (Hz)



Candidate 000365: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8000
7980
7960
7940
7920
7900
1000.5
1001.0
1001.5
1002.0
1002.5
Frequency (Hz)



Candidate 000366: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10000
9800
9600
9400
9200
1000.5
1001.0
1001.5
1002.0
1002.5
Frequency (Hz)



Candidate 000367: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8000
7800
7600
7400
7200
7000
6800
1001.0
1001.5
1002.0
1002.5
Frequency (Hz)



Candidate 000368: DM = 23.90 pc cm^{-3}, $N_T = 256$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6000
5500
5000
4500
4000
3500
3000
2500
2000
1001.0
1001.5
1002.0
1002.5
Frequency (Hz)



Candidate 000369: DM = 23.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8640
8620
8600
8580
8560
8540
8520
1001.0
1001.5
1002.0
1002.5
Frequency (Hz)



Candidate 000370: DM = 24.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9700
9650
9600
9550
9500
9450
1001.0
1001.5
1002.0
1002.5
Frequency (Hz)



Candidate 000371: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7300
7200
7100
7000
6900
6800
6700
1001.0
1001.5
1002.0
1002.5
Frequency (Hz)



Candidate 000372: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8020
8000
7980
7960
7940
7920
1001.0
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000373: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9400
9200
9000
8800
8600
1001.0
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000374: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7700
7680
7660
7640
7620
7600
7580
7560
7540
1001.0
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000375: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9400
9200
9000
8800
8600
8400
1001.0
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000376: DM = 23.80 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9400
9200
9000
8800
8600
8400
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000377: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8025
8000
7975
7950
7925
7900
7875
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000378: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7975
7950
7925
7900
7875
7850
7825
7800
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000379: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9200
9000
8800
8600
8400
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000380: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7100
7000
6900
6800
6700
6600
6500
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000381: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7950
7925
7900
7875
7850
7825
7800
7775
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000382: DM = 24.00 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
9200
9000
8800
8600
8400
Log likelihood
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000383: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9600
9400
9200
9000
8800
8600
8400
1001.5
1002.0
1002.5
1003.0
Frequency (Hz)



Candidate 000384: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10525
10500
10475
10450
10425
10400
10375
10350
1001.5
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000385: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7000
6900
6800
6700
6600
1001.5
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000386: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7500
7400
7300
7200
7100
7000
1001.5
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000387: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9700
9600
9500
9400
9300
1001.5
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000388: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7500
7400
7300
7200
7100
7000
6900
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000389: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7950
7925
7900
7875
7850
7825
7800
7775
7750
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000390: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10500
10450
10400
10350
10300
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000391: DM = 23.80 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10050
10000
9950
9900
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000392: DM = 23.60 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6900
6800
6700
6600
6500
6400
6300
6200
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000393: DM = 24.30 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
6800
6600
6400
6200
1002.0
1002.5
1003.0
1003.5
Frequency (Hz)



Candidate 000394: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7960
7940
7920
7900
7880
7860
1002.0
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000395: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7200
7000
6800
6600
1002.0
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000396: DM = 24.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7900
7850
7800
7750
7700
7650
1002.0
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000397: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
6600
1002.0
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000398: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7960
7940
7920
7900
7880
7860
1002.0
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000399: DM = 24.20 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7400
7200
7000
6800
6600
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000400: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7950
7900
7850
7800
7750
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000401: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; J0024-7204af; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
6600
6400
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000402: DM = 23.90 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
10450
10400
10350
10300
10250
10200
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000403: DM = 24.10 pc cm^{-3}, $N_T = 512$
Barycentric; J0024-7204af; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7400
7200
7000
6800
6600
6400
6200
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000404: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7600
7550
7500
7450
7400
1002.5
1003.0
1003.5
1004.0
Frequency (Hz)



Candidate 000405: DM = 25.40 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7920
7900
7880
7860
7840
1003.0
1003.5
1004.0
1004.5
Frequency (Hz)



Candidate 000406: DM = 25.30 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7740
7720
7700
7680
7660
7640
7620
1003.0
1003.5
1004.0
1004.5
1005.0
Frequency (Hz)



Candidate 000407: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7820
7800
7780
7760
7740
7720
7700
7680
7660
1003.0
1003.5
1004.0
1004.5
Frequency (Hz)



Candidate 000408: DM = 23.90 pc cm^{-3}, $N_T = 512$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
8500
8250
8000
7750
7500
7250
7000
6750
6500
1003.5
1004.0
1004.5
1005.0
Frequency (Hz)



Candidate 000409: DM = 24.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9300
9200
9100
9000
8900
8800
8700
8600
1003.2
1003.6
1004.0
1004.4
1004.8
Frequency (Hz)


Candidate 000410: DM = 24.70 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7850
7800
7750
7700
7650
1003.6
1004.0
1004.4
1004.8
Frequency (Hz)


Candidate 000411: DM = 25.50 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7780
7760
7740
7720
7700
7680
7660
1003.6
1004.0
1004.4
1004.8
Frequency (Hz)


Candidate 000412: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7500
7480
7460
7440
7420
7400
7380
7360
1003.6
1003.9
1004.2
1004.5
1004.8
Frequency (Hz)


Candidate 000413: DM = 25.20 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
7480
7460
7440
7420
7400
7380
7360
1003.9
1004.2
1004.5
1004.8
Frequency (Hz)


Candidate 000414: DM = 24.10 pc cm^{-3}, $N_T = 1024$
Barycentric; unclassified; RFI flag: rfi_swarm (retained)
Log likelihood
9150
9100
9050
9000
8950
8900
8850
8800
1004.00
1004.25
1004.50
1004.75
Frequency (Hz)