Fighting Arena

Preparation

Download the skeleton provided in Judge. **Do not** change the **StartUp** class or its **namespace**.

Problem description

Your task is to create an arena which stores gladiators by creating the classes described below.

First, write a C# class **Weapon** with the following properties:

• Size: int Solidity: int **Sharpness: int**

The class **constructor** should receive **size**, **solidity** and **sharpness**.

Next, write a C# class **Stat** with the following properties:

• Strength: int Flexibility: int Agility: int • Skills: int

Intelligence: int

The class constructor should receive strength, flexibility, agility, skills and intelligence.

Next, write a C# class **Gladiator** with the following properties and methods:

Name: string • Stat: Stat

Weapon: Weapon

- **GetTotalPower(): int -** return the sum of the stat properties plus the sum of the weapon properties.
- **GetWeaponPower(): int -** return the sum of the weapon properties.
- **GetStatPower(): int -** return the sum of the stat properties.

The class constructor should receive name, stat and weapon and override ToString() in the following format:

"[Gladiator name] - [Gladiator total power]"

- " Weapon Power: [Gladiator weapon power]"
- " Stat Power: [Gladiator stat power]"

Write a C# class **Arena** that has **gladiators** (a collection which stores the class **Gladiator**).

public class Arena // TODO: implement this class























Page 1 of 3

}

The class **constructor** should initialize the **gladiators** with a new instance of the collection. Implement the following features:

- Field **gladiators collection** that holds added gladiators
- **Property Name string**
- Method **Add(Gladiator gladiator)** adds an gladiator to the arena.
- Method **Remove(string name)** removes an gladiator by given name.
- Method GetGladitorWithHighestStatPower() returns the Gladiator which has the highest stat.
- Method GetGladitorWithHighestWeaponPower() returns the Gladiator which poses the weapon with the highest power.
- Method **GetGladitorWithHighestTotalPower()** returns the Gladiator which has the highest total power.
- Getter **Count** returns the number of stored heroes.
- Override **ToString()** by the format below.
 - "[Arena name] [count of gladiators] gladiators are participating."

Constraints

- The names of the gladiators will be always unique.
- The weapons and the stat properties of the gladiators will always be with positive values.
- The weapon power, stat power and total power of the gladiators will always be different.
- You will always have a gladiator with the highest stat, weapon and total power.

Examples

This is an example how the **Arena** class is **intended to be used**.

```
Sample code usage
//Creates arena
Arena arena = new Arena("Armeec");
//Creates stats
Stat firstGlariatorStat = new Stat(20, 25, 35, 14, 48);
Stat secondGlariatorStat = new Stat(40, 40, 40, 40, 40);
Stat thirdGlariatorStat = new Stat(20, 25, 35, 14, 48);
//Creates weapons
Weapon firstGlariatorWeapon = new Weapon(5, 28, 100);
Weapon secondGlariatorWeapon = new Weapon(5, 28, 100);
Weapon thirdGlariatorWeapon = new Weapon(50, 50, 50);
//Creates gladiators
Gladiator firstGladiator = new Gladiator("Stoyan", firstGlariatorStat, firstGlariatorWeapon);
Gladiator secondGladiator = new Gladiator("Pesho", secondGlariatorStat, secondGlariatorWeapon);
Gladiator thirdGladiator = new Gladiator("Gosho", thirdGlariatorStat, thirdGlariatorWeapon);
```















© Software University Foundation. This work is licensed under the CC-BY-NC-SA





```
//Adds gladiators to arena
arena.Add(firstGladiator);
arena.Add(secondGladiator);
arena.Add(thirdGladiator);
//Prints gladiators count at the arena
Console.WriteLine(arena.Count);
//Gets strongest gladiator and print him
Gladiator strongestGladiator = arena.GetGladitorWithHighestTotalPower();
Console.WriteLine(strongestGladiator);
//Gets gladiator with the strongest weapon and print him
Gladiator bestWeaponGladiator = arena.GetGladitorWithHighestWeaponPower();
Console.WriteLine(bestWeaponGladiator);
//Gets gladiator with the strongest stat and print him
Gladiator bestStatGladiator = arena.GetGladitorWithHighestStatPower();
Console.WriteLine(bestStatGladiator);
//Removes gladiator
arena.Remove("Gosho");
//Prints gladiators count at the arena
Console.WriteLine(arena.Count);
//Prints the arena
Console.WriteLine(arena);
```

Submission

Zip all the files in the project folder except **bin** and **obj** folders



















