

Lab: Polymorphism

Problems for exercises and homework for the ["C# OOP" course @ SoftUni](https://judge.softuni.bg/Courses/1503/Polymorphism-Lab).

You can check your solutions here: <https://judge.softuni.bg/Contests/1503/Polymorphism-Lab>

1. MathOperation

NOTE: You need a public **Startup** class with the namespace **Operations**.

Create a class **MathOperations**, which should have 3 times method **Add()**. Method **Add()** has to be invoked with:

- Add(int, int): **int**
- Add(double, double, double): **double**
- Add(decimal, decimal, decimal): **decimal**

You should be able to use the class like this:

Startup.cs

```
public static void Main()
{
    MathOperations mo = new MathOperations();
    Console.WriteLine(mo.Add(2, 3));
    Console.WriteLine(mo.Add(2.2, 3.3, 5.5));
    Console.WriteLine(mo.Add(2.2m, 3.3m, 4.4m));
}
```

Examples

Output

```
5
11
9.9
```

Solution

Created MathOperation class should look like this:

```
public int Add(int a, int b)
{
    return a + b;
}

public double Add(double a, double b, double c)
{
    return a + b + c;
}

public decimal Add(decimal a, decimal b, decimal c)
{
    return a + b + c;
}
```

2. Animals

NOTE: You need a public **Startup** class with the namespace **Animals**.

Create a class **Animal**, which holds two fields:

- name: string
- favouriteFood: string

Animal has one virtual method **ExplainSelf(): string**.

You should add two new classes - **Cat** and **Dog**. **Override** the **ExplainSelf()** method by adding concrete animal sound on a new line. (Look at examples below)

You should be able to use the class like this:

Startup.cs

```
Animal cat = new Cat("Pesho", "Whiskas");
Animal dog = new Dog("Gosho", "Meat");

Console.WriteLine(cat.ExplainSelf());
Console.WriteLine(dog.ExplainSelf());
```

Examples

Output

```
I am Pesho and my favourite food is Whiskas
MEEOW
I am Gosho and my favourite food is Meat
DJAAF
```

Solution

```
public class Animal
{
    2 references
    public string Name { get; protected set; }

    2 references
    public string FavouriteFood { get; protected set; }

    2 references
    protected Animal(string name, string favouriteFood)
    {
        this.Name = name;
        this.FavouriteFood = favouriteFood;
    }

    4 references
    public virtual string ExplainSelf()
    {
        return $"I am {this.Name} and my favourite food is {this.FavouriteFood}";
    }
}
```

```

public class Cat : Animal
{
    0 references
    public Cat(string name, string favouriteFood) : base(name, favouriteFood)
    {
    }

    4 references
    public override string ExplainSelf()
    {
        return base.ExplainSelf() + Environment.NewLine + "MEEOW";
    }
}

```

3. Shapes

NOTE: You need a public **Startup** class with the namespace **Shapes**.

Create a class hierarchy, starting with **abstract** class Shape:

- **Abstract methods:**
 - **CalculatePerimeter(): double**
 - **CalculateArea(): double**
- **Virtual methods:**
 - **Draw(): string**

Extend the Shape class with two children:

- **Rectangle**
- **Circle**

Each of them need to have:

- **Fields:**
 - **height and width for Rectangle**
 - **radius for Circle**
- **Encapsulation for these fields**
- **A public constructor**
- **Concrete methods for calculations (perimeter and area)**
- **Override methods for drawing**