


Міністерство освіти і науки України Національний технічний університет України «Київський політехнічний інститут»

Лабораторна робота № 1 Проектування бази даних та ознайомлення з базовими операціями СУБД PostgreSQL

Виконав студент групи: KB-21 Валентьєв Валентин

1. Проектування бази даних


- 1.1. перелік сутностей з їх призначенням
 - 1.1.1. Волонтер сутність, що описує волонтерів. не може існувати без організації, належить лише до однієї організації, але може займатися волонтерством для різних організацій, може брати участь у декількох заходах, що не пересікаються в часі, волонтери не можуть мати однакові поштові адреси.
 - 1.1.2. Організація сутність, що описує організації, організації не можуть мати однакові назви або однакові поштові адреси.
 - 1.1.3. Захід сутність, що описує заходи, не може існувати без організації.



1.2.1.3. Назва нотації: Crow's Foot Notation

2. Перетворення ERD в таблиці бази даних

2.1. Сутності організація, подія та волонтер були перетворені у відповідні таблиці. Звязок "волонтер належить до організації" представлено звязком 1..N. Звязки "бере участь", "організує" та "витконує волонтерську діяльність для організації" перетворено у відповідні таблиці.



2.2.

- позначає UNIQUE

Усі атрибути окрім дати народження та локації NOT NULL

3. Перевірка нормалізації

- 3.1. Значення у всіх стовпцях атомарні задоволняє 1NF
- 3.2. Усі таблиці, що містять атрибути, які не ϵ PK містять лише один PK отже автоматично задоволня ϵ 2NF
- 3.3. Також відсутні транзитивні залежності отже задовольняє 3NF

4. Типи, обмеження, дані

4.1. SQL скрипт згенерований ERD tool:

```
BEGIN;
CREATE TABLE IF NOT EXISTS public. "Organization" (
 name character varying(255) NOT NULL,
  email character varying(255) NOT NULL,
 country character varying(100) NOT NULL,
  reg_date date NOT NULL,
 PRIMARY KEY (name),
 CONSTRAINT email UNIQUE (email)
);
CREATE TABLE IF NOT EXISTS public.volunteer (
  id serial NOT NULL,
 name character varying(100) NOT NULL,
  surname character varying(100) NOT NULL,
 email character varying(255) NOT NULL,
 birth_date date,
  organization character varying(255) NOT NULL,
 PRIMARY KEY (id),
 UNIQUE (email)
```

```
);
         CREATE TABLE IF NOT EXISTS public.event (
           id serial NOT NULL,
           name character varying(255) NOT NULL,
           start_date timestamp with time zone NOT NULL,
           end_date timestamp with time zone NOT NULL,
           location character varying(2048),
           PRIMARY KEY (id)
         );
         CREATE TABLE IF NOT EXISTS public.org_event (
           org_name character varying(255) NOT NULL,
           event_id integer NOT NULL
         PRIMARY KEY (org_name, event_id)
         CREATE TABLE IF NOT EXISTS public.voluntering_for (
           org_vol_id serial NOT NULL,
           volunteer_id serial NOT NULL,
           org_name character varying(255) NOT NULL,
start_date date NOT NULL,
           end_date date NOT NULL,
           PRIMARY KEY (org_vol_id)
         );
         CREATE TABLE IF NOT EXISTS public.event_volunteer (
           volunteer_id integer NOT NULL,
           event_id integer NOT NULL,
           PRIMARY KEY (volunteer_id, event_id)
         );
         ALTER TABLE
           IF EXISTS public.volunteer
        ADD
           FOREIGN KEY (organization) REFERENCES
         public. "Organization" (name) MATCH SIMPLE ON UPDATE NO
         ACTION ON DELETE NO ACTION NOT VALID;
         ALTER TABLE
           IF EXISTS public.org_event
        ADD
           FOREIGN KEY (org_name) REFERENCES public."Organization"
         (name) MATCH SIMPLE ON UPDATE NO ACTION ON DELETE NO ACTION
         NOT VALID;
         ALTER TABLE
           IF EXISTS public.org_event
        ADD
           FOREIGN KEY (event_id) REFERENCES public.event (id) MATCH
         SIMPLE ON UPDATE NO ACTION ON DELETE NO ACTION NOT VALID;
        ALTER TABLE
           IF EXISTS public.voluntering_for
        ADD
```

FOREIGN KEY (org_name) REFERENCES public."Organization" (name) MATCH SIMPLE ON UPDATE NO ACTION ON DELETE NO ACTION NOT VALID;

ALTER TABLE

IF EXISTS public.voluntering_for

FOREIGN KEY (volunteer_id) REFERENCES public.volunteer (id) MATCH SIMPLE ON UPDATE NO ACTION ON DELETE NO ACTION NOT VALID;

ALTER TABLE

IF EXISTS public.event_volunteer

ADD


FOREIGN KEY (volunteer_id) REFERENCES public.volunteer (id) MATCH SIMPLE ON UPDATE NO ACTION ON DELETE NO ACTION NOT VALID;


ALTER TABLE

IF EXISTS public.event_volunteer
ADD


FOREIGN KEY (event_id) REFERENCES public.event (id) MATCH SIMPLE ON UPDATE NO ACTION ON DELETE NO ACTION NOT VALID; END;

4.2 Дані





Query Query History SELECT * FROM public.org_event 1 ORDER BY org_name ASC, event_id ASC 2 Data Output Messages Notifications org_name event_id [PK] character varying (255) [PK] integer **AMICS** 1 2 **AMICS** 2 3 **AMICS** 3 4 Volunteers UA 4 1 Volunteers UA 5 2



Бекап бази даних:

https://github.com/valentyn-kpi/Lab1/blob/main/Volunteering BK.sql