

## Node-api

### Build y Run

```
=> [internal] load build definition from Dockerfile
=> => transferring dockerfile: 160B
=> [internal] load metadata for docker.io/library/node:18-alpine
=> [auth] library/node:pull token for registry-1.docker.io
=> [internal] load .dockerignore
=> => transferring context: 67B
=> [1/5] FROM docker.io/library/node:18-alpine@sha256:8d6421d663b4c28fd3ebc498332f249011d118945588d0a35cb9bc4b8ca09d9e
=> => resolve docker.io/library/node:18-alpine@sha256:8d6421d663b4c28fd3ebc498332f249011d118945588d0a35cb9bc4b8ca09d9e
=> => sha256:25ff2da83641908f65c3a74d80409d6b1b62ccfaab220b9ea70b80df5a2e0549 446B / 446B
=> => sha256:1e5a4c89cee5c0826c540ab06d4b6b491c96eda01837f430bd47f0d26702d6e3 1.26MB / 1.26MB
=> => sha256:dd71dde834b5c203d162902e6b8994cb2309ae049a0eabc4efea161b2b5a3d0e 40.01MB / 40.01MB
=> exporting to image
=> => exporting layers
=> => exporting manifest sha256:56df1e8ea2a0779b8cd08de7e9364ecba3b667171d398b6488b7c06fc966fd08
=> => exporting config sha256:dd952e4c27f8cc8774d85f6eab0f7d91ca78b773d29f06c0cfa8bf7cd0d9c6ee
=> => exporting attestation manifest sha256:f994806c92abd025fbb273f1a661c6853d4fa0ea6df848d6f66093374e175708
=> => exporting manifest list sha256:cc480c02f9893199ba8497afaf26b34f06fd260fd8b27e4f0f18097875bf3004
=> => naming to docker.io/library/node-api:latest
=> => unpacking to docker.io/library/node-api:latest
PS C:\Users\User\node-api> docker run -d -p 3000:3000 --name node-container node-api
1edcfca15367dc87f6fac90e71cf8692e65cd965630fd4a82433e88eda16612
PS C:\Users\User\node-api> |
```

| <input type="checkbox"/> | Name           | Container ID | Image    | Port(s)                     | CPU (%) | Last started | Actions                                                                  |
|--------------------------|----------------|--------------|----------|-----------------------------|---------|--------------|--------------------------------------------------------------------------|
| <input type="checkbox"/> | node-container | 11edcfca1536 | node-api | 3000:3000 <a href="#">↗</a> | 0%      | 1 hour ago   | <a href="#">🔗</a> <a href="#">🔧</a> <a href="#">⋮</a> <a href="#">🗑️</a> |

### Postman y Web

HTTP

http://localhost:3000/productos

Save

Share

GET

http://localhost:3000/productos

Send

Docs

Params

Authorization

Headers

Body

Scripts

Settings

Cookies

Query Params

| Key | Value | Description | Bulk Edit | ... |
|-----|-------|-------------|-----------|-----|
| Key | Value | Description |           |     |

Body

Cookies

Headers

Test Results

200 OK

35 ms

366 B

🌐

...



{}



JSON




Preview



Visualize

```
1  [
2    {
3      "id": 1,
4      "nombre": "Laptop",
5      "precio": 2500000
6    },
7    {
8      "id": 2,
9      "nombre": "Mouse",
10     "precio": 45000
11   },
12   {
13     "id": 3,
14     "nombre": "Teclado",
15     "precio": 120000
16   }
17 ]
```









## PHP con Apache

### Build y Run

```
=> => extracting sha256:d58ad2497e3fff83ddc5d2c0d19246ead574acb5f1b5c2c9bece07357df6075d
=> => extracting sha256:ff2c69a8f89bb2487d09d49aedaee31925459cbde5b217f9aa08b4d742b52708
=> => extracting sha256:b1760316823965506c43b3fda8fdc596c8414a00e034d4675382fcc7670a9121
=> => extracting sha256:f34433e0706c3bb332d10e71d3024f0b06c3b1b609bad1af173f786b93254941
=> => extracting sha256:f9129bda8c17b72994f404128d68723f001de3080487e939779525f21e300213
=> => extracting sha256:4f4fb700ef54461cfa02571ae0db9a0dc1e0cdb5577484a6d75e68dc38e8acc1
=> [internal] load build context
=> => transferring context: 2.78kB
=> [2/4] RUN a2enmod rewrite
=> [3/4] COPY . /var/www/html/
=> [4/4] RUN chown -R www-data:www-data /var/www/html
=> exporting to image
=> => exporting layers
=> => exporting manifest sha256:24a101194eb55b3124fbf731c8c20d7c9cec7e2f29056483cdf60e5ff0356884
=> => exporting config sha256:8ad4b055ef7159e5fbc31a5cc205814ee2823684b2244d227b52daa833266509
=> => exporting attestation manifest sha256:382073a910f27ea4b10273ae7b962dd1083c363f0ce254e7ac6ce1c4a7707441
=> => exporting manifest list sha256:f689564202f6cd72d897941552dce38ae24fe5aa527fdd6c9a5ba38e4d413497
=> => naming to docker.io/library/php-api:latest
=> => unpacking to docker.io/library/php-api:latest
S C:\Users\User\php-api> docker run -d -p 8080:80 --name php-container php-api
36c94f0d153fd0a59a24c512cad4f2205c01334af810b5428890e0de466fdfa
S C:\Users\User\php-api>
```

| <input type="checkbox"/> | Name           | Container ID | Image    | Port(s)                     | CPU (%) | Last started  | Actions                                                                  |
|--------------------------|----------------|--------------|----------|-----------------------------|---------|---------------|--------------------------------------------------------------------------|
| <input type="checkbox"/> | node-container | 11edcfca1536 | node-api | 3000:3000 <a href="#">↗</a> | 0%      | 1 hour ago    | <a href="#">🔗</a> <a href="#">📄</a> <a href="#">⋮</a> <a href="#">🗑️</a> |
| <input type="checkbox"/> | php-container  | 636c94f0d153 | php-api  | 8080:80 <a href="#">↗</a>   | 0.01%   | 7 minutes ago | <a href="#">🔗</a> <a href="#">📄</a> <a href="#">⋮</a> <a href="#">🗑️</a> |

## Postman y Web

The image shows the Postman application interface. At the top, a GET request is configured to `http://localhost:8080/productos`. The 'Body' tab is selected, showing 'none' as the content type. Below the request configuration, the response is displayed in the 'Body' tab, showing a 200 OK status with a response time of 8 ms and a size of 439 B. The response is in JSON format, displaying a list of three products: a Laptop, a Mouse, and a Keyboard.

```
[{"id": 1, "nombre": "Laptop", "precio": 2500000}, {"id": 2, "nombre": "Mouse", "precio": 45000}, {"id": 3, "nombre": "Teclado", "precio": 120000}]
```

The image shows a web browser window with the address bar displaying `localhost:8080/productos`. The browser's developer tools are open, showing the response in the console. The response is a JSON array of three objects, each representing a product with its id, name, and price.

```
[{"id":1,"nombre":"Laptop","precio":2500000}, {"id":2,"nombre":"Mouse","precio":45000}, {"id":3,"nombre":"Teclado","precio":120000}]
```

HTTP client interface showing a GET request to `http://localhost:8080/productos/1`. The response is a 200 OK status with a JSON body:

```
{
  "id": 1,
  "nombre": "Laptop",
  "precio": 2500000
}
```

Browser screenshot showing the URL `localhost:8080/productos/1` and the rendered JSON response:

```
{"id":1,"nombre":"Laptop","precio":2500000}
```



HTTP client interface showing a POST request to `http://localhost:8080/productos` with a raw JSON body:

```
{
  "nombre": "Monitor",
  "precio": 5000000
}
```

The response is a 200 OK status with a JSON body:

```
{
  "id": 4,
  "nombre": "Monitor",
  "precio": 5000000
}
```





## Python con FastAPI

### Build y Run

```
PS C:\Users\User\php-api> docker run -d -p 8080:80 --name php-container php-api  
636c94f0d153fd0a59a24c512cad4f2205c01334af810b5428890e0de466fdfa
```

Directorio: C:\Users\User

```
[+] Building 10.8s (11/11) FINISHED                                docker:desktop-linux  
=> [internal] load build definition from Dockerfile                0.1s  
=> => transferring dockerfile: 242B                                0.0s  
=> [internal] load metadata for docker.io/library/python:3.11-slim 1.6s  
=> [auth] library/python:pull token for registry-1.docker.io       0.0s  
=> [internal] load .dockerignore                                    0.0s  
=> => transferring context: 2B                                       0.0s  
=> [1/5] FROM docker.io/library/python:3.11-slim@sha256:94c50be2dc994b873b55bc123e95e6dbade08095b3dfd790f51c34de3f08cbb7 2.0s  
=> => resolve docker.io/library/python:3.11-slim@sha256:94c50be2dc994b873b55bc123e95e6dbade08095b3dfd790f51c34de3f08cbb7 0.1s  
=> => sha256:0fc9203b193a8869d7e8cdb9754932db059f4a0d5b9812b000b47d1f5d0b4488 249B / 249B 0.2s  
=> => sha256:bba5f5426d0f7209ef9826582b46945e0e6851829b308e906c9c05874cf70915 14.45MB / 14.45MB 1.4s  
=> => sha256:2835c55107170c643a531e330150e5c5c215f044e97d1cde2ee1f3056c5ad840 1.29MB / 1.29MB 1.0s
```

Container CPU usage ⓘ  
0.13% / 1200% (12 CPUs available)

Container memory usage ⓘ  
39.3MB / 7.42GB

Show charts

Q Search

Only show running containers

| <input type="checkbox"/> |                                  | Name              | Container ID | Image       | Port(s)     | CPU (%) | Last started  | Actions                                                 |
|--------------------------|----------------------------------|-------------------|--------------|-------------|-------------|---------|---------------|---------------------------------------------------------|
| <input type="checkbox"/> | <input type="radio"/>            | node-container    | 11edcfca1536 | node-api    | 3000:3000   | 0%      | 1 hour ago    | <div><div></div><div></div><div></div><div></div></div> |
| <input type="checkbox"/> | <input type="radio"/>            | php-container     | 636c94f0d153 | php-api     | 8080:80     | 0%      | 2 minutes ago | <div><div></div><div></div><div></div><div></div></div> |
| <input type="checkbox"/> | <input checked="" type="radio"/> | fastapi-container | a44df5002031 | fastapi-api | 8000:8000 ↗ | 0.14%   | 5 minutes ago | <div><div></div><div></div><div></div><div></div></div> |

Postman y Web

HTTP

http://localhost:8000/productos

Save

Share

GET

http://localhost:8000/productos

Send

Docs

Params

Authorization

Headers 7

Body

Scripts

Settings

Cookies

☐ none

☐ form-data

☐ x-www-form-urlencoded

☒ raw

☐ binary

☐ GraphQL

☒ JSON

Schema

Beautify

1

Body

Cookies

Headers 4

Test Results

200 OK

8 ms

262 B

{ } JSON

Preview

Visualize

```
1 [
2   {
3     "id": 1,
4     "nombre": "Laptop",
5     "precio": 2500000.0
6   },
7   {
8     "id": 2,
9     "nombre": "Mouse",
10    "precio": 45000.0
11  },
12  {
13    "id": 3,
14    "nombre": "Teclado",
15    "precio": 120000.0
16  }
17 ]
```

Guia Docker Node-PHP-Python - Cla...

localhost8000/productos

Guia Docker Node-PHP-Python - Do...

Nueva pestaña

<

>

↺

🔖

localhost8000/productos

📏

📧

👤

💬

📄

📺




🔴

🔴

🌟

Impresión con formato estilístico

```
[{"id":1,"nombre":"Laptop","precio":2500000.0}, {"id":2,"nombre":"Mouse","precio":45000.0}, {"id":3,"nombre":"Teclado","precio":120000.0}]
```



Guia Docker Node-PHP-Python - Cl... localhost:8000/productos x Guia Docker Node-PHP-Python - Do +

localhost:8000/productos

Impresión con formato estilístico

```
[{"id":1,"nombre":"Laptop","precio":2500000.0}, {"id":2,"nombre":"Mouse","precio":45000.0}, {"id":3,"nombre":"Teclado","precio":120000.0}, {"id":4,"nombre":"Monitor","precio":500000.0}]
```

http://localhost:8000/productos

Dar formato al texto

```
[{"id":1,"nombre":"Laptop","precio":2500000.0}, {"id":2,"nombre":"Mouse","precio":45000.0}, {"id":3,"nombre":"Teclado","precio":120000.0}, {"id":4,"nombre":"Monitor","precio":500000.0}]
```

PUT http://localhost:8000/productos/1 Send

Docs Params Authorization Headers 9 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {"nombre":"Laptop Gamer","precio":3500000.0}
```

Body Cookies Headers 4 Test Results 200 OK • 8 ms • 176 B



{ } JSON Preview Visualize

```
1 {
2   "id": 1,
3   "nombre": "Laptop Gamer",
4   "precio": 3500000.0
5 }
```


http://localhost:8000/productos

Dar formato al texto

```
[{"id":1,"nombre":"Laptop Gamer","precio":3500000.0}, {"id":2,"nombre":"Mouse","precio":45000.0}, {"id":3,"nombre":"Teclado","precio":120000.0}, {"id":4,"nombre":"Monitor","precio":500000.0}]
```



## Comandos de consultas



```
PS C:\Users\usuga\fastapi-api> docker logs fastapi-container
INFO:      Started server process [1]
INFO:      Waiting for application startup.
INFO:      Application startup complete.
INFO:      Uvicorn running on http://0.0.0.0:8000 (Press CTRL+C to quit)
INFO:      172.17.0.1:50898 - "GET /productos HTTP/1.1" 200 OK
INFO:      172.17.0.1:50898 - "GET /favicon.ico HTTP/1.1" 404 Not Found
INFO:      172.17.0.1:34074 - "GET /productos/1 HTTP/1.1" 200 OK
INFO:      172.17.0.1:58212 - "GET /productos HTTP/1.1" 200 OK
INFO:      172.17.0.1:39086 - "POST /productos HTTP/1.1" 201 Created
INFO:      172.17.0.1:55968 - "GET /productos HTTP/1.1" 200 OK
```

```
PS C:\Users\usuga\fastapi-api> docker stop fastapi-container
fastapi-container
```

```
PS C:\Users\usuga> docker rm php-container
php-container
```

```
PS C:\Users\usuga> docker rmi php-api
Untagged: php-api:latest
Deleted: sha256:3a8c6af0d78db547731b95b31b791a173669c94562f9de0547a53b9db02993ad
PS C:\Users\usuga>
```

```
PS C:\Users\usuga> docker exec -it fastapi-container /bin/sh
# exit
```

## Ejercicios

Código nuevo

```
const express = require('express');
const app = express();
app.use(express.json());

// Ejercicio 1: campo "categoria"
// Ejercicio 4: campo "visitas"
let productos = [
  { id: 1, nombre: 'Laptop', precio: 2500000, categoria: 'Computo',
    visitas: 0 },
  { id: 2, nombre: 'Mouse', precio: 45000, categoria: 'Accesorios',
    visitas: 0 },
  { id: 3, nombre: 'Teclado', precio: 120000, categoria:
    'Accesorios', visitas: 0 }
];

//Busqueda de todos los productos
app.get('/productos', (req, res) => {
  res.json(productos);
});
```

```

//Ejercicio 3: BUSCAR POR NOMBRE PARCIAL - GET
app.get('/productos/buscar/:nombre', (req, res) => {
  const nombre = req.params.nombre.toLowerCase();
  const resultados = productos.filter(p =>
    p.nombre.toLowerCase().includes(nombre));
  res.json(resultados);
});

//Busqueda por ID
app.get('/productos/:id', (req, res) => {
  const producto = productos.find(p => p.id ===
    parseInt(req.params.id));
  if (!producto) return res.status(404).json({
    mensaje: 'Producto no encontrado'
  });
  // Ejercicio 4: suma una visita
  producto.visitas++;
  res.json(producto);
});

//POST
app.post('/productos', (req, res) => {
  // Ejercicio 2: validacion de precio
  if (req.body.precio <= 0) {
    return res.status(400).json({
      mensaje: 'El precio debe ser mayor a cero'
    });
  }
  const nuevo = {
    id: productos.length + 1,
    nombre: req.body.nombre,
    precio: req.body.precio,
    categoria: req.body.categoria,
    visitas: 0
  };
  productos.push(nuevo);
  res.status(201).json(nuevo);
});

//PUT
app.put('/productos/:id', (req, res) => {
  const producto = productos.find(p => p.id ===
    parseInt(req.params.id));

```

```
    if (!producto) return res.status(404).json({
      mensaje: 'Producto no encontrado'
    });
    producto.nombre = req.body.nombre;
    producto.precio = req.body.precio;
    producto.categoria = req.body.categoria;
    res.json(producto);
  });

//DELETE
app.delete('/productos/:id', (req, res) => {
  const index = productos.findIndex(p => p.id ===
    parseInt(req.params.id));
  if (index === -1) return res.status(404).json({
    mensaje: 'Producto no encontrado'
  });
  const eliminado = productos.splice(index, 1);
  res.json(eliminado[0]);
});

const PORT = process.env.PORT || 3000;
app.listen(PORT, () => {
  console.log('Servidor Node.js corriendo en puerto '
    + PORT);
});
```



Build y Run

Containers [Give feedback](#)

Container CPU usage 0.00% / 1200% (12 CPUs available)

Container memory usage 16.49MB / 7.42GB

Show charts

Search

Only show running containers

|                          |                                  | Name              | Container ID | Image       | Port(s)   | CPU (%) | Last started   | Actions |
|--------------------------|----------------------------------|-------------------|--------------|-------------|-----------|---------|----------------|---------|
| <input type="checkbox"/> | <input type="radio"/>            | fastapi-container | db71e83246b8 | fastapi-api | 8000:8000 | 0%      | 20 minutes ago |         |
| <input type="checkbox"/> | <input checked="" type="radio"/> | node-container    | 3e8d6df2d434 | node-api    | 3000:3000 | 0%      | 3 minutes ago  |         |

Terminal

node-container2

PS C:\Users\usuga\node-api> docker build -t node-api .

[+] Building 0.7s (10/10) FINISHED

=> [internal] load build definition from Dockerfile

=> => transferring dockerfile: 160B

=> [internal] load metadata for docker.io/library/node:18-alpine

=> [internal] load .dockerignore

=> => transferring context: 67B

=> exporting to image

=> => exporting layers

=> => exporting manifest sha256:80ab3fa07d64ce1daac36b014b6af523b681f11fa62d7537f4c66b2a14acfeb1

=> => exporting config sha256:b29a328biae4cc14ffe92ffe7720a1b4a9f4e19cfd82b78efebceb0fb41b0872

=> => exporting attestation manifest sha256:5bc0b7cc78136cfd162fd81423fb82ad79e41c8da4a1077df81edaf1ce57b75

=> => exporting manifest list sha256:b431381b7879908c1b6a339428df314a5a7c7d52675960f79f4f566c7b2e21ed

=> => naming to docker.io/library/node-api:latest

=> => unpacking to docker.io/library/node-api:latest

PS C:\Users\usuga\node-api> docker run -d -p 3000:3000 --name node-container node-api

3e8d6df2d434462519671c9d858ef3d3113d228acf0195f46d18f89cd8d6c0a9

PS C:\Users\usuga\node-api>

docker:desktop-linux

0.0s

0.0s

0.4s

0.0s

0.0s

0.1s

0.0s

0.0s

0.0s

0.0s

0.0s

0.0s

0.0s

0.0s

Windo...

Postman y Web

- Campo adicional “Categoria”

GET

→ http://localhost:3000/productos

Send

Docs

Params

Authorization

Headers 6

Body

Scripts

Tests

Settings

Coc

Query Params

| Key | Value | Description | Bulk Edit |
|-----|-------|-------------|-----------|
| Key | Value | Description |           |

Body

Cookies

Headers 7

Test Results

200 OK • 31 ms • 474 B •

{ } JSON

Preview

Visualize

1

[

2

{

3

"id": 1,

4

"nombre": "Laptop",

5

"precio": 2500000,

6

"categoria": "Computo",

7

"visitas": 0

8

},

9

{

10

"id": 2,

11

"nombre": "Mouse",

12

"precio": 45000,

13

"categoria": "Accesorios",

14

"visitas": 0

15

},

16

{

17

"id": 3,

18

"nombre": "Teclado",

19

"precio": 120000,

20

"categoria": "Accesorios",

21


"visitas": 0

22



}

23

]



- Búsqueda por ID



- Búsqueda parcial

GET http://localhost:3000/p

http://localhost:3000/productos/buscar/tec

GET http://localhost:3000/productos/buscar/tec

Query Params

| Key | Value | Description | Bulk Edit | ... |
|-----|-------|-------------|-----------|-----|
| Key | Value | Description |           |     |

Body

200 OK • 8 ms • 317 B

```
{
  "id": 3,
  "nombre": "Teclado",
  "precio": 120000,
  "categoria": "Accesorios",
  "visitas": 0
}
```

localhost:3000/productos/buscar/tec

Impresión con formato estilístico

```
[{"id":3,"nombre":"Teclado","precio":120000,"categoria":"Accesorios","visitas":0}]
```

- Contador de visitas

localhost:3000/productos/1

Impresión con formato estilístico

```
{"id":1,"nombre":"Laptop","precio":2500000,"categoria":"Computo","visitas":3}
```

- Crear

POST http://localhost:3000/productos

Body

```
1 {
2   "nombre": "Monitor",
3   "precio": 800000,
4   "categoria": "Computo"
5 }
```

201 Created • 21 ms • 317 B

Body

```
1 {
2   "id": 4,
3   "nombre": "Monitor",
4   "precio": 800000,
5   "categoria": "Computo",
6   "visitas": 0
7 }
```

localhost:3000/productos

Impresión con formato estilístico

```
[{"id":1,"nombre":"Laptop","precio":250000,"categoria":"Computo","visitas":3}, {"id":2,"nombre":"Mouse","precio":45000,"categoria":"Accesorios","visitas":0}, {"id":3,"nombre":"Teclado","precio":120000,"categoria":"Accesorios","visitas":0}, {"id":4,"nombre":"Monitor","precio":800000,"categoria":"Computo","visitas":0}]
```

- Validación de precio

POST http://localhost:3000/productos

Body

```
1 {
2   "nombre": "Cable",
3   "precio": -100,
4   "categoria": "Accesorios"
5 }
```

400 Bad Request • 10 ms • 289 B

Body

```
1 {
2   "mensaje": "El precio debe ser mayor a cero"
3 }
```

- Actualizar

PUT http://localhost:3000/p + No environment

http://localhost:3000/productos/2 Save Share

PUT http://localhost:3000/productos/2 Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "nombre": "Mouse Inalambrico",
3   "precio": 65000,
4   "categoria": "Perifericos"
5 }
```

Body Cookies Headers 7 Test Results 200 OK • 7 ms • 325 B

{ } JSON Preview Visualize

```
1 {
2   "id": 2,
3   "nombre": "Mouse Inalambrico",
4   "precio": 65000,
5   "categoria": "Perifericos",
6   "visitas": 0
7 }
```

Guia Docker Node-PHP-Python - Cla Guia Docker Node-PHP-Python - Do localhost:3000/productos +

localhost:3000/productos

Impresión con formato estilístico

```
[{"id":1,"nombre":"Laptop","precio":2500000,"categoria":"Computo","visitas":3}, {"id":2,"nombre":"Mouse Inalambrico","precio":65000,"categoria":"Perifericos","visitas":0}, {"id":3,"nombre":"Teclado","precio":120000,"categoria":"Accesorios","visitas":0}, {"id":4,"nombre":"Monitor","precio":800000,"categoria":"Computo","visitas":0}]
```

- Eliminar

DEL http://localhost:3000/p + No environment

http://localhost:3000/productos/3 Save Share

DELETE http://localhost:3000/productos/3 Send

Docs Params Authorization Headers 8 Body Scripts Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Schema Beautify

```
1 {
2   "nombre": "Mouse Inalambrico",
3   "precio": 65000,
4   "categoria": "Perifericos"
5 }
```

Body Cookies Headers 7 Test Results 200 OK • 7 ms • 315 B

{ } JSON Preview Visualize

```
1 {
2   "id": 3,
3   "nombre": "Teclado",
4   "precio": 120000,
5   "categoria": "Accesorios",
6   "visitas": 0
7 }
```

Guia Docker Node-PHP-Python - Cla Guia Docker Node-PHP-Python - Do localhost:3000/productos +

localhost:3000/productos

Impresión con formato estilístico

```
[{"id":1,"nombre":"Laptop","precio":2500000,"categoria":"Computo","visitas":3}, {"id":2,"nombre":"Mouse Inalambrico","precio":65000,"categoria":"Perifericos","visitas":0}, {"id":4,"nombre":"Monitor","precio":800000,"categoria":"Computo","visitas":0}]
```