

CROSSPOST HELPER / THE COMPLETE GUIDE

The whole app, area by area.

How to set it up, and what each part of the app is for: Triage, the Library, the Picker, writing and sending posts, the editor, upscaling and video, Social, the References and your phone.

---

17 CHAPTERS

SET UP / CURATE / CREATE / POST / CONNECT

CONTENTS

Find your way through.

00 What it is for 3
01 First steps 4
02 Finding your way around 7
03 Triage 8
04 The Library 11
05 The Picker 12
06 Writing a post 14
07 Sending, marking and Runs 15
08 The editor 18
09 Work on this picture 22
10 Social 24
11 QTs 27
12 The References 28
13 Statistics 29
14 Your phone 30
15 The Prompting Helper 31
16 Tips 32
17 Troubleshooting 32

Click a chapter to jump to it. The PDF's bookmarks list every section.

THE WORKFLOW

What it is for

A generator writes hundreds of pictures into a folder. Crosspost Helper is everything that comes after: deciding which ones are good, keeping them findable, choosing what goes out next on which account, writing the post, sending it, and keeping track of who you post for. It works on your files where they are and keeps its own data in a database on your computer.

The usual walk through the app:

Step	Where	What happens
1. Decide	Triage	New pictures wait for Keep or Delete.
2. Keep	Library	Everything you kept, with stars, tags, stacks and where it has been posted.
3. Choose	Picker	A picture the selected account has not had yet.
4. Write	Prepare post	The description and the tags, by hand or with AI.
5. Send	Prepare post	Through the browser extension, or directly to X, Bluesky or Civitai.
6. Follow up	Social	QTs you were invited to, people you tag, how your posts did.

What needs what


- The Library, Triage, the Picker, marking pictures as posted and the editor work with no account and no key.
- AI writing needs a key for OpenAI, Anthropic, xAI (Grok) or Gemini in **Settings → Accounts & Keys**.
- Sending through the browser needs the browser extension. Posting directly needs the platform's own connection (X, Bluesky, Civitai), also in **Accounts & Keys**.
- Upscaling and video need a Topaz, Magnific, Wavespeed or Higgsfield key, or ComfyUI on your own computer, Comfy Cloud or RunningHub.
- Social reads pages you open yourself in the browser, through the extension.

CHAPTER 01

First steps

Add your picture folders

Open **Settings → Sources & Scanning** and press **Local folder**. Pick the folder your generator writes into, or the folder that holds your pictures. Sub-folders are included. Each source has **Enabled**, **Thumbnails** (make the small previews again) and **Scan** (read the folder again now).



Sources & Scanning: one row per folder.

With Triage switched on, adding a folder asks what Triage should ask you about:


- **Only pictures that arrive from now on** — what is in the folder already goes straight to the Library. This is the right choice for a folder a generator renders into.
- **Everything in the folder** — every picture in it waits in Triage, however old.

You do not have to scan by hand afterwards. The app looks for new pictures when it starts and whenever you switch back to its window, and it notices pictures arriving while it is open.

Your posting accounts

Settings → Targets & Data → Posting accounts lists X, Bluesky and DeviantArt. One account per platform is the normal case. **Add another account** adds a second one with its own name. Press **Edit** on an account to set:

- **Handle** — your @name there. Social needs it to tell your own posts from other people's.
- **List** — optionally an X list, which Social compares with the people you keep.
- **Persona** — the writing voice for this account.
- **What this account may use** — limit the account by rating, colour and tags. A clean account can be held to SFW pictures, for example. The Picker never offers a picture these rules exclude.



An account opened with Edit: handle, list, persona and its rules.

Switch on Triage

In **Settings → Image Analysis → Triage**, switch on **Hold new pictures for a decision**. Your library as it stands counts as decided; only pictures arriving from then on wait. Without Triage, new pictures go straight into the Library.

Image intelligence (optional)

In the same tab, **Image Intelligence** downloads two local models: a tagger that adds tags and an SFW / suggestive / NSFW rating, and CLIP, which makes searching by description and "more like this" possible. Press **Download** under **AI models**, then **Analyze library**. Everything runs on your computer; nothing is uploaded. **Object selection**, **Select subject** and the depth model are small extras for the editor's Select object, Select subject and Depth of field.




Image Analysis: the local models, and the Triage switch below them.

AI keys (optional)


Settings → Accounts & Keys → AI Post Generation: choose a **Provider** and a **Model**, paste the key into that provider's field and press **Test**. There is one field per provider, so you can keep keys for several. **Your models** adds any other model by its id; they appear in the model picker beside Generate. **Your language** sets the language a post is translated back into for you to read.

Further down the same tab are the connections for direct posting (**X — Direct Post**, **Bluesky — Direct Post**, **CivitAI — Direct Post**), the upscalers (Topaz, Magnific), Wavespeed and ComfyUI. Each one says what it needs and what it costs.

> **Posting to X directly costs money**
>
> X bills every post made through its API to the owner of the developer app, which is you: about $0.015 a post, and $0.20 once the text contains a link. The browser extension costs nothing and stays the default. The app shows the price beside the button before you post.

The browser extension

Settings → Browser Extension. Press **Open Extension Folder**, open `chrome://extensions` in Chrome, switch on **Developer mode** and press **Load unpacked** on that folder. Then press **Copy** beside the pairing token and paste it into the extension once. The extension fills in posts on X, Bluesky and DeviantArt, collects QTs and pictures, and reads pages for Social. It talks only to this app, on your own computer.



Pairing the extension.

Backups

Settings → Targets & Data → Database backups. Your pictures are your own files and are never copied; the backup is of the database: the library index, posting history, personas, tags and settings. One is taken automatically every 12 hours and the last 7 are kept. **Back up now** takes one that is never rotated away.

CHAPTER 02

Finding your way around

The sidebar holds the pages: **Picker**, **Library**, **References** (when the Reference Library is switched on in Image Analysis), **Social**, **Statistics** and **Settings**. The two buttons at its foot switch between light and dark.

The line along the bottom of the window is always there. Clicking a part of it slides a panel up over the page:


- **Runs** on the left: posts you have planned for later, and how many are ready to send.
- **Triage** on the right ("56 to triage"): the board of pictures waiting for a decision. It is the way into Triage, also when nothing is waiting, because the importers live there.
- **Generation** in the middle, when an upscaler, Wavespeed or ComfyUI is set up: what is running and what came back last.

Press **Esc** to close the panel on top. Panels close one layer at a time.

CHAPTER 03

Triage

Triage holds the pictures nobody has decided about yet. Click the Triage part of the bottom line to open it. Every tile has **Keep** and **Delete**; clicking one **marks** the picture and nothing more. Nothing happens until you press **Apply**.



Marks on the board, counted in the bar. Apply carries them out.

The quick way through a batch

1. Press **Mark all … for deletion**. It only marks pictures that have no decision yet, so Keeps you already gave stay.
2. Pick the good ones out with **Keep**.
3. Press **Apply**. Kept pictures go to the Library, deleted ones go to your computer's trash.


Safeguards

- If only deletions are marked, Apply asks for a second press: it turns red and reads "Delete 56 — press again".
- Your marks survive closing the panel, switching pages and leaving the window. **Clear marks** is the way to drop them.
- Deleted files go to the trash, so they can be restored from there. If the trash refuses a file, the board says so and offers **Delete permanently**, which asks first.

Series and comparing

Pictures from one folder with the same prompt, made close together, are a **series**. Their tiles carry a small stack sign with a count. Click it to put the series side by side:

- Scroll on any picture and all of them zoom to the same spot.
- **Not this one** (or the number keys 1–4) takes a picture out; the rest close up and the next one of the series steps in. **Undo** or **U** brings it back.
- The button at the bottom right ("Keep 3, delete 1") marks what is left as Keep and what you took out as Delete. These are marks, like everything else here.



A series side by side, one zoom for all.

Shift-click tiles to compare pictures of your own choosing, then press **Compare** in the bar that appears under the grid.

The full-screen view

Click a picture to see it full size. Scroll to zoom, drag to move around, double-click for 3×. The strip at the bottom shows the whole batch, with gaps between series. Besides **Keep** and **Delete**:

- **Flag for repaint** keeps the picture and notes what still needs work; the Library's **Needs repaint** filter finds it later.
- **Keep, delete rest of series** keeps this one and marks the undecided rest of its series for deletion.
- **Compare series** opens the comparison.
- The stars under the picture rate it. A star also marks the picture Keep; the stars are saved when you Apply.

K	keep
D	delete
U	take the mark off again
N	next picture without a decision
1–5	stars
← →	previous / next

`Esc` close

Bringing pictures in


Besides watched folders: drop files anywhere on the board, paste with **⌘V** / **Ctrl+V** or the **Paste** button, use **Import pictures**, or **From ChatGPT** for an unpacked ChatGPT data export. Imports are copied into a dated folder in your library and then wait here like anything else. **Look for new** walks your folders straight away.

Undecided only shows only the pictures without a decision. Tiles you mark afterwards stay on screen until you press it again, so nothing moves under your cursor.

CHAPTER 04

The Library

The Library holds every picture you kept. Choose the account at the top left of the toolbar; marks and the "posted" view refer to it.



The Library with two pictures selected.

Reading a tile

- **Stars** and the picture's size under it. Click the stars to rate.
- **SFW / Suggestive / NSFW** — how explicit the picture is, from the tagger or set by you.
- **Platform icons** along the bottom: green where it was posted, grey where it was skipped.
- ⧉ **3** — a stack of three files, see below.
- A note such as *fix the hands* where it was flagged for repaint.

Stacks

An original, its upscale and its edits are one picture with several files: a **stack**. The Library shows the newest file and the count; the full-screen view lists every file and lets you choose which one leads. Marking one file as posted marks the whole stack, so an upscale never comes round again as unposted. Upscales and edits made in the app join their stack by themselves. Select files and press **Stack these** to join them by hand, **Unstack** to separate them, and **Show every file** to see all files on their own.

Finding pictures

- **Search** looks in names, prompts and tags. **Semantic** searches by meaning instead ("redhead by a window at sunset") once the CLIP index is built.

- Filter by account, source, folder, rating, stars and number of people. **Hide posted** hides what the selected account already had, **Posted anywhere** what any account had. **Needs repaint** shows flagged pictures.
- Every active filter is shown as a chip above the grid, so you always see why the grid is thin.
- Sort by **Date**, **Name**, **Pick** or **Stars**.

Working with a selection

Tick pictures, or use **Select all**. A selection survives changing folders and filters. With pictures selected: **Mark posted on ...**, **Queue**, **Prepare** (write a post for them), **Apply edit...** (apply an edit you copied in the editor to all of them), **Exclude** and **Restore**, **Download**, and **Delete**. **Collection** at the bottom right gathers pictures across folders into an ordered set for one post.


Duplicates

Duplicates at the top groups near-identical copies. In each group the copy that carries the prompt and the settings is suggested as the one to keep.

CHAPTER 05

The Picker

The Picker answers "what goes out next on this account". Choose the account at the top, then press **Pick random** (⌥P). You get a picture this account has not had, that its rules allow, and that has not been shown this round. Every picture comes round once before any comes round twice. The line under the filters says how many are eligible and how far the round has got.




The Picker: the picture, and on the right what to do with it.

- **Pick similar** picks a picture that looks like the current one.
- **Stay in folder** keeps picking from the current folder; **All folders** goes back to everything. **Multi-Pick** picks several pictures at once, for a post that carries more than one.
- On the picture: **Edit** opens the editor, **Reveal** shows the file, **Image** and **Path** copy it, **Exclude** takes it out of picking for good, **Delete…** deletes the file after asking.

More than one picture

Pick alternative from folder shows the rest of the folder. Every tile says whether the selected account already posted it, whether another account of the same platform did, and whether it stands for a stack. Tick up to as many pictures as the platform takes in one post; they go out in the order you ticked them.



Alternatives from the folder. "Posted" is about the account chosen at the top.

Saying no

Under **About this post** there are three sizes of no:


- **Not this round** — skip it now; it comes back in a later round.
- **Not for X** — never for this account. Other accounts can still get it.
- **Not on X at all** — never for any account of this platform.

Each one says what it did in a line under the buttons, with an **Undo**.

CHAPTER 06

Writing a post

Open **Prepare post** in the Picker, or select pictures in the Library and press **Prepare**. The panel has the brief at the top and the post itself below it. The arrow icon at the top right opens it full screen.



The brief, full screen.

The brief

- **Post type** — **Engagement** invites a reaction, **Story** tells a small story around the picture, **Good Morning** and **Good Night** greet your followers, **QT Event** takes part in a QT (section 11). Each type has its own rules, so a story does not end in a call for likes.
- **Source** — how much the picture leads and how much your text in **Context** does.
- **Context** — the theme or the occasion, in your words. **AI instructions** are followed but never copied into the post.
- **Length** — the platform's default, or a maximum or minimum of your own.
- **How far it goes** — **Auto** lets the picture decide; **Clean**, **Suggestive**, **Sensual** and **Explicit** set it.
- **Tone** — one of twelve (Warm, Playful, Teasing, Dreamy, Plain, Bold, Matter-of-fact, Technical, Annoyed, Dominant, Submissive, Horny) or **Auto**. Tone never changes how explicit the post is.
- **Who tells it** — **I speak to you**, **I — as my OC**, **I — the one in the picture**, **OC by name (third person)** or **She / he / they**. A story needs one chosen.
- **Creativity** — from **Steady** to **Wild**. **Model** — the default from Settings, or one of your own models.


Press **Generate**. **×2** and **×3** write two or three drafts to choose from. The line under it says how the AI read the picture.

The post

Whatever the AI writes lands in **Description**, an ordinary text field you can change. The tools above it:

- **T Aa** — Unicode text styles (bold, italic, script…) for a marked part.
- The ornament and spacing menus, bullets and typography, and an emoji picker.
- The counter on the right counts the way the platform does: links at their shortened length, emoji as two.

Tags holds the hashtags; they are added under the text when the post goes out. Under the description, **Translation** shows the post in your own language (set in Settings), so you know what you are posting. **Check the match** asks whether the picture actually supports what the post says.



A finished draft beside the picture, with its translation below.

> **Personas**
>
> A persona is a writing voice learned from posts you wrote yourself. Set them up in **Settings → Writing** and give each account its own in the account's settings. The voice shapes rhythm and wording; it never changes who speaks or how explicit the post is.


CHAPTER 07

Sending, marking and Runs

The bottom of the post panel, **Send this post**, has the ways out:

- **Send to X · browser plugin** — the extension opens the platform in your browser and fills in pictures, text and tags. You press Send there yourself. Costs nothing. The arrow beside it has more options.
- **Post to X directly** — posts through the platform's API at once, with the price shown on the button. Available for X, Bluesky and Civitai once connected in Settings.

- **Copy text** copies the finished post; **Clear** empties it.



The send buttons, the price of a direct X post, and the note that some pictures were posted before.

Already posted?


If the chosen account had this picture before, a gold line says when, with **Open it** to see that post. Posting directly then asks a second time: **Yes — post it a second time**, or **Not a double post — leave it**. Posting again is allowed; it is just never an accident.

Marking

After a direct post the app records it by itself. After sending through the browser, press **Mark posted on X**: it records the post and picks the next picture. **Mark only** records it and stays on the picture. The record is per account, and it covers every file of a stack.

Runs: one picture, several accounts

Prepare as Run parks a picture's posts for several accounts, with the words for each written in one sitting, so you can send them later, for example once an upscale has finished. Open **Runs** from the bottom line to see them: **Draft** runs still need work, **Ready** ones can go out, and **Send** sends the next planned post.




Runs: each picture with the accounts it is planned for.

CHAPTER 08

The editor


Press **Edit** on a picture. The editor never changes the original file: an edit is a list of steps, and **Save to stack** (⌘E) renders it as a new file in the picture's stack, which every post of the picture then carries. The arrow beside it saves a separate copy instead. The status line at the bottom says which file posts currently carry.



The editor: tools on the left, the tool's settings and the layers on the right.

The tools

The rail on the left holds the tools in groups. A button with a small triangle in its corner holds several tools: hold it or right-click it to choose one. A letter brings back the tool of that group you used last, and pressing it again with ⇧ steps through the group.



The Selection group opened on the rail.


Key	Tool	For
V	Move	Move, scale, turn and flip a layer or a caption.
M / L / W	Selection	Rectangle and ellipse (M), lasso and polygon (L), object, quick selection and magic wand (W), and colour range.
C	Crop & frame	Crop, aspect ratio, straighten, turn and flip the whole picture.
Q	Mask	Decide where a layer shows: paint it, draw round it, click an object or the main subject, or lay a linear or radial gradient.
K	Blur	Depth of field (click what stays sharp, the rest blurs by distance) and a Gaussian or lens blur on a layer.
J / S / Y	Heal / Clone / Restore	Repair spots, copy from elsewhere, paint the original back.
O	Dodge, burn, blur & sharpen	Lighten, darken, soften or sharpen by brush.
R / G	Remove / Generative fill	Paint over something and let the AI remove it or fill it with what you describe.
B	Brush	Paint pixels on a layer of their own.
T	Text	Captions and watermarks.
A	Adjust	Light, colour, curves, colour wheels, detail, looks.

Press **?** in the editor for the full list of keys. Undo is ⌘Z / Ctrl+Z, and the **History** panel lets you jump back to any step. Every painting tool remembers its own brush: size, softness, opacity and flow stay with the tool

when you switch away and back.

Adjust and looks

Auto tone and **Auto colour** are a good start. Then light (exposure, contrast, highlights, shadows), colour (white balance, vibrance, saturation), curves, colour by hue, colour wheels for shadows, midtones and highlights, and detail (sharpening, clarity, dehaze, noise reduction). A **look** is a colour grade (a .cube LUT) with a strength slider; import your own. Each adjustment is a layer, so it can be masked to part of the picture and faded.




Adjust: the controls on the right, presets and looks under the picture.

Selections, masks and depth of field

A selection limits what you paint, adjust or fill. Besides the usual shapes, **Object selection** selects a thing you click, and **Select subject** (⇧⌘U) selects the picture's main subject in one press. Colour range with **Skin tones** followed by an adjustment is how you soften skin.

A mask decides where a layer shows. The Mask tool paints it, draws it with the lasso or polygon, takes an object or the subject, or lays a **gradient**: linear for a darker sky or a tilt-shift band, radial for a vignette or a spotlight. A gradient stays adjustable with its handles on the picture, and you can still paint on the same mask.

Depth of field works out how far away each part of the picture is. Click what should stay sharp, set how deep the sharp band is and how quickly it falls off, and press **Make depth blur**: a blurred copy goes over the picture as a layer, masked by distance. A subject you selected first always stays sharp.
Copy of the finished picture (⌥⌘E in the + menu) turns everything you see into one layer, which you can then blur by hand with **Layer blur**.



Depth of field: focus, sharp band and falloff on the right, and the blurred layer it laid over the picture.


Select object, Select subject and the depth reading use small models that run on your computer. Download them once in **Settings → Image Analysis**.

Remove and Generative fill

Choose the tool, paint over the area, describe what should be there if you are filling, and press **Generate**. Remove gives one result and Fill two; the one you pick becomes a layer and can be swapped or deleted. If none is right, **New generation** tries the same area again with a new seed.

Three engines, chosen at the top of the panel:

- **ComfyUI** on your own computer, on Comfy Cloud or on RunningHub (safe-for-work pictures only, by RunningHub's rules). The built-in workflow offers four models: **Flux Fill**, **Illustrious**, **Anima** and **Krea 2**. Illustrious uses your own checkpoint, so enter its file name in **Settings → Accounts & Keys → ComfyUI** first.
- **Ideogram**, through your Magnific key: a real mask and your words, billed by Magnific.
- **Wavespeed**: words only, no mask, billed per call.



Generative fill: the model choice, the results, and the one picked on the picture.

Text and watermarks

Captions are layers you can move and turn. A watermark is a caption or picture tied to a corner; it stays in that corner when you change the crop.

Export and copying an edit

Export… writes a separate file to a place you choose, with size and format presets per account (for example X at 2048 px, Bluesky as JPEG under its size limit). It does not change what posts carry. **Copy edit** and **Paste edit** move adjustments, looks, text and the crop to another picture; in the Library, **Apply edit…** applies a copied edit to a whole selection.

CHAPTER 09


Work on this picture

In the Picker, **Work on this picture** opens the tools that make something new from the picture. Each one appears once its service is set up in Settings.

- **Upscale with Topaz** — choose a model (Realism, Bloom, Wonder, Standard…), creativity, scale and how many outputs. The result joins the picture's stack.
- **Magnific** — four functions: the **Creative** upscaler (up to 25 megapixels), **Precision** (V2, a faithful upscale up to 16×, with flavours for illustration and photos), **Relight** and the **Skin enhancer** (creative, faithful or flexible). The panel shows the price before you press, where Magnific publishes one.
- **Video Prompt** — turns the picture into a clip: Wavespeed's or Higgsfield's video models, or WAN 2.2 or MiniMax H3 through ComfyUI on your own GPU, Comfy Cloud or RunningHub. Higgsfield and

RunningHub accept safe-for-work pictures only. You can add an end frame and reference pictures, and the app writes the motion prompt for you if you like.

- **Recreate Image** — makes new pictures from this one with an image model.
- **Split into tiles** — cuts the picture into a grid for a carousel or a profile grid, as one post or one post per tile.



Upscale with Topaz.

An upscale lands beside the original file and joins its stack. To compare it with the original, open the generation part of the bottom line, find it under **Image Results** and press **Compare**.

Every job shows in the generation part of the bottom line. Click it for the queue: what is processing, what waits, what came back and what failed, with the reason. Jobs keep running while you work elsewhere, and a job waiting on a provider is picked up again after a restart.

> **Your own ComfyUI workflows**
>
> Remove, Fill and the two video models work with the workflows that ship with the app; for Remove and Fill you choose the model in the editor. In **Settings → Accounts & Keys**, **Load workflow…** replaces one with your own; the app finds where the picture, the mask and the prompt go and shows what it found. **Use built-in** goes back.

CHAPTER 10


Social

Social is about the people you post for. It is filled by the browser extension: when you open your notifications, a profile or your own post on X, the extension's panel there can send what is on the page to the app, and it can scroll the page for you while you watch. It never posts, likes or follows anything, and it never runs by itself.

The page has five tabs: **General**, **QTs**, **Activity**, **Posts** and **People**. The numbers on them are things waiting for you.

General

- **What the app has read** — when each source was last read (notifications, your list, profiles, who follows whom, your replies, your likes) and what still needs doing.
- **Waiting on you** — replies and mentions addressed to you by people you keep, newest first. Replies that only reached you because you were named further up a thread are folded away. Tick one off when you have dealt with it.
- **Since your last round** — new posts by your people. **Walk the profiles** reads them through the extension.
- **Today's round** — **Start** walks you through the most urgent handful: people waiting on you, new posts, people you have not been in touch with for a while.




General: what has been read, who is waiting, today's round.

Activity

Who keeps showing up for you: likes, reposts, replies and quotes over a week, a month, three months or a year, with a chart. Stretches nobody read are hatched rather than shown as quiet. Below the chart, the people in order, with what you give back to each, and arrows showing who is coming closer or drifting.

Posts

How your own posts did. Readings are taken by the extension when you open a post, or from X's API if X is connected (the button says how many calls it will cost). Posts are compared at the same age, for example all at about a day old, so a post you checked after two hours is never held against one checked after three days. The chart shows which times of day and which weekdays work for you.




Posts: your posts compared at the same age.

People

The list of people you keep. Add someone from the extension or from any table in Social. Open a person to set:

- **May be tagged on** — SFW & NSFW, SFW only, NSFW only, or never.
- **What they are to you** — from "don't know them" to "married", or one of the three "not on good terms" rungs, which are never tagged. Closer people are tagged more often in QTs.
- Their role and what kind of account they are (creator or audience).



A person's card.

Relationships draws the people as a map: who is what to whom. Click two people to say how they are related. Pairs who keep being tagged into the same QTs are suggested for you to describe. The ring around each face shows who follows whom; **Check them** refreshes that through the extension.

CHAPTER 11

QTs


A QT (quote tweet) event is an open call on X: somebody posts a theme, tags people, and everyone answers by quoting the post with a picture and tagging others. The **QTs** tab in Social is your pile of them, in three groups:

- **You were invited** — somebody tagged you. These are sorted with the oldest first, because those are the ones about to be missed.
- **You found these** — QTs you picked up yourself.
- **Your own** — QTs you mean to start, optionally with a day and a collection of pictures.

Collect a QT with the extension on the post, or paste its link. Below the pile, **what is going around** lists themes several people are running and the weekdays they run on, with **Join it**.

Taking part

1. Press **Participate** on a QT. The Library opens with a strip naming the QT, so you know what you are picking pictures for.
2. Pick the pictures and open the post panel. It switches to QT mode: the theme line, the credit to the author, the post you are answering, and the people to tag, drawn from your list.
3. The app writes the post once. After that it is yours: anything you change stays, and **Compose again** asks before replacing it.
4. Send it. **Finalize QT** records the invitations and takes the QT off the pile.



QT mode in the post panel.

> **The browser route is usually the one for QTs**
>
> A QT always contains a link to the post it answers, and X charges its higher link price for that through the API. Sending through the browser extension costs nothing.


CHAPTER 12

The References

The References are a separate library of pictures to learn from: mood boards, poses, lighting, other people's work. They are analysed like your own pictures but never offered for posting. Switch them on in **Settings → Image Analysis → Reference Library**; **References** then appears in the sidebar.

- **From CivitAI** imports a picture by its link, with the prompt, the model and the settings. Pictures CivitAI marks as explicit need a CivitAI key.
- The extension can send pictures from websites straight in.
- A picture from your own Library can be linked in without being copied.

Open a picture to see its prompt as written (**Raw**), sorted by who it describes (**Who**) or by group (**Groups**), and how it was made. With an AI key: **Read the image for ...** writes a prompt from the picture for the model you choose, **Convert the prompt to ...** rewrites the existing prompt for another model, and **Swap the person** turns the people in it into placeholders. Every rewrite is kept as a version beside the original.



A reference picture with its prompt and how it was made.

CHAPTER 13

Statistics


Statistics has two views. **Stats**: how many pictures are in the library, how many were posted somewhere, never posted, or skipped, per account, and which checkpoints you use most. **History**: every post day by day, per account, with **Open post**, and the runs you sent.

CHAPTER 14


Your phone

The Picker, the Library, Triage and the References also work on a phone on the same Wi-Fi as your computer. Nothing goes through the internet.

1. In **Settings → Phone**, tick **Let devices on this network reach the library**.
2. Scan the QR code with the phone. If your computer has more than one address (Wi-Fi and cable), choose the one the phone is on.
3. The phone is paired when it opens the page. A phone that only has the link asks for the six-digit access code.



The Picker on the phone.



Triage on the phone.

If the phone cannot connect

- On Windows, allow the app through the firewall for private networks when asked.
- The computer's address can change; give it a fixed address in your router to keep the link working.
- The app has to be running and the computer awake.
- Anyone with the link or the QR code can reach your library. **New code** locks out every phone that has the old one.

CHAPTER 15

The Prompting Helper

Crosspost Helper works with its sibling app, the Prompting Helper, over the same local connection the extension uses. Paste the pairing token from **Settings → Browser Extension** into the Prompting Helper's settings once.

- **Keepers skip Triage.** Flag a render as a keeper in the Prompting Helper's Gallery or render previews: here it goes straight into the Library, and the other pictures of the same render arrive in Triage marked for deletion, labelled "from Prompting Helper". They are only marks; Apply is still yours.
- **One reference library.** The Prompting Helper reads the References here as its example images, and can write prompt versions back.
- **Posts for its renders.** The Prompting Helper's floating HUD can have this app write a post for the picture on its stage and plan it as a Run.

CHAPTER 16

Tips

- **Set up one account properly first.** Handle, persona and rules make the Picker, the writing and Social noticeably better.
- **Mark, then keep.** In Triage, mark the whole batch for deletion first and then pick out the keepers. It is the fastest way through a big batch.
- **Give stars while deciding.** The 1–5 keys in the Triage viewer cost nothing extra, and the Library's stars filter and sort use them later.
- **Let the stacks work for you.** Upscale and edit inside the app, and the new files join their original's stack, so posting one counts for all.
- **Use the browser route on X** unless you need the post to go out right now. It is free.
- **Check the translation** before posting in a language you do not write in every day.
- **Read your notifications once a day** through the extension. Everything in Social is only as fresh as the last reading.
- **Back up before big changes.** `Back up now` in Targets & Data takes a backup that is kept for good.

CHAPTER 17

Troubleshooting

New pictures do not appear.

With Triage on, they wait in Triage, not in the Library; look at the Triage count in the bottom line. Press `Look for new` there. Check that the folder is listed and enabled in `Sources & Scanning`; a folder on a drive that is not connected is skipped, and the line in Triage says so.

The Picker says nothing is left for this account.

The account's rules, the filters at the top and the pictures it already had together leave nothing. The line under the filters says how many are eligible. Loosen a filter or the account's rules, or turn on `Incl. excluded`.

Generate answers with an error about a key.

The key is in the wrong provider's field, or the provider refused it. Press `Test` beside the key in `Accounts & Keys`; the app also warns when a key looks like it belongs to another provider.

The extension says the app is not running or out of date.

Start Crosspost Helper and update both to the latest version. If writes fail, copy the pairing token into the extension again.

A post went out with the original picture instead of my edit.

An edit only counts once it is saved: press **Save to stack**. The editor's status line and the gold or green chip on the tile say which file posts carry.

Social panels are empty.

The strip at the top of General says which pages have never been read. Open them on X and send them through the extension. A handle must be set for each account in **Targets & Data**.

Something else is wrong.

Report it on the issues page at `github.com/valerie-4659/crossposthelper-app`, with what you did and what you saw.