NAME: VALERIE KIPROP

GMAIL: valeriekiprop@gmail.com

ATTACKTIVE DIRECTORY

Here's a link to my completed module:

https://tryhackme.com/room/attacktivedirectory?utm_campaign=social_share&utm_medium=social&utm_content=share-completed-room&utm_source=copy&sharerId=64fca550f47415574dbafdb9

1.1 Introduction

The Attacktive Directory room on TryHackMe serves as an introduction to the security vulnerabilities inherent in Active Directory environments. By working through this simulated environment, I expect to learn the "Active Directory Kill Chain", moving from initial network enumeration and user discovery using tools like Kerbrute, to exploiting Kerberos authentication via AS-REP Roasting. This lab will provide hands-on experience in navigating domain hierarchies, cracking NTLM hashes, and performing privilege escalation to achieve full Domain Admin privileges, bridging the gap between theoretical AD concepts and practical exploitation.

1.2 Welcomme to Attacktive Directory

What tool will allow us to enumerate port 139/445?

Ans: enum4linux

What is the NetBIOS-Domain Name of the machine?

THM-AD



What invalid TLD do people commonly use for their Active Directory Domain?

.local



1.3 Enumarating users via Kerberos

What command within Kerbrute will allow us to enumerate valid usernames?

Ans: userenum



What notable account is discovered? (These should jump out at you)

Ans: svc-admin



What is the other notable account is discovered? (These should jump out at you)

Ans: backup



1.4 Back to the basics

What utility can we use to map remote SMB shares?

Answer: smbclient

Which option will list shares?

Answer: -L



How many shares is the remote server listing?

Ans: 6



There is one particular share that we have access to that contains a text file. Which share is it?

Ans: Backup



What is the content of the file?

Ans: YmFja3VwQHNwb29reXNlYy5sb2NhbDpiYWNrdXAyNTE3ODYw



Decoding the contents of the file, what is the full contents?

Ans: backup@spookysec.local:backup2517860





1.5 Elevating Privileges within the domain

What method allowed us to dump NTDS.DIT?

DRSUAPI

What is the Administrators NTLM hash?

Ans: 0e0363213e37b94221497260b0bcb4fc



What method of attack could allow us to authenticate as the user without the password?

Ans: Pass the Hash



Using a tool called Evil-WinRM what option will allow us to use a hash?

Ans: -H



1.6 Flag Submission panel

Submit the flags for each user account. They can be located on each user's desktop.

Svc-admin

Ans: TryHackMe{K3rb3r0s_Pr3_4uth}



Backup

Ans: TryHackMe{B4ckM3UpSc0tty!}



Administrator

Ans: TryHackMe{4ctiveD1rectoryM4st3r}



I was thus able too complete the room as show in the screenshot below:



1.7 Conclusion

Completing the Attacktive Directory room has improved my understanding in identifying and exploiting the structural weaknesses often found in Domain environments. Through this lab, I successfully moved from an unauthenticated state to full domain compromise, gaining a deep understanding of the Kerberos authentication flow and how misconfiguration can be weaponized via AS-REP Roasting. Beyond just running tools like Kerbrute and Impacket, I have

learned the importance of thorough service enumeration when navigating SMB shares for sensitive data.