

OUR REF: KEBS/T002/2022-2023

21ST OCTOBER, 2022.

TO ALL INTERESTED BIDDERS.

REF: ADDENDUM NO. 2 TO THE TENDER NO. KEBS/T002/2022-2023- SUPPLY, IMPLEMENTATION AND COMMISSIONING OF MANAGED INTERNET SERVICES AT KEBS HEADQUARTERS AND REGIONAL OFFICES.

Please refers to the above tender.

1. RELATIONSHIP WITH THE PRINCIPAL TENDER DOCUMENT

Save where expressly amended by the terms of this addendum, the principal document shall continue to be in full force and effect.

The provisions of this addendum shall be considered to have been incorporated and shall be read as part of the principal tender document.

The following clarifications are made to the principle tender document.

2. CLARIFICATION HAVE BEEN SOUGHT AS FOLLOWS:

Question:

Do you have any Preference on the Type of Router to be Used e.g Cisco

Answer:

No Preference

Question:

On Public IP Address Request: Confirm if you are looking for a single /25 Public IP address in addition to the Point to Point between the ISP and Client Internet gateway Device ? as per details on Page 39 of the tender Document. Answer:

Yes we are looking for a single /25 Public IP address

Question:

(On Page 42 of the tender Item number 12)Storage Dedicated backup link to DR site in Mombasa Town Which is the primary Site in the list that will require to connect to DR.

Primary Site is KEBS HQ Bellevue South C off Popo Road (Refer to 4.2 Bandwidth Requirements per Location Table Site ID 1)

Question:

Is the request for a Point to Point Link, Lit Fibre or just direct internet Links

Answer:

Direct Internet Link

SIP Trunk and Unified Communications (Page 39 of the tender Document)

Question:

How many DIDs are you looking for ?

Answer:

100

Question:

What kind of PABX is in place and location i.e on Premise or Cloud?

Answer

Current PABX is OmniPCX 4400 which is on premise

Question:

Can you assist with the list of all the Unified Communications Facilities on your Network?

Answer:

Voip Phones

Managed VPN Services

Question:

We have several types of Managed VPN services including MPLS L3 /L2 VPN, Ethernet Over MPLS e.t.c which one are you referring to on page 47 of the Tender Document –

Answer:

As and when required the technology proposed should be able to support any managed VPN services

Wireless Access point

Question:

Will the AP be Leased or Outright Purchase:.

Answer:

Outright Purchase

Question:

Do you Prefer any specific type/Model of AP (description on Page 49 and Page 50 of the Document does not point specific Vendor):

Answer:

No preference on any specific vendor

Question:

Are the 50 Access Points Indoor or Outdoor?

Answer:

Indoor

Question:

The licensing Duration for the Access point?

Answer:

Perpetual License

For the 16 Branches that will use the Access Point do they have

Question:

PoE Switches in place

Answer

POE Switches are already in place however the Aps should have power adapters as part of the accessories.

Question:

Is the Structured Cabling already in place?

Answer:

Structured Cabling is already in place however the successful bidder will be required to terminate the UTP cable from the POE switch or nearest data point to the Access Points.

Question:

Confirm if you will grant as an extension for tender submission.

Answer:

The tender closing date remains as it is on Wednesday 26th October 2022