

ICS 67.160.10

# DRAFT EAST AFRICAN STANDARD

**Green tea — Specification** 

# **EAST AFRICAN COMMUNITY**

© EAC 2018 First Edition 2018

## Copyright notice

This EAC document is copyright-protected by EAC. While the reproduction of this document by participants in the EAC standards development process is permitted without prior permission from EAC, neither this document nor any extract from it may be reproduced, stored or transmitted in any form for any other purpose without prior written permission from EAC.

Requests for permission to reproduce this document for the purpose of selling it should be addressed as shown below or to EAC's member body in the country of the requester:

© East African Community 2018 — All rights reserved East African Community P.O. Box 1096, Arusha Tanzania Tel: + 255 27 2162100

Fax: +255 27 2162190 E-mail: eac@eachq.org Web: www.eac-quality.net

Reproduction for sales purposes may be subject to royalty payments or a licensing agreement. Violators may be prosecuted.

## **Foreword**

Development of the East African Standards has been necessitated by the need for harmonizing requirements governing quality of products and services in the East African Community. It is envisaged that through harmonized standardization, trade barriers that are encountered when goods and services are exchanged within the Community will be removed.

The Community has established an East African Standards Committee (EASC) mandated to develop and issue East African Standards (EAS). The Committee is composed of representatives of the National Standards Bodies in Partner States, together with the representatives from the public and private sector organizations in the community.

East African Standards are developed through Technical Committees that are representative of key stakeholders including government, academia, consumer groups, private sector and other interested parties. Draft East African Standards are circulated to stakeholders through the National Standards Bodies in the Partner States. The comments received are discussed and incorporated before finalization of standards, in accordance with the Principles and procedures for development of East African Standards.

East African Standards are subject to review, to keep pace with technological advances. Users of the East African Standards are therefore expected to ensure that they always have the latest versions of the standards they are implementing.

The committee responsible for this document is Technical Committee EASC/TC 002, Coffee, Tea, cocoa and related products.

Attention is drawn to the possibility that some of the elements of this document may be subject of patent rights. EAC shall not be held responsible for identifying any or all such patent rights.



# **Green tea — Specification**

#### 1 Scope

This Draft East African Standard specifies requirements, sampling and test methods for green tea of *Camellia Sinensis* (L) O. Kuntze.

This standard is not applicable to green tea subject to further processing such as decaffeination, further roasting etc.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EAS 38, Labelling of Pre-packaged foods — General requirements

EAS 39, Hygiene in the food and drink industry— Code of practice

ISO 1572: 1980, Tea — Preparation of ground sample of known dry matter content

ISO 1573: 1980, Tea — Determination of loss in mass at 103 degrees C

ISO 1575: 1987, Tea — Determination of total ash

ISO 1576: 1988, Tea — Determination of water-soluble ash and water-insoluble ash

ISO 1577: 1987, Tea — Determination of acid-insoluble ash

ISO 1578: 1975, Tea - Determination of alkalinity of water-soluble ash

ISO 1839: 1980, Tea - Sampling

ISO 3103, Tea — Preparation of liquor for use in sensory tests

ISO 5498: 1981, Agricultural food products — Determination of crude fibre content — General Method

ISO 6579, Microbiology of food and animal feeding stuffs — Horizontal method for the detection of Salmonella spp

ISO 6888-1, Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species)

ISO 7251, Microbiology of food and animal feeding stuffs — Horizontal method for the detection and enumeration of presumptive Escherichia coli — Most probable number technique

ISO 9768: 1990, Tea — Determination of water extract

ISO 14502-1, Determination of substances characteristic of green and black tea — Part 1: Content of total polyphenols in tea – Colorimetric method using Folin — Ciocalteu reagent

ISO 14502-2, Determination of substances characteristic of green and black tea — Part 2: Content of catechins in green tea — Method using high-performance liquid chromatography

ISO 15598, Tea — Determination of crude fibre content

ISO 16649-2, Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of glucuronidase-positive Escherichia coli — Part 2: Colony-count technique at 44 °C using 5-bromo-4-chloro-3-indolyl-D-glucuronide

ISO 21527-2, Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of yeasts and moulds — Part 2: Colony count technique in products with water activity less than or equal to 0.95

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### green tea

Tea derived solely and exclusively, and produced by acceptable processes, notably enzyme inactivation and commonly rolling or comminution, followed by drying, from the tender leaves, buds and shoots of varieties of the species *Camellia sinensis* (*Linnaeus*) O. Kuntze, known to be suitable for making tea for consumption as a beverage

## 4 Requirements

## 4.1 General Requirements

- **4.1.1** Green tea shall be:
  - a) free from foreign and extraneous matter;
  - b) free from taint, and shall have the characteristics, appearance, colour and taste of green tea;
  - free from living insects, moulds, filth and adulterants; and
  - d) free from added colouring matter and harmful substances;
- **4.1.2** Green tea shall be free from taint, and shall have the characteristics, appearance, colour and taste of green tea, when examined by sensory analysis.
- 4.1.3 The green tea shall be free from any additives such as colouring agents and flavourings

#### 4.2 Specific requirements

Green tea shall comply with the specific requirements specified in Table 1 when tested in accordance with test methods specified therein.

The requirements specified in Table 1, except for water extract, shall be determined using a ground sample prepared in accordance with ISO 1572.

Table 1 — Specific requirements for green tea

Characteristic	Requirement	Test method
Moisture content, %, (m/m), max.	7	ISO 1573
Water extract, % (m/m), min.	32	ISO 9768
Total ash, %, (m/m)	4-8	ISO 1575
Water-soluble ash of total ash, %, (m/m); min.	45	ISO 1576
Alkalinity of water-soluble ash (as KOH), %, (m/m)	1.0 <sup>a-</sup> 3.0 <sup>a</sup>	ISO 1578
Acid-insoluble ash, %, (m/m), max.	1.0	ISO 1577
Crude fibre, %, (m/m), max.	16.5	ISO 5498/15598 <sup>b</sup>
Total catechins, %, (m/m), min.	7	ISO 14502-2
Total polyphenols, %, (m/m), min.	11	ISO 14502-1

NOTE 1 Apart from moisture content, other parameters are calculated on dry basis.

NOTE 2 The minimum ratio of Total catechins to Total polyphenols shall be 0.5.

- minimum 17.8
- maximum 53.6

## 5 Hygiene

- **5.1** Green tea shall be processed and handled in a hygienic manner in accordance with EAS 39.
- **5.2** Green tea shall comply with microbiological requirements specified in Table 2 when tested in accordance with test method stated therein.

Table 2 — Microbiological limits for green tea

S/N		micro-organism	Maximum limits	Test method
	j.	Yeasts and Moulds, CFU/g	10 <sup>4</sup>	ISO 21527-2
	ii.	E. Coli, CFU/g	Absent	ISO 16649-2

#### 6 Contaminants

When tested in accordance with Annex A, the amount of iron filings in green tea shall not exceed 50 mg/kg.

#### 7 Pesticide residues

Green tea shall comply with the maximum residue limits established by the Codex Alimentarius Commission.

<sup>&</sup>lt;sup>a</sup> When the alkalinity of water-soluble ash is expressed in terms of millimoles of KOH per 100g of ground sample, the limits shall be:

The specific method for the determination of crude fibre in tea is specified in ISO 15598, however for the purpose of routine estimation, the general method specified in ISO 5498 is adequate. In cases of dispute, the method of determination should always be that specified in ISO 15598. The requirement of 16.5 % mass fraction remains unchanged regardless of the method used.

## 8 Sampling

Samples shall have been taken in accordance with ISO 1839.

Liquor for the sensory assessment shall be prepared in accordance with ISO 3103.

## 9 Packaging

The product shall be packaged in closed, clean and dry materials which do not compromise the quality and safety of green tea.

# 10 Labelling

In addition to the requirements specified in EAS 38, each package of the green tea shall be legibly and indelibly marked with the following:

- a) name of the product as "Green Tea";
- b) name and physical address of the manufacturer/packer/importer/exporter;
- c) date of manufacture;
- d) best before;
- e) identification number;
- f) net weight in g or kg;
- g) country of origin; and
- h) instruction for use and storage.

# **Annex A**

(normative)

# **Annex title**

# A.1 Apparatus

- A.1.1 Magnet (at least 4 000 gauss)
- A.1.2 Polythene sheet
- A.1.3 Petridish

#### A.2 Procedure

- A.2.1 A known amount of (25 g) tea is spread evenly on petridish
- **A.2.2** A powerful magnet wrapped in polythene sheet is run over the sample repeatedly till no more iron filings cling to the magnet
- A.2.3 Collect the iron filings in a clean, dry and previously weighed petridish
- A.2.4 Note down and express the mass of iron filings as mg/kg

## A.3 Calculation

$$Iron\ fillings = \frac{M_{1\times1000}}{M_{2}}$$

Where;

M<sub>1</sub>=Mass, in g, of iron filings, and

M<sub>2</sub>=mass, in g, of sample taken for the test.

