

NISAR Quality Assurance (QA) Report


Input RSLC HDF5 Granule ID :
(NOT SPECIFIED)

QA Software Version : 17.1.0
QA Processing Date : 2026-08-04T21:32:22 UTC


Input RSLC HDF5 Metadata	Value
softwareVersion	0.26.0-dev+71e838a59
absoluteOrbitNumber	2188
compositeReleaseId	A10000
diagnosticModeFlag	0
frameNumber	1
hasInputDataException	0
instrumentName	LSAR
isDithered	True
isFullFrame	False
isGeocoded	False
isJointObservation	False
isMixedMode	False
isUrgentObservation	False
listOfFrequencies	['A', 'B']
listOfPolarizations (frequency A)	['HH', 'HV']
listOfPolarizations (frequency B)	['HH', 'HV']
lookDirection	Left
missionId	NISAR
orbitPassDirection	Descending
plannedDataId	['dtid_2025363023432']
plannedObservationId	['oid_2025363023436']
platformName	NISAR
processingCenter	JPL
processingDateTime	2026-08-04T19:17:56
processingType	Custom
productDoi	(NOT SPECIFIED)
productLevel	L1
productSpecificationVersion	1.5.0
productType	RSLC
productVersion	0.1.0
radarBand	L
trackNumber	1
zeroDopplerEndTime	2025-12-29T02:40:52.999284756
zeroDopplerStartTime	2025-12-29T02:40:46.000000000

RSLC Backscatter Coefficient (β^0)

RSLC_L_A_HH




RSLC Backscatter Coefficient (β^0)
RSLC_L_A_HV




RSLC Backscatter Coefficient (β^0)

RSLC_L_B_HH




RSLC Backscatter Coefficient (β^0)


RSLC_L_B_HV




RSLC Backscatter Coefficient (β^0) Histograms
L-band Frequency A




LSAR Frequency A Phase Histograms




RSLC Backscatter Coefficient (β^0) Histograms
L-band Frequency B




LSAR Frequency B Phase Histograms



Range Power Spectra for Frequency A




Range Power Spectra for Frequency B




Azimuth Power Spectra for Frequency A


Near-Range (columns 0-1024)



Mid-Range (columns 26835-27859)




Far-Range (columns 53670-54694)




Azimuth Power Spectra for Frequency B

Near-Range (columns 0-1024)



Mid-Range (columns 2906-3930)



Far-Range (columns 5813-6837)

