



POLITECNICO DI MILANO

SOFTWARE ENGINEERING 2 PROJECT  
A.Y. 2015-16

**MyTaxiService**  
**Project Plan Document**  
Version 1.0

CASATI Fabrizio, 853195  
CASTELLI Valerio, 853992

Referent professor: DI NITTO Elisabetta

January 26, 2016

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Revision History . . . . .	1
1.2	Purpose and scope . . . . .	1
1.3	Definitions, Acronyms, Abbreviations . . . . .	2
1.3.1	Definitions . . . . .	2
1.3.2	Acronyms . . . . .	2
1.3.3	Abbreviations . . . . .	2
1.4	Reference Documents . . . . .	2
<b>2</b>	<b>Project size, cost and effort estimation</b>	<b>3</b>
2.1	Size estimation: function points . . . . .	3
2.2	Cost and effort estimation: COCOMO . . . . .	4
<b>3</b>	<b>Schedule</b>	<b>6</b>
<b>4</b>	<b>Resource allocation</b>	<b>7</b>
<b>5</b>	<b>Risk management</b>	<b>8</b>
<b>6</b>	<b>Conclusions</b>	<b>9</b>
	<b>Appendix A Hours of work</b>	<b>10</b>

# Chapter 1

## Introduction

### 1.1 Revision History

Version	Date	Author(s)	Summary
1.0	26/01/16	Valerio Castelli & Fabrizio Casati	Initial release

### 1.2 Purpose and scope

This document represents the Project Plan Document for myTaxiService.

Its main purpose is to analyze the expected complexity of myTaxiService and assist the project leader in the delicate phase of cost and effort estimation. This information can be subsequently used as a guidance to define the required budget, the resources allocation and the schedule of the activities.

In the first section, we're going to use the Function Points and CO-COMO approaches together to provide an estimate of the expected size of myTaxiService in terms of lines of code and of the cost/effort required to actually develop it.

In the second section, we'll reuse these figures to propose a possible schedule for the project that covers all activities from the requirements identification to the implementation and testing activities.

In the third section we're going to assign the different members of our development group to the various tasks.

Finally, we're going to elaborate on the possible risks that myTaxiService could face during the various phase of the project and provide some general conclusions.

## 1.3 Definitions, Acronyms, Abbreviations

### 1.3.1 Definitions

### 1.3.2 Acronyms

- FP: Function Points.
- ILF: Internal logic file
- ELF: External logic file.
- EI: External Input.
- EO: External Output.
- EQ: External Inquiries.
- DBMS: Database Management System.
- API: Application Programming Interface.
- ETA: Estimated Time of Arrival.
- UI: User Interface.
- GPS: Global Positioning System.

### 1.3.3 Abbreviations

## 1.4 Reference Documents

- Assignment document: Assignment 5 - Project Plan.pdf
- myTaxiService Requirement Analysis and Specification Document: RASD.pdf
- The Project Plan Example documents: Example of usage of FP and COCOMO for Assignment 5.pdf and Second example of usage of FP and COCOMO for Assignment 5.pdf
- The Function Points complexity evaluation tables.
- The COCOMO II Model Definition Manual (version 2.1, 1995 – 2000 Center for Software Engineering, USC).

## Chapter 2

# Project size, cost and effort estimation

This section is specifically focused on providing some estimations of the expected size, cost and required effort of myTaxiService.

For the size estimation part we will essentially use the Function Points approach, taking into account all the main functionalities of myTaxiService and estimating the correspondent amount of lines of code to be written in Java. This estimation will only take into account the parts of the project that concur to the implementation of the business logic and will disregard the aspects concerning the user interface.

For the cost and effort estimation we will instead rely on the COCOMO approach, using as in initial guidance the amount of lines of code computed with the FP approach.

### 2.1 Size estimation: function points

The Function Points approach provides an estimation of the size of a project taking as inputs the amount of functionalities to be developed and their complexity.

The estimation is based on the usage of figures obtained through statistical analysis of real projects, which have been properly normalized and condensed in the following tables:

For Internal Logic Files and External Logic Files

	Data Elements		
<i>Record Elements</i>	<i>1-19</i>	<i>20-50</i>	<i>51+</i>
1	Low	Low	Avg
2-5	Low	Avg	High
6+	Avg	High	High

For External Output and External Inquiry

	Data Elements		
<i>File Types</i>	<i>1-5</i>	<i>6-19</i>	<i>20+</i>
0-1	Low	Low	Avg
2-3	Low	Avg	High
4+	Avg	High	High

For External Input

	Data Elements		
<i>File Types</i>	<i>1-4</i>	<i>5-15</i>	<i>16+</i>
0-1	Low	Low	Avg
2-3	Low	Avg	High
4+	Avg	High	High

UFP Complexity Weights

	Complexity Weight		
<i>Function Type</i>	<i>Low</i>	<i>Average</i>	<i>High</i>
Internal Logic Files	7	10	15
External Logic Files	5	7	10
External Inputs	3	4	6
External Outputs	4	5	7
External Inquiries	3	4	6

## 2.2 Cost and effort estimation: COCOMO

Internal Logical File (ILF): homogeneous set of data used and managed by the application –i tabelle che memorizziamo (utenti per loggarsi/admin?, dati tassisti, dati zone, code x zona (e non solo), reservation, request (pending/soddisfatte), stato taxi, elenco app registrate x API con permissions, elenco permissions (in generale), settings x utenti?, dati statistici?)

External Interface File (EIF): homogeneous set of data used by the application but generated and maintained by other applications –i dati del mapping service

External Input Elementary operation to elaborate data coming from the external environment –i login/logout, password retrieval, change settings for user, insert/update/delete zones, insert/update/delete taxi (drivers), register new passenger, delete passenger, new request, new reservation, delete reservation, accept ride, refuse ride, set availability, end ride, request stats, insert new app API key, refuse App API key, view reservation history

External Output Elementary operation that generates data for the ex-

ternal environment It usually includes the elaboration of data from logic files – $\hookrightarrow$  notification to taxi driver that he has been assigned to a request/drive, notification to passenger that his request has been accepted / refused (no one is able to serve him), notify driver his zone has changed, notify driver his position in zone queue has changed...

External Inquiry Elementary operation that involves input and output Without significant elaboration of data from logic files – $\hookrightarrow$  taxi driver request his position in zone queue, passenger request his reservation history, show stats (only if precomputed), get taxi drivers in the system, get zones (admin.), get list of approved app APIs, get list of passengers

## Chapter 3

# Schedule



## Chapter 4

# Resource allocation

## Chapter 5

# Risk management

## Chapter 6

# Conclusions

## Appendix A

# Hours of work

To redact this document, we spent ?? hours per person.