



Catalog

Browse deployments and reusable assets without owning their storage.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-catalog



When this library is useful

Browse deployments and reusable assets without owning their storage.

01

Find a deployment

Search, filter and compare models or applications.

02

Inspect details

Show capabilities, tools, pricing and limits.

03


Act on a selection

Pick, favorite, share or publish through host callbacks.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Catalog display, search/filter interactions and composed detail surfaces.



The public contract to start with

Catalog · selected surface; full API index is in the bundle.

Input or operation	Contract
items	CatalogItem[]
favorites	CatalogItem[]
onUseInChat (optional)	((item: CatalogItem) => void)
onToggleFavorite (optional)	((id: string, isStarred: boolean) => void)



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.

```
function CatalogDemo({ items, onPick }: {  
  items: CatalogItem[]; onPick: (item: CatalogItem) => void;  
}) {  
  return <Catalog items={items} favorites={[]}  
    onUseInChat={onPick} isFavoriteVisible={() => false} />;  
}
```

Full example: [examples/catalog.tsx](#) · uses [@epam/ai-dial-catalog](#)



Wire a realistic host workflow

Keep catalog focused on its public responsibility.

01

Prepare catalog items

Load deployment data and map it to CatalogItem records.

02

Connect item actions

Supply use, favorite and detail callbacks for the workflow.

03

Reflect host state

Pass updated favorites and item data back to the catalog.



Choose the headless entry

Mapping consumers can avoid the full catalog UI.

```
import { filterCatalogItems, CredentialsLevel }  
  from '@epam/ai-dial-catalog/mapping';  
  
const matches = filterCatalogItems(items, 'demo');  
const level = CredentialsLevel.User;
```

Focused source-backed example · see [examples/](#) and [content/api-index.md](#).



Available customization

01

Two view modes

Card and list views
window visible rows.

02

Headless subpath

The /mapping entry
exposes catalog
mapping helpers and
enums.

03

Action policies

Callbacks and visibility
predicates control
available item actions.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	skills/src/components/SkillDetailsSidePanel/SkillDetailsSidePanel.tsx
Test evidence	renders the My checkbox
Test evidence	does not show a selected border or checkmark by default



Constraints that affect integration

01

Large prop surface

Configure the actions required by the host workflow.

02

Dependency boundary

The implementation uses the UI Kit grid and catalog/publish composition.

03

Source beats old docs

Do not copy the README peer list without checking package.json.