



Conversation panel

Navigate a large conversation history with a small visible list.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-conversation-panel



When this library is useful

Navigate a large conversation history with a small visible list.

01

Resume work

Select a conversation from a grouped history list.

02

Find context

Search titles and filter by source.

03


Manage history

Expose rename, move, pin and transfer actions.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Windowed rows, grouping, search UI and per-row interaction.



The public contract to start with

ConversationPanel · selected surface; full API index is in the bundle.

Input or operation	Contract
conversations	ConversationItem[]
onSelectConversation	(id: string) => void
onNewChat	() => void
labels	ConversationPanelLabels



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.

```
<ConversationPanel
  isOpen
  conversations={[{ id: 'demo', title: 'Demo chat' }]}
  activeConversationId={active}
  onSelectConversation={setActive}
  onNewChat={onNewChat}
  labels={labels}
/>
```

Full example: [examples/conversation-panel.tsx](#) · uses [@epam/ai-dial-conversation-panel](#)



Wire a realistic host workflow

Keep conversation panel focused on its public responsibility.

01

Load summaries

Supply conversation ids, titles and the active id.

02

Handle selection

Use `onSelectConversation` to choose a host-owned route.

03

Load the transcript

The host loads messages for the selected conversation.



Available customization

01

Stable row data

Items carry title, source, pinned state and optional unread/task badges.

02

Action extension

getActions and onActionMenuOpen inject row actions.

03

Transfer surfaces

Transfer queues and rename dialogs are separate public components.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	chat/components/ConversationPanel/ConversationPanelView.tsx
Test evidence	renders a tab for each filter
Test evidence	renders a skeleton when isLoading is true



Constraints that affect integration

01

Preserve ordering

The host supplies an already-ordered flat list.

02

Selection is not routing

`onSelectConversation` returns an id for the host to interpret.

03

Virtualized content

Only a subset of rows exists in the DOM at a time.