



Settings panel

Provide accessible vertical selection for settings pages.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-settings-panel



When this library is useful

Provide accessible vertical selection for settings pages.

01

Switch settings

Render a compact navigation list beside host content.

02

Use a keyboard

Move among enabled rows with arrows, Home and End.

03


Keep one selection

The host controls activeId.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Vertical tab interactions, focus movement and selected styling.



The public contract to start with

SettingsPanel · selected surface; full API index is in the bundle.

Input or operation	Contract
items	SettingsPanellItem[]
activeId	string
onSelect	(id: string) => void
sectionLabel (optional)	string



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.


```
function SettingsDemo() {
  const [activeId, setActiveId] = useState('usage');
  return <SettingsPanel sectionLabel="Demo settings" activeId={activeId}
    onSelect={setActiveId} items={[
      { id: 'usage', label: 'Usage' }, { id: 'profile', label: 'Profile' },
    ]} />;
}
```

Full example: [examples/settings-panel.tsx](#) · uses [@epam/ai-dial-settings-panel](#)



See controlled selection in the browser

Reproducible demo · actual workspace source components



Host-owned choice

The host passes `activeId` and updates it through `onSelect`. Selecting `Profile` changes the highlighted row.

DEMO · real components rendered from this source snapshot



Wire a realistic host workflow

Keep settings panel focused on its public responsibility.

01

Choose the active item

Map application state to the panel's `activeId`.

02

Handle selection

`onSelect` returns the chosen item id to the host.

03

Show the chosen view

The host renders the matching settings content beside it.



Available customization

01

Disabled rows

Keyboard navigation skips disabled items.

02

Automatic activation

Focus movement also invokes selection.

03

Single item state

One selected row uses a neutral visual treatment.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	chat/pages/SettingsPage/SettingsPage.tsx
Test evidence	renders one tab per item



Constraints that affect integration

01

Panel content is external

Selection does not create or load a settings page.

02

Keep ids coherent

activeId must correspond to the intended item.

03

No route knowledge

A route change is the host onSelect implementation.