



Share

Present a share link and access choices without issuing the link.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-share



When this library is useful

Present a share link and access choices without issuing the link.

01

Share a resource

Show a link or a scannable QR view.

02

Represent access

Display view/edit access values as a list.

03


Handle pending work

Show host loading and failure states.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Link/QR presentation, copy interactions and access controls.



The public contract to start with

SharePopover · selected surface; full API index is in the bundle.

Input or operation	Contract
url	string
access	ShareLinkAccess[]
onAccessChange	(access: ShareLinkAccess[]) => void
canEditAccess	boolean



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.

```
function ShareDemo({ onClose }: { onClose: () => void }) {  
  const [access, setAccess] = useState([ShareLinkAccess.View]);  
  return <SharePopover url="https://example.com/demo-share"  
    isLoading={false}  
    error={null} access={access} canEditAccess={false}  
    onAccessChange={setAccess} onClose={onClose} />;  
}
```

Full example: [examples/share.tsx](#) · uses [@epam/ai-dial-share](#)



Wire a realistic host workflow

Keep share focused on its public responsibility.

01

Obtain a share link

The host calls its sharing operation and supplies the URL.

02

Control link access

Pass allowed access values and permission to edit them.

03

Reflect request state

Pass the updated URL, loading state and any error.



Available customization

01

Typed access

ShareLinkAccess represents view and edit levels.

02

Separate QR component

QrCode can be used outside the popover.

03

Explicit errors

url may be undefined while loading; error is supplied separately.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	apps/chat-api/src/share/dto/create-share-link.dto.ts
Test evidence	renders the link view by default with Can view access



Constraints that affect integration

01

Access is not cosmetic

Real access changes require the host to request the appropriate link.

02

No permission enforcement

`canEditAccess` controls UI, not backend authorization.

03

Named root export

Import `SharePopover` by name from the package entry.