



Sidebar

Give feature panels a common resizable shell.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-sidebar



When this library is useful

Give feature panels a common resizable shell.

01

Add a panel

Compose a header, actions and scrollable content.

02

Resize a workspace

Use a bounded width with a resize callback.

03


Handle empty data

Use `PanelEmpty` or `PanelNoResults` consistently.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Panel structure, resize interaction, visibility and empty-state primitives.



The public contract to start with

SidebarPanel · selected surface; full API index is in the bundle.

Input or operation	Contract
isOpen	boolean
orientation	SidebarOrientation
children	ReactNode
onResizeStop (optional)	((width: number) => void)



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.

```
<SidebarPanel
  isOpen title="Demo sources"
  orientation={SidebarOrientation.Right}
  resizable defaultWidth={width} onResizeStop={setWidth}
  labels={{ ariaLabel: 'Demo sources', closeLabel: 'Close' }}
>
  <p>Host-provided content</p>
</SidebarPanel>
```

Full example: [examples/sidebar.tsx](#) · uses [@epam/ai-dial-sidebar](#)



Wire a realistic host workflow

Keep sidebar focused on its public responsibility.

01

Open host content

Supply `isOpen`, title and the panel's child view.

02

Resize the panel

Enable resizing and handle `onResizeStop`.

03

Retain the width

Store the final width in the host if it must survive remounts.



Available customization

01

Logical placement

`SidebarOrientation` selects the desired panel side.

02

Header slots

`leftActions` and `rightActions` are public API slot names.

03

Width bounds

`defaultWidth`, `minWidth` and `maxWidth` configure resizing.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	source-panel/src/components/ConversationSourcesPanel/ ConversationSourcesPanel.tsx
Test evidence	renders children in the body
Test evidence	marks the aside element found by its role



Constraints that affect integration

01

No built-in search

Compose search in children or header actions.

02

Persistence is external

onResizeStop reports width; the host decides where to save it.

03

Contextual visibility

Keep the parent layout and isOpen state synchronized.