



Skills

Select a reusable skill without coupling the picker to sending.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-skills



When this library is useful

Select a reusable skill without coupling the picker to sending.

01

Choose a favorite

Select a host-resolved favorite skill.

02

Inspect a skill

Open a host-backed detail panel.

03


Attach context

Display a selected skill chip next to the composer.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Favorite list, chip, details composition and selection-overlay state.



The public contract to start with

FavoriteSkillsPanel · selected surface; full API index is in the bundle.

Input or operation	Contract
favorites	FavoriteSkillItem[]
onSelect	(item: FavoriteSkillItem) => void
onViewDetails	(item: FavoriteSkillItem) => void
onBrowse	() => void



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.

```
<FavoriteSkillsPanel
  {...host}
  favorites={[{
    id: 'skills/demo/review',
    name: 'Demo review',
    description: 'Review demo content',
  }]}
/>
// host supplies select, favorite, browse and detail callbacks.
```

Full example: [examples/skills.tsx](#) · uses [@epam/ai-dial-skills](#)



Wire a realistic host workflow

Keep skills focused on its public responsibility.

01

Load favorites

Supply favorite skill records and localized labels.

02

Handle selection

Use the selection callback to choose a skill in the host.

03

Connect discovery

Browse and detail callbacks open host-owned surfaces.



Available customization

01

Overlay state hook

`useSkillSelectorOverlay`
coordinates favorites,
browse and details.

02

Capability input

A plain support flag
controls skill entry
points.

03

Composable detail view

`SkillDetailsSidePanel`
uses the catalog
`DetailsPanel` contract.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	chat/components/SkillSelector/useSkillSelectorOverlay.tsx
Test evidence	stamps the composer chip



Constraints that affect integration

01

Unsupported deployment

A selected chip can remain visible in its error state.

02

No automatic attachment

The host decides how a skill enters the request.

03

Keep identifiers intact

The favorite item id is the resource identifier supplied by the host.