



Starter buttons

Offer prompt starters that fit the available space.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-starter-buttons



When this library is useful

Offer prompt starters that fit the available space.

01

Start a conversation

Expose useful first actions before the user types.

02

Handle narrow screens

Move excess choices to the overflow menu.

03


Keep behavior explicit

The host decides what a selected starter does.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Starter layout, available-space measurement and overflow controls.



The public contract to start with

StarterButtons · selected surface; full API index is in the bundle.

Input or operation	Contract
starters	StarterOption[]
onSelect	(starter: StarterOption) => void
labels	StarterButtonsLabels
isCollapsible (optional)	boolean



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.

```
function StartersDemo({ starters, onSelect }: {  
  starters: StarterOption[]; onSelect: (starter: StarterOption) => void;  
}) {  
  return <StarterButtons starters={starters} onSelect={onSelect}  
    labels={{ list: 'Demo starters', overflow: 'More starters' }} />;  
}
```

Full example: [examples/starter-buttons.tsx](#) · uses [@epam/ai-dial-starter-buttons](#)



Wire a realistic host workflow

Keep starter buttons focused on its public responsibility.

01

Choose starter options

The host supplies the available starter records.

02

Render choices

StarterButtons handles the list and overflow presentation.

03

Apply the selection

Use onSelect to fill or send content through the host.



Available customization

01

Responsive overflow

Measured space determines which options remain visible.

02

Collapse policy

`isCollapsible` changes the overflow behavior.

03

Accessible names

`labels` names the list and the overflow action.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	<code>chat/components/StarterButtons/StarterButtons.tsx</code>
Test evidence	collapses the starters that do not fit into an overflow menu by default
Test evidence	stamps the list and the wrapper around it



Constraints that affect integration

01

Use the actual shape

StarterOption includes `const` and `dial:widgetOptions`.

02

No completion side effect

Selecting emits a value; the host controls submission.

03

Layout needs space

Render inside the actual constrained input area.