



Usage dashboard

Explain cost and model limits using normalized display data.

Problem and boundary

Public contract

Working integration

@epam/ai-dial-usage-dashboard



When this library is useful

Explain cost and model limits using normalized display data.

01

Inspect a budget

Display used, remaining and total amounts.

02

Compare periods

Show the current UTC day, week and month.

03

Find constraints

Compare model-token and overall cost limit statuses.



Follow the ownership boundary

Inputs and effects stay explicit.



Library: Usage cards/tables plus exported mapping utilities.



The public contract to start with

UsageLimitCard · selected surface; full API index is in the bundle.

Input or operation	Contract
data	UsageLimitCardData
labels	UsageLimitCardGroupLabels
styles (optional)	UsageLimitCardGroupStyles



A minimal workspace integration

TypeScript / React example · imports and host setup abridged.


```
<UsageLimitCard labels={labels} data={{
  title: 'Today', periodDescription: 'Today',
  used: 3, total: 10,
  usedLabel: '$3', totalLabel: '$10',
  remainingLabel: '$7', usedPercent: 30,
  status: UsageLimitStatus.Default,
  progressAriaLabel: 'Demo: 3 of 10, 30 percent used',
}} />
```

Full example: [examples/usage-dashboard.tsx](#) · uses [@epam/ai-dial-usage-dashboard](#)



See preformatted usage data in context

Reproducible demo · actual workspace source components



Host-owned values

The host supplies \$3 used, a \$10 limit, 30% and a status. The card presents these demo values.

DEMO · real components rendered from this source snapshot



Wire a realistic host workflow

Keep usage dashboard focused on its public responsibility.

01

Prepare usage data

The host maps raw usage to the card's normalized data.

02

Format the values

Supply amount labels, percentage, status and optional reset text.

03

Render the summary

The card presents the values and accessible progress text.



Available customization

01

Semantic states

UsageLimitStatus distinguishes normal, warning and reached states.

02

Accessible progress

Supply preformatted progressAriaLabel and reset text.

03

Mapping exports

Usage-to-dashboard and model-limit mapping helpers are public exports.



Find the integration and its checks

Existing tests are evidence of intended behavior; suite results are not claimed.

Evidence	Where to look
Real consumer	chat/pages/SettingsPage/UsageTab/UsageTab.tsx
Test evidence	renders the title, used amount and "used of" caption
Test evidence	renders the row count separately in the section heading



Constraints that affect integration

01

Calendar periods

Today/week/month are calendar windows, not rolling durations.

02

Components and helpers

Cards consume display data; exported helpers do perform mapping.

03

Isolation discrepancy

Mapping source imports generated API DTOs outside the documented exception.