

UI DESIGN PORTFOLIO — INTERNAL SYSTEM

Dourmouse Design System

Atlas research engine, product lab, agent orchestration
UI, and the Tailscale mesh feed — visual language,
components, and full screen designs.

Design language

Four decisions shape every screen in this system. They exist because this is an operations tool for one person's real infrastructure, not a consumer app.

01 — DENSITY OVER DECORATION

A founder monitoring live trading candidates and agent threads needs numbers, not whitespace. Every panel prioritizes information density; decoration is limited to what aids scanning (color-coded status, monospace alignment).

02 — STATUS IS ALWAYS COLOR-CODED

Green, amber, red, and cyan carry fixed meaning system-wide: pass/complete, waiting/probation, dead/failed, running/live. No exceptions — a color never means something different on a different screen.

03 — MONOSPACE THROUGHOUT

One typeface family for the entire system. This is a technical instrument, not a marketing surface — numbers and logs must align, and a terminal typeface signals "this is real infrastructure," not a mockup.

04 — NOTHING RISKY WITHOUT A GATE

Every screen that can trigger a real action — deleting a file, sending an email, killing automation — visually distinguishes that action (red outline, explicit confirm state) from passive status display.

Palette

A near-black navy base with a single cyan accent for identity, and four fixed status colors used identically across every screen.

Background #0A0E14 Base canvas, all screens	Panel #0F1520 Cards, rows, primary containers	Panel Alt #131A26 Sidebar, nested containers	Border #1E2A3A Dividers, card outlines
Cyan — Identity #4DD8E8 Brand accent, running/live status	Green — Pass #4ADE80 Complete, validated, ready	Amber — Wait #FACC15 Probation, needs approval	Red — Dead/Fail #F87171 Killed, failed, kill switch
Purple — Agent #A78BFA Agent-to-agent identity in feeds	Text Primary #C8D6E0 Body text, values	Text Dim #5F7386 Labels, meta, secondary info	White #FFFFFF Headings, high-emphasis values

Type scale

SF Mono / Courier New monospace stack, used at every weight and size in the system — no secondary typeface.

Display

88px / 700 / -1px tracking

Dourmouse

Section title

42px / 700

Atlas Engine

Card value

20px / 500

2,847

Body / row text

12-13px / 400

Track A — Structural spreads · crush, hog-corn, cattle, crack

Label / eyebrow

10-11px / 400 / 1-3px tracking, uppercase

CANDIDATES TESTED

Badge / status

9.5px / 400 / uppercase

COMPLETEPROBATIONFAILED

Timestamp / meta

9.5-10px / dim color

SESSION_20260811 · 09:42:17

Core patterns

The same handful of components reused across every screen – status badges, rows, cards, and action buttons.

STATUS BADGES

PASS / COMPLETE

PROBATION

DEAD / FAILED

RUNNING / TESTING

STATUS ROW

● admin_ops

READY

● jarvis

RUNNING

ACTIONS

CONFIRM

DISMISS

STOP ALL AUTOMATION

STAT CARD

CANDIDATES TESTED

2,847

FEED ENTRY

atlas-jarvis handoff: fx_daily result

09:41:52

PROGRESS TASK

Sort receipts → Sheet

Step 3 of 5

Atlas Engine



WHY THIS LAYOUT

Three-stat header answers "how much has actually been tested" in one glance before any detail row.

COLOR USE

Cyan dot = live and running. Green = confirmed pass. Red = confirmed dead — never reused for anything else on this screen.

DATA SOURCE

Live-pulled from the Atlas research pipeline; every number traces to a logged test result, never estimated.

Product Lab

D.O.U.R.M.O.U.S.E. // PRODUCT LAB

VALIDATED STRATEGIES — ELIGIBLE FOR PRODUCTIZATION

DUAL MOMENTUM

6 / 6 PASS

holdout t = 4.51

walk-forward p = 0.001

bootstrap P(<=0) = 0.0000

survives 5x costs

USDJPY NEWS DRIFT

4 / 6 — probation

holdout t = 3.78

vintage audit — clean

real only since 2022

kill gate: 30-60 events

NOT PRODUCTIZABLE — CONFIRMED DEAD

● Commodity seasonal calendar trades

VOID

● Dollar-basket EUR/USD under-reaction

NO SIGNAL

WHY THIS LAYOUT

Two-column comparison puts a full pass beside a probationary result so the gap in confidence is visually obvious, not just numeric.

STAT BLOCK PATTERN

Every claim is a labeled metric with its actual value — no unsupported "looks promising" language anywhere in this system.

EXPLICIT BOUNDARY

This tab is internal-only by design — nothing here implies a customer-facing product exists yet.

Dourmouse / Jarvis

D.O.U.R.M.O.U.S.E. // AGENT DISPATCH

23 ACTIVE THREADS · BACKEND: GEMMA4:E4B

ACTIVE THREADS

23

BACKEND MODEL

gemma4:e4b

MEMORY FACTS

566

AGENT ORCHESTRATION CLUSTER

● admin_ops

file ops, cleanup

READY

● atlas

10 threads

READY

● jarvis

2 threads

RUNNING

WHY THIS LAYOUT

Model identity is shown as a first-class stat, not buried in settings – it changes constantly during this development phase and needs to stay visible.

CLUSTER HIERARCHY

Nesting reflects real delegation order: admin_ops and atlas report up, jarvis is the newest and most actively iterated agent.

STATUS DISCIPLINE

"Ready" (green) is idle-and-available; cyan "Running" is the only state actively consuming inference right now.

Tailscale Mesh Feed

D.O.U.R.M.O.U.S.E. // MESH — AGENT TO AGENT

2 NODES CONNECTED · ENCRYPTED

NODES ONLINE

2

MESSAGES / MIN

18

AVG HANDOFF LATENCY

340ms

LIVE FEED

atlas-jarvis handoff: fx_daily result09:41:52

jarvis-admin_ops request: sort 6 files09:41:38

admin_ops-jarvis ack: awaiting confirm09:41:36

desktop-node connected via mesh09:38:04

WHY THIS LAYOUT

Purple is reserved exclusively for agent identity in this feed — never used elsewhere, so an agent-to-agent message is instantly recognizable.

TRUST SIGNAL

"Encrypted" and node count sit in the header, not buried — this is the one screen where the security model itself needs to be visible.

LATENCY STAT

Included deliberately: mesh handoff speed is a real operational concern given the fanless hardware this all runs on.

END OF PORTFOLIO

Four screens. One system.

Atlas Engine, Product Lab, Dourmouse/Jarvis, and the Tailscale mesh feed all share one palette, one typeface, and one status-color language – built for a single operator monitoring real infrastructure, not a demo.