SAMPLE | For investor review only. Not an order form.

Valid Vault Enterprise Intake Form

Nov 9, 2026 · Michael Carter

This is the question list for the enterprise intake form: what a company needs from Valid Vault, which setup fits them, and what their auditors will ask. Each question lists its choices with a one-line consequence, and the customer decides. Their answers become the signed company settings file that every copy of Valid Vault reads.

Every question is labeled by when its choices take effect. Customers can answer everything now, and choices from later phases are applied when they ship. Unlabeled questions apply from phase 1.


- **Phase 1:** shared company vaults, enrollment, removal with re-keying, executive approval, recovery, and phones that read and fill
- **Phase 2:** IT-managed devices and fill-only members
- **Phase 3:** audit logs, reports, and the termination checklist
- **Later:** the local vault service, USB-only sites, the drop box folder, and automatic contractor end dates

SAMPLE

SAMPLE | For investor review only. Not an order form.

How the form branches

Two answers in section 4 decide which questions come next



form branching · 2 deciding questions

Department or tiered layouts open the department lists. A local vault service swaps the network storage questions for questions about the service machine. IT-managed devices (phase 2) also lock key export and QR key sharing in section 9.

1. About the organization

Always shown. These answers size the setup and suggest which compliance boxes to pre-check in section 10.

#	Question	Choices	What it decides
1.1	Organization name, contact name, role, email	Text	Who the config file and setup are for

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What it decides
1.2	Industry	Healthcare, finance, legal, government or contractor, education, retail, technology, nonprofit, other	Pre-checks likely frameworks: healthcare suggests HIPAA, card payments suggest PCI DSS
1.3	How many people will use Valid Vault	1 to 10, 11 to 50, 51 to 250, 251 to 1,000, over 1,000	Which deployment models fit in section 4
1.4	How many departments or teams need separate access	1, 2 to 5, 6 to 20, over 20	One shared file or department files
1.5	Where people work	One office, several offices, remote staff, sites with no internet (check all)	Storage choices in section 5
1.6	What they use today	Nothing, spreadsheets or documents, browser-saved passwords, another password manager (name it)	Import path at rollout
1.7	Who runs IT	Nobody, a part-time person or outside provider, an in-house team	How much admin work the setup can ask of them

2. Goals and problems to solve

Always shown, as open text boxes. This is where the customer says what they need in their own words, before any checkbox shapes it.

#	Question	Format
2.1	What problem made you look for this?	Text
2.2	What should be true six months after rollout?	Text
2.3	Has a password or access problem caused an incident before? If so, what happened?	Text, optional

SAMPLE | For investor review only. Not an order form.

#	Question	Format
2.4	What must Valid Vault never do in your environment?	Text, optional
2.5	Is there a deadline, such as an audit, an insurance renewal, or a contract start?	Date, optional, with a reason

3. Devices and who owns them

Always shown. Question 3.2 forks: managed devices open 3.3, unmanaged-only skips it.

#	Question	Choices	What each choice means
3.1	Which devices will run Valid Vault	Desktop browsers (Chrome, Edge, Brave), Android phones, both	Desktop uses the extension. Phones receive shared vaults from a desktop by QR, and read and fill them. iPhones are not supported
3.2	Who owns the devices	Company-owned and managed; personal phones with an Android work profile; personal and unmanaged; a mix (check all)	At termination: a managed device is wiped by IT. A work profile is wiped remotely, which removes Valid Vault and its key. An unmanaged personal device keeps its last copy of the vault openable on that device until it is wiped
3.3	How devices are managed	Microsoft Intune, Google Admin or Chrome Enterprise, Windows Group Policy, another MDM (name it)	Shown only for managed or work-profile devices. Decides how the config file and policies are pushed. Without management, IT installs the config file on each device at setup

SAMPLE

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What each choice means
3.4	Do all devices have a fingerprint reader or Windows Hello	All do, some do, not sure	If some lack one, section 9 asks whether a master password fallback is allowed
3.5	Are any devices shared between people, such as shift PCs or front desks	Yes, no	Yes means each person unlocks with their own fingerprint and a short auto-lock is suggested
3.6	May a phone's fingerprint unlock include fingerprints other than the employee's	Yes, no	Phones accept any fingerprint enrolled on them. No means company devices must enroll only the employee's own fingerprint

4. Deployment model

Always shown. This section decides the rest of the form: 4.1 sets how vaults are laid out, and 4.2 sets who holds the keys. Each answer has a "Recommend one for us" option, which we fill from sections 1 to 3.

#	Question	Choices	What each choice means
4.1	How should vaults be laid out	One shared vault for everyone; one vault per department; tiered, with a general vault plus privileged vaults; recommend one for us	One vault is simplest. Department vaults keep each team to its own passwords. Tiered adds vaults only some roles can open, such as IT admin or finance banking
4.2	Who holds the keys	Each employee manages their own unlock (phase 1); IT-managed devices (phase 2); a local vault service (later); recommend one for us	Compared in the table below

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What each choice means
4.3	May employees also keep a personal vault on the same device	Yes, no	Yes keeps a separate personal vault that is never shared, never recovered by the company, and never in the audit log

What each answer to 4.2 means:

Who holds the keys	Who has a copy of the vault	Termination	What a departing employee could keep	Extra setup
Each employee manages their own unlock	Each member's device	Their key is removed from the vault and the vault gets a new key	A copy from before they left, as it was that day, readable with their own key	None
IT-managed devices	Each member's device, under a key locked in its security chip	IT removes the device's key and re-keys the vault, then wipes or collects the device	Nothing, once the device is wiped or returned. Until then, the old copy opens only on that device	IT enrolls every device. Fingerprint only, no master passwords or key files. Phase 2
Local vault service	Only the service, on a machine on the company network	Instant: the service refuses their next request	Nothing. They never had the vault	A machine to run the service, and the extension allowed to reach that one internal address. Premium, available later

SAMPLE

SAMPLE | For investor review only. Not an order form.

Forks: a local vault service skips the folder questions in section 5 and asks about the service machine instead. Department or tiered layouts open the department list in section 6.

5. Storage and the local network

Everything stays on the company's own network or media. Valid Vault reads shared vaults as files through the drive Windows or the NAS already maps. The extension contacts no Valid Vault service, and devices need the office network or VPN to reach the share. Phones sync from a desktop by QR.

For shared vault files (shown unless 4.2 is a local vault service):

#	Question	Choices	What each choice means
5.1	Where shared vaults will live	A NAS (name the brand), a Windows file server, another network drive, USB only for offline sites (later)	Decides setup steps. USB suits sites with no network
5.2	What controls folder access today	Active Directory or Entra ID, the NAS's own user accounts, nothing (one shared login)	With named accounts, folder permissions can keep each department to its own folder. With one shared login, only encryption separates people
5.3	What decides who can join a vault	Admin-signed membership only; signed membership plus folder permissions	Signed membership is always on and holds on any copy, anywhere. Folder permissions add a check on the network that acts instantly. Using both covers each one's gaps
5.4	Add a drop box folder (later)	Yes, no	Employees save new accounts they create into a folder they can only write to. IT reviews them and moves them into the right vault

SAMPLE

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What each choice means
5.5	Is the network storage backed up	Yes, no, not sure	Backups hold encrypted files and are safe to keep. Old backups also hold old versions, readable only by keys that were valid at that time
5.9	Shared vault copies on laptops	Local encrypted copy; network only; set per group	A local copy works away from the office and stays on the laptop, locked by its unlock, until it is wiped. Network only keeps no copy and works only on the office network or VPN, with Windows Offline Files turned off for the share

For a local vault service, available later (shown only when 4.2 is a local vault service):

#	Question	Choices	What each choice means
5.6	Where the service will run	A NAS that runs containers, a Windows or Linux server, a dedicated small PC	That machine holds the vault keys, so its own login and physical access need locking down
5.7	Who can sign in to that machine	Text: names or roles	These people can reach the service itself, so they belong in the audit scope
5.8	Can every office reach it	Yes on one network, yes over a VPN, no	Offices that cannot reach it need their own service or a file model

6. People, roles, and access

Always shown. 6.1 and 6.2 appear only for department or tiered layouts in 4.1.

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What each choice means
6.1	List the departments	Text rows: department name, rough headcount, which vaults it opens	Becomes the vault list and folder layout
6.2	Which privileged vaults are needed, and which roles open them	Text rows, for example IT admin, finance banking, HR, executive	Each becomes its own vault with its own key
6.3	What admins can do	Manage membership only; manage membership and open every vault	Membership-only admins grant and remove access without seeing passwords in vaults they are not part of. In phase 1 the admin device must hold each vault key to add members, so this choice limits what the admin screens show, and the admin device can still open every vault
6.4	How many admins must approve a new member	One; two for privileged vaults; two for every vault	Two approvals stop one admin from granting access alone. Built on multi-executive approval
6.5	Do contractors or temporary staff need access	Yes, no	Yes adds an end date per person. In phase 1 the admin removes them on that date and the vault gets a new key. Automatic removal comes later
6.6	Who can add and edit passwords in shared vaults	Every member; members, with some set read-only; admins only	Read-only members can fill and view but not change entries

SAMPLE

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What each choice means
6.7	Can members see passwords, or only fill them (fill only is phase 2)	See and fill; fill only; set per vault	Fill only means the password is never shown on screen. A technical user could still read a filled field, so it lowers exposure without removing it

7. Joining, role changes, and termination

Always shown. Removal always takes the person's key off the vault and gives the vault a new key, so old keys open nothing new.

#	Question	Choices	What each choice means
7.1	Who sets up a new person	IT, in person; the employee enrolls and an admin approves	IT-managed devices in 4.2 always use IT setup
7.2	When someone changes department	Old access ends at the move; old access ends after a handover period (number of days)	Ending access re-keys the vault they left
7.3	How fast must access end when someone leaves	Within an hour, same day, within 24 hours	Shared vault files end access when an admin removes the person, so the answer sets the admin's response target
7.4	What the termination checklist includes (phase 3)	Passwords the person revealed; that list plus each site's change-password page opened with the generator ready; neither	The revealed list needs reveal logging turned on in section 10
7.5	When a device is lost or stolen	Remove the device and re-key; also wipe it through device management	Wiping needs a managed device or work profile from 3.2

SAMPLE

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What each choice means
7.6	What happens to passwords a departing person added to shared vaults	They stay in the shared vault; they are flagged for review (later)	Their personal vault, if 4.3 allowed one, is never touched by the company

8. Recovery

Always shown. 8.2 to 8.4 appear only with a split recovery key. Recovery covers company vaults only. Personal vaults are never included.

#	Question	Choices	What each choice means
8.1	Should the company be able to recover its vaults	No recovery; a split recovery key	No recovery: a vault stays open while any member still has access, and is lost if every member loses theirs. A split recovery key lets the company reopen any company vault
8.2	How the recovery key is split	Number of holders, and how many must come together, such as 3 of 5	No single holder can open anything alone
8.3	Where the pieces are kept	Printed and locked in separate safes, separate USB drives, other (describe)	Pieces stay offline. Never keep two pieces in the same place
8.4	Run a yearly recovery drill	Yes, no	A drill proves the pieces still exist and the holders know the steps

9. Rules and policies

Always shown. Each rule goes into the signed company settings and employees cannot change it. Rules 9.3 to 9.6, 9.15, and 9.16 apply from the first phase 1 release, and the rest apply as each one ships. IT-managed devices (phase 2) lock the key rules, marked below.

SAMPLE | For investor review only. Not an order form.

#	Rule	Choices	Default
9.1	Unlock methods	Fingerprint or Windows Hello; device PIN; master password fallback (check all allowed)	Fingerprint, with password fallback
9.2	Minimum master password length	12 or more characters	12
9.3	Auto-lock after inactivity	1, 5, 15, or 30 minutes	5 minutes
9.4	Key file export	Allowed, blocked	Allowed. Blocked on IT-managed devices
9.5	Sharing the key by QR	Allowed, blocked	Allowed. Blocked on IT-managed devices
9.6	Encrypted vault file export	Allowed, admins only, blocked	Admins only
9.7	Syncing phones from a desktop by QR	Allowed, blocked	Allowed
9.8	Importing from other password managers	Allowed, admins only	Allowed
9.9	Generated password length	16 to 20, or a fixed minimum	16 to 20
9.10	Autofill into Android apps	Allowed, off	Allowed
9.11	Screenshots and the recent apps preview on phones	Blocked, allowed	Blocked
9.12	Private browser on phones	On, off	On
9.13	Tor mode in the private browser	On, off	Off
9.14	Personal Info and crypto wallet sections in work vaults	Shown, hidden	Hidden
9.15	Wipe the vault and device key after failed unlocks	Off; after 5, 10, or 20 wrong tries	Off

SAMPLE

SAMPLE | For investor review only. Not an order form.

#	Rule	Choices	Default
9.16	BitLocker on company laptops	Required, not required	Required

10. Compliance and audit

Always shown. Logging and reports arrive in phase 3, and answers given now set them up. The frameworks picked in 10.1 pre-select the logging that their auditors usually ask for, and the customer can change any of it.

#	Question	Choices	What each choice means
10.1	Which frameworks or reviews apply	SOC 2; ISO 27001:2022; HIPAA; PCI DSS; NIST SP 800-171 or CMMC; a cyber insurance questionnaire; none; other (check all)	ISO 27001 asks for access control, identity management, authentication information, and prompt removal of access rights (controls 5.15 to 5.18). HIPAA asks for unique user identification and audit controls. PCI DSS asks for strong authentication and logging
10.2	Audit level	Off; basic; full	Basic logs unlocks, failed unlocks, members added or removed, re-keys, policy changes, exports, and recovery. Full also logs every password revealed, filled, edited, or deleted
10.3	Events to add or remove	Checklist of every event in 10.2	Fine-tunes the level picked
10.4	How long logs are kept	90 days, 1 year, 3 years, other	Logs are encrypted and stored with the vaults

SAMPLE

SAMPLE | For investor review only. Not an order form.

#	Question	Choices	What each choice means
10.5	Who can see audit reports	Admins; a named auditor role; department heads, for their own department only	Report access follows roles, so a department head never sees another department's activity
10.6	Report format	On screen, CSV export, printable PDF (check all)	CSV suits auditors and spreadsheets

In phase 3, where logs come from depends on 4.2. In the file models, each member's device writes its own log entries, chained so a deleted entry shows, and signed by that device. With a local vault service, the service writes every entry itself, so no device can skip one. Valid Vault never uses the clipboard, so there is no "password copied" event to log or to leak.

11. Rollout and anything else

Always shown.

#	Question	Format
11.1	Start with a pilot group first	Yes (which team), no
11.2	Target start date	Date
11.3	Where passwords are coming from	Checklist from 1.6, plus how many roughly
11.4	Training wanted	None, a written guide, a live session
11.5	Anything else we should know	Text

Sources

- Bitwarden event logging, the closest open competitor's audit events, used as a benchmark for 10.2
- ISO 27001:2022 access management controls
- ISO 27001:2022 Annex A 5.15