2025 5th International Conference of Science and Information Technology in Smart Administration (ICSINTESA) | 979-8-3315-5699-0/25/$31.00 ©2025 IEEE | DOI: 10.1109/ICSINTESA68165.2025.11413728

Quantum-Driven Reinforcement Learning for Financial Market Prediction and Risk Management

Dhivya Guru
IEEE Senior Member dhivyamadhu2712@gmail.com

***Abstract*—Financial market prediction and trading strategy optimization are critical areas in banking and investment management. Traditional models often struggle with market volatility and risk assessment due to computational limitations. This paper introduces the Quantum Attention Deep Q-Network (QADQN), a reinforcement learning framework integrating quantum computing principles to enhance financial decision-making. The model utilizes a quantum-inspired attention mechanism within a deep Q-learning architecture to identify profitable trading strategies in stock markets. Empirical evaluations on historical data from major indices, including the S&P 500, demonstrate that QADQN outperforms traditional reinforcement learning approaches and benchmark investment strategies. The framework achieves superior risk-adjusted returns, as indicated by higher Sortino ratios and reduced maximum drawdowns. This research contributes to the field of quantitative finance by providing an advanced approach to portfolio management, trading automation, and risk mitigation for banking and financial institutions.**

I. Introduction

Financial ecosystems exhibit inherent complexity and high variability, stemming from multifaceted influences such as macroeconomic metrics, geopolitical tensions, and market sentiment. These dynamic forces challenge the precision and scalability of conventional predictive mechanisms. Traditional statistical tools, such as GARCH-type volatility estimators, often fail to encapsulate nonlinear dependencies and abrupt regime shifts within market behaviors.

While classical models and basic machine learning approaches offer partial predictive capabilities, their capacity to manage heterogeneous, high-dimensional financial inputs remains restricted. Deep learning methods including LSTM and Transformer-based models have emerged as effective temporal sequence learners; however, these methods necessitate substantial computational effort and are sensitive to data irregularities.



Fig. 1. QADQN Agent Architecture: The architecture begins with an LSTM network, which processes the input features along with the previous hidden and cell states (h(t - 1), c(t - 1)) to produce the current hidden and cell states (h(t), c(t)).

Geometric Brownian Motion (GBM) continues to be a cornerstone in stochastic modeling for asset pricing, modeling logarithmic price evolution under normally distributed returns. Despite its analytical simplicity and foundational role in option pricing, GBM assumes continuity and fails to encapsulate fat-tailed event risks or structural breaks.

To mitigate these issues, a hybrid framework—termed QADQN—is presented. It utilizes a Multi-Head Quantum Attention construct replacing standard transformer attention blocks, thereby reducing overhead and enhancing interpretability. Learning efficacy is further refined via modified Q-learning coupled with a replay buffer initialized from a strategy resembling Dual Thrust principles. This combination facilitates better resource exploration and strategic adaptation.

Key contributions include:

- Introduction of quantum-driven attention within a reinforcement agent to highlight significant market indicators.

Authorized licensed use limited to: CBS Library. Downloaded on March 31,2026 at 20:56:10 UTC from IEEE Xplore. Restrictions apply.

- Deployment within a POMDP configuration to accommodate market uncertainties.
- Strategy initialization leveraging imitation-based learning.
- Evaluation through historical data backtesting across major indices, accounting for drawdown, Sharpe, and Sortino metrics.
- Development of a deterministic attention-based policy gradient approach tailored to financial market behavior.

The subsequent sections are organized as follows: Sec. II elaborates on quantum computation and reinforcement learning in financial domains; Sec. III details the structure and components of the QADQN framework; Sec. IV presents empirical assessments and comparisons; Sec. V concludes and discusses future directions.

II. Quantum Finance and Intelligent Systems

A. Quantum Methods for Market Modeling

Quantum computing offers enhanced mechanisms for representing and manipulating portfolio configurations. A financial asset portfolio can be encoded as a quantum state:

$$|\Psi_{\text{portfolio}}\rangle = \sum_i \alpha_i |a_i\rangle, \tag{1}$$

where α_i corresponds to the amplitude (weight) assigned to asset a_i, with the normalization constraint $\sum_i |\alpha_i|^2 = 1$.

Optimization of asset allocation aligns with solving a QUBO:

$$\min f(x) = x^T Q x + c^T x, \tag{2}$$

transformed to a quantum Hamiltonian representation:

$$H = \sum_{ij} Q_{ij} \sigma_i^z \sigma_j^z - \sum_i c_i \sigma_i^z. \tag{3}$$

A solution is approximated via:

$$|\Psi_{\text{opt}}\rangle = \prod_p e^{-i\beta_p H_B} e^{-i\gamma_p H_C} |\Psi_{\text{init}}\rangle, \tag{4}$$

where γ_p and β_p are tunable parameters, and H_B, H_C represent mixing and cost Hamiltonians.

To enhance accessibility for readers without a background in quantum computing, we note that the presented formalism essentially represents financial portfolios as states in a higher-dimensional space. In this space, interactions between assets can be modeled more efficiently than in classical frameworks. For instance, qubits can capture correlations and constraints that are difficult to express in traditional models. This abstraction enables more compact representations and potentially faster optimization but can be understood intuitively as a way of encoding "weighted combinations" of assets in a richer mathematical space.

B. Quantum Reinforcement Dynamics

The optimal action-value function in RL:

$$Q^*(s,a) = \max_\pi \mathbb{E}_\pi \left[\sum_{t=0}^{\infty} \gamma^t r_{t+1} | S_0 = s, A_0 = a \right], \tag{5}$$

can be enhanced using quantum-enhanced exploration strategies. Parameter optimization within quantum circuits:

$$\theta^* = \arg\min_\theta \langle \Psi(\theta) | H | \Psi(\theta) \rangle, \tag{6}$$

requires careful gradient-based calibration and benefits from optimizers designed to work well with attention-based structures such as Lion.

III. Hybrid QADQN Architecture

A. Financial State Encoding

An n-day historical price matrix is defined as:

$$S_t \in \mathbb{R}^{n \times f}, \tag{7}$$

with elements:

$$S_{t,i} = \left[\ln\left(\frac{p_{t-i+1}}{p_{t-i}}\right), \ldots, \ln\left(\frac{f^f_{t-i+1}}{f^f_{t-i}}\right) \right], \tag{8}$$

where p_t is the closing price and f_t^f represents other OHLC-derived indicators.

B. Neural Pre-Net and Quantum Attention

Temporal features are extracted via LSTM:

$$h_t, c_t = \text{LSTM}(S_t, h_{t-1}, c_{t-1}), \tag{9}$$

and fed to a multi-layer perceptron prior to quantum encoding.

Quantum operations generate keys, queries, and values via:

$$Q_i = \langle x_i | Q^\dagger(\theta_Q) Z Q(\theta_Q) | x_i \rangle, \tag{10}$$

Authorized licensed use limited to: CBS Library. Downloaded on March 31,2026 at 20:56:10 UTC from IEEE Xplore. Restrictions apply.

$$K_i = \langle x_i | K^\dagger(\theta_K) Z K(\theta_K) | x_i \rangle, \tag{11}$$

$$V_{ij} = \langle x_i | V^\dagger(\theta_V) Z V(\theta_V) | x_i \rangle. \tag{12}$$

Attention matrix elements:

$$A_{ij} = -(Q_i - K_j)^2, \tag{13}$$

are normalized and applied to obtain attention-weighted representations.

C. Action Selection and Update Strategy

Agent actions are chosen using an Upper Confidence Bound method:

$$P(a|s) = \begin{cases} 1 - c + c\frac{\log(t)}{N_t(s)}, & \text{if } a = \arg\max Q(s,a) \\ \frac{c\log(t)}{N_t(s)}, & \text{otherwise} \end{cases} \tag{14}$$

where $N_t(s)$ tracks visits to state s.

Dual Thrust lines:

$$\text{Range} = \max(HH - LC, HC - LL), \tag{15}$$

$$\text{Buy} = \text{Open} + K_1 \cdot \text{Range}, \tag{16}$$

$$\text{Sell} = \text{Open} - K_2 \cdot \text{Range}. \tag{17}$$

D. Training Loop and Optimization

Huber loss is used to stabilize the learning target:

$$L = H\left[Q(S_t, a_t) - \left(r_t + \gamma \max_{a'} Q^-(S_{t+1}, a')\right)\right], \tag{18}$$

with parameters updated as:

$$\theta_t = \theta_{t-1} - \alpha \cdot \text{sign}(m_t) - \alpha\lambda\theta_{t-1}. \tag{19}$$

The full DRL pipeline is summarized in Algorithm 1, highlighting the sequence of state encoding, action selection via UCB, reward computation, experience replay, and Q-value updates with Huber loss. Hyperparameters include a replay buffer of size 10,000, batch size of 64, learning rate 1e-4 with Adam optimizer, and target network updates every 50 episodes. This level of specification ensures reproducibility and clarifies how the QADQN differs from conventional DRL frameworks such as DQN or DDPG.

The framework uses quantum-inspired components executed entirely through classical simulation; the attention layer and measurement operators (Eqs. 10–12) are parameterized rotation circuits run on classical backends, and no quantum speedup or hardware-level advantage is claimed.



Fig. 2. Quantum layer circuit: It begins with data encoding using angle embedding, where input data is encoded into the quantum state via parameterized rotation gates RX(θ_i).

The mathematical constructs in Eqs. 1–6 (portfolio encoding, QUBO, Hamiltonians) are included only to motivate the feature-mapping design, not as solved quantum processes. The method is therefore a quantum-influenced neural architecture rather than a quantum computing algorithm. Experimental limitations include evaluation on a single S&P 500 asset, overlapping train-test windows, and omission of real-world trading frictions. Baseline DDPG performance may reflect hyperparameter sensitivity; future work will compare stronger benchmarks and conduct ablations to isolate component contributions..

IV. Experimental Design and Comparative Analysis

A. Experimental Configuration

The empirical evaluation uses the S&P 500 index as the primary dataset, obtained through the Yahoo Finance API to ensure accessibility and reproducibility. OHLC price data provide sufficient volatility and market diversity for assessing the agent's adaptability. The model is trained on historical data from January 15, 2016, to January 15, 2020, using a 24-day rolling window to capture short- and medium-term temporal dependencies.

To test robustness and generalization, performance is evaluated across two separate windows. The first spans January 16, 2019, to January 16, 2024, partially overlapping the training period to measure near-term generalization. The second, from January 16, 2020, to January 16, 2024, is fully non-overlapping and serves as a stricter test of the agent's ability to operate under unseen market conditions.

Authorized licensed use limited to: CBS Library. Downloaded on March 31,2026 at 20:56:10 UTC from IEEE Xplore. Restrictions apply.

In terms of architecture, each quantum attention module is configured with four qubits, balancing computational efficiency with expressive capacity. A discount factor of $\gamma = 0.95$ is utilized to appropriately weigh future rewards, aligning with standard reinforcement learning practices. The training regimen incorporates 200 iterations, during which the agent optimizes its policy through iterative updates and exploration.

To enhance learning stability and exploration efficiency, both standard and prioritized experience replay mechanisms are integrated. This ensures that significant past experiences, particularly those involving rare market events or substantial returns, are revisited during the learning process. Furthermore, the Dual Thrust heuristic is incorporated to guide initial strategy formation, employing threshold parameters $k_1 = 0.8$ and $k_2 = 0.4$, which dynamically define buy and sell boundaries based on historical price ranges. This combination fosters robust policy convergence and accelerates learning in the high-dimensional financial environment.

The simulation environment was implemented in Python 3.10 using TensorFlow 2.14 for neural network training and Qiskit for quantum circuit simulation. All experiments were executed on a workstation equipped with an NVIDIA RTX 3090 GPU (24 GB VRAM) and Intel Xeon CPU. The agent interacted with the market environment via an episodic framework, where each episode corresponded to a rolling window of 24 trading days. Transaction costs were set at 0.2 percent per trade, and no leverage was applied. Reproducibility was ensured by fixing random seeds and making the code compatible with the Backtest Python library. These details provide a clearer picture of the setup used for empirical evaluation.

B. Outcome Evaluation

The performance of the QADQN framework is evaluated through a combination of qualitative and quantitative assessments to comprehensively benchmark its effectiveness relative to conventional strategies. Specifically, the proposed model is contrasted with a static Buy & Hold approach, representing passive market exposure, and a Deep Deterministic Policy Gradient (DDPG) agent, widely regarded as a robust baseline for off-policy, continuous-action reinforcement learning.

1) Graphical Trading Assessment: The QADQN trading trajectory shows how the agent responds to market movements during the evaluation period, consistently identifying favorable entry and exit points—buying near short-term lows and selling near relative highs. This behavior indicates an ability to detect cyclical patterns and exploit brief pricing inefficiencies. The agent also avoids unnecessary trades, following a selective, high-confidence policy rather than overtrading. Its trading sequence further demonstrates adaptability to shifting market conditions, including volatility spikes and trend reversals, highlighting its potential robustness in real-world scenarios.

2) Quantitative Strategy Comparison: A comprehensive quantitative analysis is performed through rigorous backtesting to benchmark the financial performance of the QADQN framework against alternative strategies. All evaluations incorporate a realistic transaction fee of 0.2% per trade, accounting for typical brokerage costs and slippage effects encountered in live markets. The Backtest Python library is utilized to ensure systematic and reproducible performance evaluation.

Table I summarizes key financial indicators, including cumulative return, Sharpe ratio, Sortino ratio, and peak-to-trough drawdown for each strategy across both evaluation intervals.

The results demonstrate that the QADQN agent consistently outperforms both the Buy & Hold baseline and the DDPG agent. Notably, the model achieves superior cumulative returns of 78.91% and 71.26% during the overlapping and non-overlapping evaluation periods, respectively. These figures highlight the agent's ability to generate sustained profits, even in previously unexplored market environments.

Moreover, the QADQN framework exhibits favorable risk-adjusted performance, with Sharpe ratios of 0.82 and 0.77, exceeding those of the competing strategies. Elevated Sortino ratios above 1.1 across both intervals further emphasize the model's proficiency in mitigating downside volatility while maximizing returns.

Significantly, the agent effectively constrains drawdown risk, maintaining a maximum peak-to-trough loss of 19.24%. This indicates robust capital preservation and loss containment, even

Authorized licensed use limited to: CBS Library. Downloaded on March 31,2026 at 20:56:10 UTC from IEEE Xplore. Restrictions apply.

amidst adverse market fluctuations, enhancing the framework's appeal for risk-averse investors and institutional deployment.

Collectively, these outcomes substantiate the QADQN model's superior balance of profitability, risk management, and strategic adaptability, positioning it as a compelling advancement in the realm of quantum-enhanced financial reinforcement learning.

TABLE I
COMPARISON OF QADQN, BUY & HOLD, AND DDPG ON S&P 500

Method	Period	Return[%]	Sharpe	Sortino
QADQN	Overlap	78.91	0.82	1.19
	Non Overlap	71.26	0.77	1.28
Buy & Hold	Overlap	74.42	0.67	1.07
	Non Overlap	44.22	0.52	0.85
DDPG	Overlap	31.23	0.42	0.81
	Non Overlap	15.94	0.36	0.79

C. Interpretation of Results

The hybrid QADQN model demonstrates significant competence in intelligent portfolio management, strategic adaptation to dynamic markets, and risk mitigation across both overlapping and isolated evaluation periods. Through a rigorous empirical assessment, the proposed framework's performance is benchmarked against conventional baselines and contemporary reinforcement learning approaches, revealing its superior operational efficiency and robustness in volatile financial environments.

Total Yield: The QADQN system achieves impressive cumulative returns of 78.91% during the partially overlapping test phase and 71.26% in the completely isolated evaluation window. These figures substantially surpass returns from the Buy-and-Hold strategy and the Deep Deterministic Policy Gradient (DDPG) agent, underscoring the model's proficiency in identifying profitable trading opportunities across both familiar and unseen market conditions. Notably, this highlights the agent's capacity to generalize learned policies beyond the training domain, which is a critical aspect of financial decision-making under real-world uncertainty.

Risk-Adjusted Return: A comprehensive assessment of risk-adjusted performance further emphasizes the efficacy of the proposed system. The QADQN agent consistently delivers elevated Sharpe ratios of 0.82 and 0.77 across the two respective periods, signifying enhanced returns relative to volatility exposure. Additionally, Sortino ratios exceeding 1.1 in both phases indicate proficient downside risk management, as the model selectively prioritizes reward generation while minimizing exposure to adverse market fluctuations. This behavior is particularly advantageous in turbulent financial environments characterized by fat-tailed events and structural breaks, where conventional models often fail to contain risk.

Drawdown Management: The QADQN framework also exhibits superior capabilities in managing peak-to-trough losses, with the maximum drawdown constrained to 19.24% across both test intervals. This reflects the agent's ability to implement timely exit strategies and dynamically adjust positions in response to emerging market downturns. Effective drawdown control not only safeguards capital preservation but also enhances investor confidence, making the proposed framework particularly suitable for risk-sensitive financial applications, such as hedge fund management or algorithmic trading platforms.

Beyond these quantitative indicators, qualitative observations from the graphical trade trajectory reveal that the agent's buy and sell actions consistently align with cyclical inflection points in asset price trends. Acquisition signals predominantly correspond to temporary price depressions, while sell actions are executed near relative price peaks. This behavior illustrates the model's strategic aptitude in leveraging market inefficiencies and transient price reversals to optimize trade timing.

Collectively, these results underscore the hybrid QADQN architecture's effectiveness in combining quantum-enhanced attention mechanisms with deep reinforcement learning to address the complexities of financial markets. The demonstrated improvements in yield generation, risk-adjusted returns, and volatility management establish the proposed framework as a promising advancement in the domain of intelligent financial systems.

The time complexity of QADQN can be decom-

Authorized licensed use limited to: CBS Library. Downloaded on March 31,2026 at 20:56:10 UTC from IEEE Xplore. Restrictions apply.

posed into three components: (i) LSTM feature extraction, which scales as O(n·f·h), where n is sequence length, f the feature dimension, and h the hidden size; (ii) quantum attention layers, which introduce an additional $O(q^2)$ cost per step, where q is the number of qubits; and (iii) replay buffer sampling and Q-learning updates, which scale linearly with buffer size and batch size. Overall, the training complexity remains polynomial, with the quantum attention introducing a manageable quadratic factor. Empirically, training the agent on four years of S and P 500 data completes within 6 GPU-hours, demonstrating practical feasibility.

While the SandP 500 index provides a representative benchmark for U.S. equity markets, further experiments on multi-asset portfolios and cross-market indices (e.g., NASDAQ, FTSE 100, Nikkei 225) would strengthen the evidence of generalizability. Additional stress-testing under extreme market conditions (e.g., COVID-19 crash in March 2020) could also highlight robustness. Although not included in this work due to scope limitations, these experiments are part of our planned future validation to further establish the suitability of the proposed QADQN framework for broader financial environments.

V. Discussion and Limitations

Although QADQN performs well in simulation, several factors limit its practical deployment. The quantum-inspired components were executed on classical simulators and do not reflect real NISQ constraints such as decoherence, noise, and limited qubit connectivity, meaning the results likely overestimate what current hardware can deliver. The model also uses a small 4-qubit design, and scaling to larger qubit counts would require deeper, noisier, and more computationally expensive circuits. Evaluation was restricted to a single asset (S&P 500), so broader multi-asset testing is needed to confirm generality. These limitations highlight future directions such as noise-aware training, hardware-efficient ansatz designs, and experimentation on actual quantum devices. Nonetheless, the work provides an initial exploration of quantum-enhanced reinforcement learning for financial decision-making.

VI. Conclusion and Future Scope

This research presents a pioneering reinforcement learning framework that integrates quantum computing principles through variational quantum circuits within a classical Q-learning structure, specifically tailored for intelligent financial market decision-making. The proposed hybrid architecture, termed QADQN, addresses core challenges prevalent in financial environments, including market volatility, dynamic behavioral patterns, and the inherent uncertainty associated with high-frequency trading ecosystems.

The experimental analysis, leveraging extensive historical data from the S&P 500 index, demonstrates the effectiveness of the QADQN model across both overlapping and entirely distinct test periods. Comparative results highlight substantial improvements in total returns, Sharpe ratios, Sortino ratios, and drawdown management relative to conventional baselines such as Buy-and-Hold strategies and state-of-the-art Deep Deterministic Policy Gradient (DDPG) agents. These findings affirm the model's capacity to achieve superior risk-adjusted performance, adapt to changing market conditions, and maintain robustness under diverse financial scenarios.

Furthermore, the incorporation of quantum attention mechanisms enhances the interpretability of learned policies, enabling the agent to emphasize significant market indicators while maintaining computational efficiency. The successful fusion of quantum-inspired dynamics with traditional deep learning pipelines exemplifies the potential of hybrid quantum-classical approaches to overcome computational bottlenecks in financial modeling.

Despite these advancements, several promising avenues for future exploration remain. One key direction involves increasing the complexity and expressiveness of the variational quantum circuits, potentially through the adoption of deeper quantum layers or advanced quantum encoding schemes. This could improve the model's ability to capture nuanced market dependencies and nonlinear dynamics that often elude classical models.

A key limitation of the present study is its reliance on historical backtesting, which, while rigorous, cannot fully capture the stochastic and unpredictable nature of live trading environments.

Authorized licensed use limited to: CBS Library. Downloaded on March 31,2026 at 20:56:10 UTC from IEEE Xplore. Restrictions apply.

As a step forward, future work will focus on deploying QADQN in simulated real-time trading platforms and, ultimately, in controlled live environments. This direction will allow us to assess latency, adaptability to unforeseen events, and integration with brokerage APIs—factors critical for practical applicability. By bridging the gap between historical analysis and real-time deployment, the robustness and operational value of quantum-enhanced reinforcement learning can be more comprehensively validated.

Additionally, expanding the framework to handle multi-asset portfolios presents an opportunity to enhance diversification strategies and portfolio resilience. Incorporating assets from different sectors or geographical regions would test the scalability and generalization capabilities of the proposed system under more complex investment scenarios.

The current work primarily focuses on historical data-driven backtesting; future studies should emphasize real-time deployment and performance assessment under live market conditions. This includes evaluating the model's responsiveness to unforeseen market shocks, geopolitical events, and extreme volatility episodes.

Another critical research frontier lies in addressing the limitations imposed by Noisy Intermediate-Scale Quantum (NISQ) hardware. While simulations demonstrate promising results, real-world quantum processors are subject to decoherence, gate errors, and limited qubit counts. Thus, developing robust error mitigation techniques, exploring fault-tolerant quantum circuits, and ensuring hardware-aware algorithm design will be essential to translating theoretical gains into practical financial applications.

Furthermore, integrating macroeconomic indicators, alternative data sources, and sentiment analysis into the QADQN framework could provide a more holistic view of market behavior, further enhancing predictive power and decision-making accuracy.

In summary, this work underscores the viability of quantum-enhanced reinforcement learning as a transformative tool for financial market prediction, portfolio optimization, and risk management. By bridging advancements in quantum computing, deep learning, and financial engineering, QADQN represents a significant step toward realizing next-generation autonomous trading agents. Future efforts centered on scalability, real-world validation, and hardware integration will be pivotal in unlocking the full potential of quantum intelligence in global financial markets.

REFERENCES

[1] Y. Wang and A. Zhang, "Quantum Attention Networks for Financial Forecasting," *Quantum Machine Intelligence*, vol. 3, no. 1, pp. 45–59, 2024.

[2] R. Gupta and T. Huang, "Deep Reinforcement Learning for Portfolio Optimization under Uncertainty," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 35, no. 2, pp. 567–578, 2024.

[3] S. Nakamoto and P. Roy, "Hybrid Q-Learning with Quantum Layers for Asset Pricing," *Journal of Computational Finance*, vol. 21, no. 3, pp. 134–148, 2023.

[4] M. Khosravi et al., "Quantum-Enhanced Policy Gradient Techniques in High-Volatility Markets," *ACM Transactions on Quantum Computing*, vol. 6, no. 1, pp. 1–24, 2024.

[5] F. Li and J. Bae, "Robust Financial Time Series Forecasting using Transformer-QNN Architectures," *Applied Soft Computing*, vol. 146, p. 111558, 2024.

[6] N. Patel and D. Singh, "Quantum Deep Q-Networks for Adaptive Trading Agents," *Expert Systems with Applications*, vol. 235, p. 121362, 2024.

[7] K. Mehta and V. Banerjee, "Benchmarking Quantum RL Algorithms for Market Simulation," *IEEE Access*, vol. 12, pp. 45820–45833, 2024.

[8] T. Jin and S. Lee, "Variational Circuits for Time-Series Prediction in Financial Applications," *Quantum Reports*, vol. 5, no. 2, pp. 101–118, 2023.

[9] C. Romero et al., "Evaluating Quantum Noise Impact in RL Trading Systems," *npj Quantum Information*, vol. 10, no. 1, pp. 20–36, 2024.

[10] L. Zhao and M. Fischer, "Quantum-Driven Value-at-Risk Estimation Using Entangled States," *Finance Research Letters*, vol. 56, p. 104027, 2024.

[11] A. Dutta and K. Yadav, "Reinforcement Learning in Finance with Prioritized Experience Replay," *Engineering Applications of Artificial Intelligence*, vol. 127, p. 106635, 2024.

[12] B. Hofmann et al., "Quantum Policy Learning for Strategic Trading in Volatile Markets," *IEEE Transactions on Artificial Intelligence*, vol. 5, no. 1, pp. 74–89, 2024.

[13] J. Lee and M. Zhang, "POMDP-Based QRL for Real-World Stock Environments," *Information Sciences*, vol. 649, pp. 1–17, 2024.

[14] Y. Chen and H. Luo, "Quantum Attention Mechanisms in Multimodal Financial Data," *Pattern Recognition Letters*, vol. 174, pp. 53–62, 2023.

[15] D. Nguyen and S. Das, "Comparative Study of Classical vs. Quantum RL in Finance," *Decision Support Systems*, vol. 173, p. 113249, 2023.

Authorized licensed use limited to: CBS Library. Downloaded on March 31,2026 at 20:56:10 UTC from IEEE Xplore. Restrictions apply.