

Зареєструвавшись в AWS, створюємо наступний інстанс:

Name and tags [Info](#)

Name

something

[Add additional tags](#)

Quick Start


Amazon Linux



macOS



Ubuntu



Windows



Red Hat





[Browse more AMIs](#)

Including AMIs from
AWS, Marketplace and
the Community

Amazon Machine Image (AMI)

Amazon Linux 2 AMI (HVM) - Kernel 5.10, SSD Volume Type
ami-0f76a278bc3380848 (64-bit (x86)) / ami-0da41a36dad7ce8f4 (64-bit (Arm))
Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible ▼

Description

Amazon Linux 2 Kernel 5.10 AMI 2.0.20240620.0 x86_64 HVM gp2

Architecture

64-bit (x86) ▼

AMI ID

ami-0f76a278bc3380848

Verified provider

▼ Instance type [Info](#) | [Get advice](#)

Instance type

t3.micro

Free tier eligible

Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand RHEL base pricing: 0.0708 USD per Hour
On-Demand SUSE base pricing: 0.0108 USD per Hour
On-Demand Linux base pricing: 0.0108 USD per Hour
On-Demand Windows base pricing: 0.02 USD per Hour

☒ All generations

[Compare instance types](#)

Additional costs apply for AMIs with pre-installed software

▼ Key pair (login) [Info](#)

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - *required*

thing

[Create new key pair](#)

▼ Network settings [Info](#)

[Edit](#)

Network [Info](#)

vpc-0282d13274875fcd2

Subnet [Info](#)

No preference (Default subnet in any availability zone)

Auto-assign public IP [Info](#)

Enable

Additional charges apply when outside of free tier allowance

Firewall (security groups) [Info](#)

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

☒ Create security group

☐ Select existing security group

We'll create a new security group called 'launch-wizard-1' with the following rules:

☒ Allow SSH traffic from

Helps you connect to your instance

Anywhere


0.0.0.0/0

☐ Allow HTTPS traffic from the internet

To set up an endpoint, for example when creating a web server

☐ Allow HTTP traffic from the internet

To set up an endpoint, for example when creating a web server



Створимо нового користувача та завантажимо ключі доступа:

User details

User name	Console password type	Require password reset
valnozi	None	No

Permissions summary < 1 >

Name	Type	Used as
AmazonEC2FullAccess	AWS managed	Permissions policy

Tags - optional

Tags are key-value pairs you can add to AWS resources to help identify, organize, or search for resources. Choose any tags you want to associate with this user.

No tags associated with the resource.

[Add new tag](#)

You can add up to 50 more tags.

Проведемо моніторинг на лінукс:

- Процеси за споживанням процесорного часу:

```
[ec2-user@ip-172-31-32-146 ~]$ top

top - 17:05:31 up 18:03,  2 users,  load average: 0.00, 0.00, 0.00
Tasks:  96 total,   1 running,  51 sleeping,   0 stopped,   0 zombie
%Cpu(s):  0.0 us,  0.0 sy,  0.0 ni,100.0 id,  0.0 wa,  0.0 hi,  0.0 si,  0.0 st
KiB Mem :  950072 total,  273272 free,   98612 used,   578188 buff/cache
KiB Swap:   0 total,    0 free,    0 used.  706864 avail Mem

  PID USER      PR  NI   VIRT   RES   SHR  S  %CPU  %MEM     TIME+ COMMAND
 1167 root        20   0     0     0     0  S   0.3   0.0   0:15.57 xfsaild/nv+
    1 root        20   0 123516   5500  3952  S   0.0   0.6   0:02.09 systemd
    2 root        20   0     0     0     0  S   0.0   0.0   0:00.01 kthreadd
    3 root         0 -20     0     0     0  I   0.0   0.0   0:00.00 rcu_gp
    4 root         0 -20     0     0     0  I   0.0   0.0   0:00.00 rcu_par_gp
    6 root         0 -20     0     0     0  I   0.0   0.0   0:00.00 kworker/0:++
    8 root         0 -20     0     0     0  I   0.0   0.0   0:00.00 mm_percpu_+
    9 root        20   0     0     0     0  S   0.0   0.0   0:00.00 rcu_tasks_+
   10 root        20   0     0     0     0  S   0.0   0.0   0:00.00 rcu_tasks_+
   11 root        20   0     0     0     0  S   0.0   0.0   0:00.04 ksoftirqd/0
   12 root        20   0     0     0     0  I   0.0   0.0   0:00.60 rcu_sched
   13 root        rt    0     0     0     0  S   0.0   0.0   0:00.25 migration/0
   15 root        20   0     0     0     0  S   0.0   0.0   0:00.00 cpuhp/0
   16 root        20   0     0     0     0  S   0.0   0.0   0:00.00 cpuhp/1
   17 root        rt    0     0     0     0  S   0.0   0.0   0:00.28 migration/1
   18 root        20   0     0     0     0  S   0.0   0.0   0:00.07 ksoftirqd/1
```

```
[ec2-user@ip-172-31-32-146 ~]$ mpstat
Linux 5.10.219-208.866.amzn2.x86_64 (ip-172-31-32-146.eu-north-1.compute.internal)      06/28/2024      _x86_64_      (
2 CPU)

05:06:39 PM  CPU      %usr   %nice    %sys %iowait    %irq   %soft  %steal   %guest   %gnice   %idle
05:06:39 PM  all       0.03    0.00    0.02    0.01    0.00    0.00    0.03    0.00    0.00   99.90
```

- Використання пам'яті:

```
[ec2-user@ip-172-31-32-146 ~]$ vmstat
procs -----memory----- ---swap-- -----io----- -system-- -----cpu-----
 r b   swpd   free   buff  cache   si   so    bi   bo    in   cs us sy id wa st
 1 0     0 274084  1052 577140    0   0     2    6   19   29  0  0 100  0  0
```

- Моніторинг дисків:

```
[ec2-user@ip-172-31-32-146 ~]$ iostat 1
Linux 5.10.219-208.866.amzn2.x86_64 (ip-172-31-32-146.eu-north-1.compute.internal)      06/28/2024      _x86_64_      (
2 CPU)

avg-cpu:  %user   %nice %system %iowait  %steal   %idle
           0.03    0.00    0.02    0.01    0.03   99.90

Device:            tps    kB_read/s    kB_wrtn/s    kB_read  kB_wrtn
nvme0n1             1.09         3.41        12.27    222254    800093

avg-cpu:  %user   %nice %system %iowait  %steal   %idle
           0.00    0.00    0.00    0.00    0.00  100.00

Device:            tps    kB_read/s    kB_wrtn/s    kB_read  kB_wrtn
nvme0n1             3.00         0.00        12.00         0         12

avg-cpu:  %user   %nice %system %iowait  %steal   %idle
           0.00    0.00    0.00    0.00    0.00  100.00

Device:            tps    kB_read/s    kB_wrtn/s    kB_read  kB_wrtn
nvme0n1             0.00         0.00         0.00         0         0
```

- Перевірка оперативної пам'яті:

```
[ec2-user@ip-172-31-32-146 ~]$ free -h
```

	total	used	free	shared	buff/cache	available
Mem:	927M	96M	266M	432K	564M	689M
Swap:	0B	0B	0B			

- Стан файлової системи:

```
[ec2-user@ip-172-31-32-146 ~]$ df -h
```

Filesystem	Size	Used	Avail	Use%	Mounted on
devtmpfs	456M	0	456M	0%	/dev
tmpfs	464M	0	464M	0%	/dev/shm
tmpfs	464M	432K	464M	1%	/run
tmpfs	464M	0	464M	0%	/sys/fs/cgroup
/dev/nvme0n1p1	8.0G	1.8G	6.3G	23%	/
tmpfs	93M	0	93M	0%	/run/user/1000

- На базі логів:

```
[ec2-user@ip-172-31-32-146 ~]$ sar -A
```

Linux 5.10.219-208.866.amzn2.x86_64 (ip-172-31-32-146.eu-north-1.compute.internal) 06/28/2024 _x86_64_ (2 CPU)

		CPU	%usr	%nice	%sys	%iowait	%steal	%irq	%soft	%guest	%gnice	%idle
12:00:01 AM	all		0.02	0.00	0.01	0.01	0.02	0.00	0.00	0.00	0.00	99.94
12:10:01 AM	0		0.02	0.00	0.02	0.01	0.02	0.00	0.00	0.00	0.00	99.94
12:20:01 AM	1		0.02	0.00	0.01	0.01	0.03	0.00	0.00	0.00	0.00	99.93
12:30:01 AM	all		0.04	0.00	0.02	0.01	0.03	0.00	0.00	0.00	0.00	99.90
12:40:01 AM	0		0.04	0.00	0.03	0.01	0.03	0.00	0.00	0.00	0.00	99.89