Birla Institute of Technology,Mesra,
Patna Campus



ML-LAB

Name-Shubham Sourabh

Roll-Btech/15044/18

Sec-CSE 6th

#Assignment-09

Problem: Write a program to implement k-nearest neighbor algorithm to classify the iris dataset. Print both correct and wrong predictions. Java/Python ML library classes can be used for this problem.

Code:-

```
import sklearn

import pandas as pd

from sklearn.datasets import load_iris

iris=load_iris()

iris.keys()

df=pd.DataFrame(iris['data'])

print(df)

print(iris['target_names'])
```

```
iris['feature_names']



X=df

y=iris['target']




from sklearn.model_selection import train_test_split

X_train, X_test, y_train, y_test = train_test_split(X, y, test_size=0.33,
random_state=42)



from sklearn.neighbors import KNeighborsClassifier

knn=KNeighborsClassifier(n_neighbors=3)

knn.fit(X_train,y_train)

import numpy as np

x_new=np.array([[5,2.9,1,0.2]])



prediction=knn.predict(x_new)
```

```
iris['target_names'][prediction]



from sklearn.metrics import confusion_matrix

from sklearn.metrics import accuracy_score

from sklearn.metrics import classification_report

y_pred=knn.predict(X_test)

cm=confusion_matrix(y_test,y_pred)

print(cm)

print(" correct predicition",accuracy_score(y_test,y_pred))

print(" worng predicition",(1-accuracy_score(y_test,y_pred)))
```

Output:-

```
(mlenv) PS C:\Users\vampirepapi\Desktop\nowhere\6th-LABS\ML> python lab9.py
       0    1    2    3
0    5.1  3.5  1.4  0.2
1    4.9  3.0  1.4  0.2
2    4.7  3.2  1.3  0.2
3    4.6  3.1  1.5  0.2
4    5.0  3.6  1.4  0.2
..   ...  ...  ...  ...
145  6.7  3.0  5.2  2.3
146  6.3  2.5  5.0  1.9
147  6.5  3.0  5.2  2.0
148  6.2  3.4  5.4  2.3
149  5.9  3.0  5.1  1.8

[150 rows x 4 columns]
['setosa' 'versicolor' 'virginica']
[[19  0  0]
 [ 0 15  0]
 [ 0  1 15]]
 correct predicition 0.98
 worng predicition 0.020000000000000018
(mlenv) PS C:\Users\vampirepapi\Desktop\nowhere\6th-LABS\ML>
```