



HBL Engineering Limited

Telangana, India

**Quality Manual
For
Rail Signaling Division**

Quality Management System

(ISO 9001:2015 International Standard)

PROPRIETARY NOTICE: This document is Proprietary Data of HBL Engineering Ltd. The information contained herein shall not be reproduced, used or disclosed to others without the authorization of HBL Engineering Ltd.

Revision History

Rev.No.	Date of Revision	Page No.	Description of Changes and Reasons
0	02/01/2017	All Pages	Initial release for QMS ISO9001:2015 Implementation
1	02/07/2018	10	Added Scope of Registration for the Shameerpet site
2	01/07//2019	10	Updated Scope of registration in Main page
		11	Removed Scope of Nandigaon location
		09,11,13,14,17,18,26	Updated Annexure reference
		8	Updated Context of the organization
3	20/07/2020	11	Updated Scope of Registration
		11	Updated Scope of Registration
4	20/07/2023	11	Updated Scope of Registration
5	08/07/2025	9,10, 11	Company name changed to HBL Engineering Ltd and updated Scope of Registration
6	28/07/2026	10	Updated Scope of Registration

List of abbreviations

#	Abbreviation	Expansion
1.	AN	Annexure
2.	CA	Corrective Action
3.	CS	Customer Service
4.	D&D	Design & Development
5.	EIS	Electronic Inter locking System
6.	EG	Electronics Group
7.	HoD	Head of Department
8.	HR	Human Resource
9.	I&C	Installation and Commissioning
10.	IV &V	Independent Verification and Validation
11.	IPS	Integrated Power Supply System
12.	ISO	International Organization for Standardization
13.	MR	Management Representative
14.	PR	Procedure
15.	PU	Purchase
16.	QC	Quality Control
17.	QM	Quality Manual
18.	QMS	Quality Management System
19.	Ref	Reference
20.	SM	Sales & Marketing
21.	ST	Stores

Prepared by:

Approved by:

Table of Contents

1. Scope of the QMS.....	5
2. Normative References.....	6
3. Terms and Definitions.....	6
4. Context of the Organization.....	8
4.1. Understanding the Organization and its Context.....	10
4.2. Understanding the Needs and Expectations of Interested Parties.....	10
4.3. Determining the Scope of the Quality Management System.....	10
4.4. Quality Management System and its Processes.....	11
5. Leadership.....	12
5.1. Leadership and Commitment	12
5.2. Policy.....	13
5.3. Organizational Roles, Responsibilities and Authorities	13
6. Planning.....	13
6.1 Actions to Address Risks and Opportunities	13
6.2 Quality Objectives and planning to achieve them.....	14
6.3 Planning of Changes.....	14
7. Support.....	14
7.1 Resources.....	14
7.2 Competence	16
7.3 Awareness	17
7.4 Communication	17
7.5 Documented Information	17
8. Operation.....	18
8.1 Operational Planning and Control.....	18
8.2 Requirements for Products and Services	19
8.3 Design and Development of Products and Services.....	20
8.4 Control of Externally Provided Processes, Products and Services	22
8.5 Production and Service Provision	23
8.6 Release of Products and Services.....	25
8.7 Control of Nonconforming Outputs	25

Prepared by:

Approved by:

9. Performance Evaluation	26
9.1 Monitoring, Measurement, Analysis and Evaluation	26
9.2 Internal Audit	27
9.3 Management Review	27
10. Improvement	28
10.1 General	28
10.2 Nonconformity and Corrective Action.....	29
10.3 Continual Improvement	29

Prepared by:

Approved by:

Introduction

HBL Engineering Ltd. has developed and implemented this Quality Manual in order to improve the overall performance and provide a sound basis for sustainable growth by:

- Facilitating opportunities to enhance customer satisfaction.
- Addressing risks and opportunities associated with its context and objectives.
- Nurturing the ability to demonstrate conformity to specified QMS requirements.

This Quality Manual complies with the requirements of ISO 9001:2015 Standard, to define the responsibility, authority and interrelationships of the management personnel involved in the operation of the system and to provide a general description of the requirements of the standard as they apply to HBL Engineering Ltd.

The manual also provides procedures or references for all activities comprising the QMS to ensure compliance to the necessary requirements of the standard.

This manual is used internally to guide the company's employees through the various requirements of the ISO 9001:2015 standard that must be met and maintained in order to ensure satisfaction of interested parties, continual improvement and provide necessary framework that create an empowered work force.

This manual is used externally to introduce HBL QMS to our customers and other external organizations or individuals.

1. Scope of the QMS

This Quality Manual specifies requirement for a quality management system where HBL:

- a) Need to demonstrate its ability to consistently provide products and services that meet customer requirements and applicable statutory and regulatory requirements, and
- b) Aims to enhance customer satisfaction through the effective application of the system, including processes for improvement of the system and the assurance of conformity to customer and applicable statutory and regulatory requirements.

Prepared by:

Approved by:

2. Normative References

- ISO 9000, Quality Management Systems – Fundamentals and Vocabulary
- ISO 9004, Managing for the sustained success of an organization — A quality management approach
- ISO 19011, Guideline for Auditing Management Systems.

3. Terms and Definitions

#	Terms	Definitions
1.	Audit	Systematic, independent and documented process for obtaining objective evidence and evaluating it objectively to determine the extent to which audit criteria are fulfilled.
2.	Auditee	Organization being audited
3.	Auditor	Person who conducts an audit.
4.	Audit Conclusion	Outcome of an audit, after consideration of the audit objectives and all audit findings.
5.	Audit Criteria	Set of policies, procedures or requirements used as a reference against which objective evidence is compared.
6.	Audit Evidence	Records, statements of fact or other information, which are relevant to audit criteria and verifiable.
7.	Audit Plan	Description of the activities and arrangements for an audit.
8.	Audit Scope	Extent and boundaries of an audit.
9.	Change Control	(Configuration Management) activities for control of the output after formal approval of its product configuration information.
10.	Configuration Management	Coordinated activities to direct and control configuration.
11.	Context of HBL	Combination of internal and external issues that can have an effect on an organization's approach to developing and achieving its objectives.
12.	Continual Improvement	Recurring activity to enhance performance.
13.	Correction	Action to eliminate a detected nonconformity.
14.	Corrective Action	Action to eliminate the cause of nonconformity and to prevent recurrence.
15.	Customer Satisfaction	Customer's perception of the degree to which the customer's requirements have been fulfilled.
16.	Defect	Nonconformity related to an intended or specified use.
17.	Documented Information	Information required to be controlled and maintained by an organization and the medium on which it is contained.
18.	Effectiveness	Extent to which planned activities are realized and planned results are achieved.
19.	External Provider	External Supplier Provider that is not part of HBL. (Producer, distributor and retailer.)
20.	Inspection	Determination of conformity to specified requirements.
21.	Interested Party	Stake Holder Person or organization that can affect, be affected by, or perceive itself to be affected by a decision or activity. (Customers, owners, people in an organization, providers, bankers, regulators, unions and partners.)

Prepared by:

Approved by:


#	Terms	Definitions
22.	Mission	(Organization) Organization's purpose for existing as expressed by top management.
23.	Nonconformity	Non-fulfillment of a requirement.
24.	Objective	Result to be achieved.
25.	Outsource	Make an arrangement where an external organization performs part of an organization's function or process.
26.	Procedure	Specified way to carry out an activity or a process.
27.	Process	Set of interrelated or interacting activities that use inputs to deliver an intended result.
28.	Product	Any intended output resulting from the product realization process, which in the context of this standard includes finished detailed parts, sub-assemblies, assemblies, forgings, and castings.
29.	Quality	Degree to which a set of inherent characteristics of an object fulfills requirements.
30.	Quality Assurance	Part of quality management focused on providing confidence that quality requirements will be fulfilled.
31.	Quality Control	Part of quality management focused on fulfilling quality requirements.
32.	Quality Management System	Part of a management system with regard to quality.
33.	Quality Manual	Specification for the quality management system of an organization.
34.	Quality Objective	Objective related to quality.
35.	Quality Policy	Policy related to quality.
36.	Record	Document stating results achieved or providing evidence of activities performed.
37.	Repair	Action on a nonconforming product or service to make it acceptable for the intended use.
38.	Rework	Action on a nonconforming product or service to make it conform to the requirements.
39.	Risk	Effect of uncertainty.
40.	Scrap	Action on a nonconforming product or service to preclude its originally intended use. (Recycling and destruction)
41.	Statutory Requirement	Obligatory requirement specified by a legislative body.
42.	Top Management	Person or group of people who directs and controls an organization at the highest level.
43.	Traceability	Ability to trace the history, application or location of an object.
44.	Validation	Confirmation, through the provision of objective evidence, that the requirements for a specific intended use or application have been fulfilled.
45.	Verification	Confirmation, through the provision of objective evidence, that specified requirements have been fulfilled.

Prepared by:

Approved by:

4. Context of the Organization

HBL Engineering Ltd is an Indian engineering company listed on Indian stock exchanges. We have been in business since 1977, with a focus on manufacturing-led R&D, driven by our choice for businesses with high technological barriers and / or engineering intensity.



Our vision is centred on benefitting India by filling technology gaps and, in doing so, growing profitably. All of our product offerings reflect this ideology!

We aspire to be a learning organization, driven by

- continuous search for knowledge
- worthy intentions and
- ethical conduct

We identify technological opportunities found at the intersections of domains, which are usually no single company's area of expertise. Taking advantage of our strengths of key market-domain knowledge and in-house technology, HBL leverages these opportunities to develop and deploy products and solutions for various demanding customers in B2B and B2G segments.

Prepared by:

Approved by:

We are organized into three business segments.

- Batteries
- Electronics and
- Ammunition

Rail Signaling Division is part of the Electronics Segment, and caters to product lines.

- Railway Signaling &
- Defense Electronics

1) Railway Signaling

HBL offers a wide range of electronic products and solutions to railways that provide signaling and safety functions. The company's railway signaling products comprehensively meet the stringent RDSO specifications and CENELEC standards. HBL also has many years of experience and is recognized as a high quality contractor for installation of signaling equipment. Some of the key technology offerings include:

- Train Collision Avoidance System (TCAS)
- Train Management System (TMS)
- Electronic Interlocking System (EIS)

2) Defense Electronics

- Digital Harness Control (DCH)
- Integrated Platform Management System (IPMS)

We take pride in our culture of teamwork, continuous learning and improving our ability to understand the specific needs of our customers to develop innovative and cost-effective products and solutions.

Branch Offices:

Ahmedabad, Bangalore, Bhopal, Bhubneshwar, Chandigarh, Chennai, Delhi, Guwahati, Hyderabad, Jaipur, Kerala, Kolkata, Lucknow, Raipur, Mumbai, Patna and Ranchi

Major Customers:

Each business division has a unique set of customers, due to the variety of technologies involved. Customers span various verticals like Railway, Electric Mobility, Power Generation, Power Utilities, Oil & Gas, Renewable Energy, etc.

Prepared by:

Approved by:

4.1. Understanding the Organization and its Context

HBL determines external and internal issues that are relevant to its purpose and its strategic direction that can affect its ability to achieve the intended result(s) of the quality management system. The external and internal issues, identified through Risk Assessment are continuously monitored, reviewed and acted.

Ref: Organization Context and Risk Register

4.2. Understanding the Needs and Expectations of Interested Parties

HBL determines the interested parties that are relevant to the HBL quality management system and the requirements of these interested parties that are relevant to the quality management system.

Ref: Organization Context and Risk Register

4.3. Determining the Scope of the Quality Management System

HBL determines the boundaries and applicability of the quality management system to establish its scope by considering external and internal issues, requirements of relevant interested parties, products and services.

Scope of Registration:

Address	SCOPE
Main Page	
Survey No.:351, Thumkunta Village, Shameerpet mandal, Medchal District, Hyderabad-500078, Telangana, India.	Design, Development, Manufacture, Supply, Installation and Service of Electronic Products for Railway Signaling. Design, Manufacture, Supply, Installation, Commissioning and Service of Defense Electronic Units for Airborne, Ship Borne, Terrestrial Platforms.
Annexure	
Location 1: Plot No: 103, 104,109 &110 Sukha Enclave, Gordhanpuri Gardens, Yapral, Secunderabad -500087, Telangana, India.	Design & Development of Railway Signaling Products.
Location 2: Survey No.:351, Thumkunta Village, Shameerpet mandal, Medchal District, Hyderabad-500078, Telangana, India.	Design, Manufacture, Supply, Installation, Commissioning and Service of Electronic Products namely a) Railway Signaling: - Train Collision Avoidance System (TCAS), now called as Kavach

Prepared by:

Approved by:

Address	SCOPE
	- Train Management System (TMS) - Electronic Interlocking System (EIS) b) Defense Electronic Units for Airborne, Ship borne, Terrestrial platforms - Digital Harness Control (DCH) - Integrated Platform Management System (IPMS)
Location 3: Sy No.3/A, Thumkunta Village, Shameerpet Mandal, Medchal District, Hyderabad- 500078, Telangana, India.	Design Engineering of Rail Signaling Products

4.4. Quality Management System and its Processes

4.4.1 HBL determines the processes needed for the quality management system and their application throughout the Organization, and shall

- a) Determine the inputs required and the outputs expected from these processes.
- b) Determine the sequence and interaction of these processes.
- c) Determine and apply the criteria and methods (including monitoring, measurements and related performance indicators) needed to ensure the effective operation and control of these processes.
- d) Determine the resources needed for these processes and ensure their availability.
- e) Assigns the responsibilities and authorities for these processes.
- f) Address the risks and opportunities as determined in accordance with the requirements of 6.1;
- g) Evaluate these processes and implement any changes needed to ensure that these processes achieve their intended results;
- h) Improve the processes and the quality management system.

Ref: Process Interaction Map [EG-MR-AN-01](#), Process wise SIPOC included in respective department procedure

Prepared by:		Approved by:	
--------------	--	--------------	--

5. Leadership

5.1. Leadership and Commitment

5.1.1 General

HBL management, through the Group Executive Council, demonstrates leadership and commitment with respect to the quality management system by:

- a) Taking accountability for the effectiveness of the quality management system by periodical review of quality management system through management review meeting, Quality objectives review and providing necessary resources.
- b) Ensuring that quality policy and quality objectives for the quality management system and are compatible with the context and strategic direction of the organization.
Objective meeting shall be conducted once in 3 months and MRM once in 6 months.
- c) Ensuring the integration of quality management system requirement through Process Interaction map.
- d) Establishing procedure for promoting the use of the process approach and risk-based thinking.
- e) Ensuring that the resources needed for the quality management system are available.
- f) Communicating the importance of effective quality management and need for conforming to the quality management system requirements.
- g) Ensuring that the quality management system achieves its intended results like LD free dispatches.
- h) Engaging, directing and supporting persons to contribute to the effectiveness of the quality management system.
- i) Promoting improvement by introducing employee feedback and conducting management review meetings.
- j) Supporting other relevant management roles to demonstrate their leadership as it applies to their areas of responsibility.

5.1.2 Customer Focus

HBL management demonstrates leadership and commitment with respect to customer focus by ensuring that:

- a) Customer and applicable statutory and regulatory requirements are determined, understood and consistently met;
- b) The risks and opportunities that can affect conformity of products and services and the ability to enhance customer satisfaction are determined and addressed; and

Prepared by:

Approved by:

	Quality Manual	Number:	HBL-EG-QM-01
		Revision:	6
		Page No:	13 of 29

c) The focus on enhancing customer satisfaction is maintained and procedure for customer satisfaction is addressed.

Ref: Statutory and Regulatory Requirements, EG-MR-AN-02

5.2. Policy

Quality Policy:

“We are committed to achieving customer satisfaction by:

- Timely Delivery of Products and Services to meet customer needs, expectations of quality, safety, reliability, statutory and regulatory requirements.
- Continuous improvement of our processes and systems by achieving our quality objectives.
- Achieving sustainable growth through Operational Efficiency, Technology and Skill Upgradation. “

5.3. Organizational Roles, Responsibilities and Authorities

HBL management ensures that the responsibilities and authorities for relevant roles are assigned, communicated and understood within organization. While assigning roles, responsibility and authority, top management has considered and ensured that

- The quality management system conforms to the requirements of this International Standard;
- The processes are delivering their intended outputs;
- Reporting on the performance of the quality management system and on opportunities for improvement, in particular to top management;
- The promotion of customer focus throughout the organization and
- The integrity of the quality management system is maintained when changes to the quality management system are planned and implemented.

Ref: Organization chart: EG-MR-AN-03, Roles, Responsibility and Authorities; EG-MR-AN-04 and Department wise Roles, Responsibilities and Authorities shall be available in individual department procedures

6. Planning

6.1 Actions to Address Risks and Opportunities

6.1.1 HBL considers the issues, requirements, risks and opportunities that need to be addressed to:

Prepared by:		Approved by:	
--------------	--	--------------	--

- a) Give assurance that the quality management system can achieve its intended result;
- b) Enhance desirable effects;
- c) Prevent, or reduce, undesired effects;
- d) Achieve improvement.

6.1.2 a) Actions to address these risks and opportunities;

b) How to:

- 1) Integrate and implement the actions into its quality management system processes
- 2) Evaluate the effectiveness of these actions.

6.2 Quality Objectives and planning to achieve them**6.2.1** HBL establishes quality objectives at relevant functions, levels and processes needed for the quality management system.

Ref: List of Objectives

6.3 Planning of Changes

When HBL determines the need for changes to the quality management system; the changes are carried out in a planned manner. HBL shall consider;

- a) The purpose of the changes and their potential consequences;
- b) The integrity of the quality management system;
- c) The availability of resources; and
- d) The allocation or reallocation of responsibilities and authorities.

7. Support**7.1 Resources****7.1.1 General**

HBL shall determine and provide the resources needed for the establishment, implementation, maintenance and continual improvement of the quality management system.

HBL shall consider:

- a) The capabilities of, and constraints on, existing internal resources; and
- b) What needs to be obtained from external providers.

Prepared by:

Approved by:

7.1.2 People

HBL determines and provide the persons necessary for the effective implementation of its quality management system and for the operation and control of its processes.

7.1.3 Infrastructure

HBL determines, provides and maintains the infrastructure necessary for the operation of its processes and to achieve conformity of products and services.

Infrastructure can include

- a) Buildings and associated utilities;
- b) Equipment, including hardware and software;
- c) Transportation resources;
- d) Information and communication technology.

7.1.4 Environment for the Operation of Processes

HBL determines, provides and maintains the environment necessary for the operation of its processes and to achieve conformity of products and services.

A suitable environment can be a combination of human and physical factors

- a) Social (e.g. non-discriminatory, calm, non-confrontational);
- b) Psychological (e.g. stress-reducing, burnout prevention, emotionally protective);
- c) Physical (e.g. temperature, heat, humidity, light, airflow, hygiene, noise).

These factors can differ substantially depending on the products and services provided.

7.1.5 Monitoring and Measuring Resources

7.1.5.1 General

HBL determines and provides the resources needed to ensure valid and reliable results when monitoring or measuring is used to verify the conformity of products and services to requirements.

The organization shall ensure that the resources provided:

- a) Are suitable for the specific type of monitoring and measurement activities being undertaken;
and
- b) Are maintained to ensure their continuing fitness for their purpose.

HBL retains appropriate documented information as evidence of fitness for purpose of the monitoring and measurement resources.

Prepared by:

Approved by:

7.1.5.2 Measurement Traceability

HBL ensures the measurement traceability to be an essential part of providing confidence in the validity of measurement results, measuring equipment shall be:

- a) Calibrated or verified, or both, at specified intervals, or prior to use, against measurement standards traceable to international or national measurement standards; when no such standards exist, the basis used for calibration or verification is retained as documented information;
- b) Identified in order to determine their status; and
- c) Safeguarded from adjustments, damage or deterioration that would invalidate the calibration status and subsequent measurement results.

Ref: Procedure for Measurement Traceability EG-QC-PR-02

7.1.6 Organizational Knowledge

HBL determines the knowledge necessary for the operation of its processes and to achieve conformity of products and services.

This knowledge is maintained and made available to the extent necessary.

When addressing changing needs and trends, HBL shall consider current knowledge and determines how to acquire or access any necessary additional knowledge and required updates.

Organizational knowledge is specific to the organization; All minds meeting, QMS site, SharePoint, Minutes of meeting, Communication, Trainings etc.,.

7.2 Competence

HBL :

- a) Determines the necessary competence of person(s) doing work under its control that affects the performance and effectiveness of the quality management system;
- b) Ensures that these persons are competent on the basis of appropriate education, training, or experience;
- c) Where applicable, take actions to acquire the necessary competence, and evaluate the effectiveness of the actions taken; and
- d) Retain appropriate documented information as evidence of competence for all employees.

Prepared by:

Approved by:

7.3 Awareness

HBL ensures that persons doing work under the organization control are aware of:

- a) The quality policy;
- b) Relevant quality objectives;
- c) Their contribution to the effectiveness of the quality management system, including the benefits of improved performance; and
- d) The implications of not conforming to the quality management system requirements.

7.4 Communication

HBL determines the internal and external communications relevant to the quality management system, including:

- a) On what it will communicate;
- b) When to communicate;
- c) With whom to communicate;
- d) How to communicate;
- e) Who communicates.

Ref: List of Internal and External Communications, [EG-MR-AN-05](#)

7.5 Documented Information

7.5.1 General

HBL's quality management system shall include:

- a) Documented information required by ISO 9001:2015; and
- b) Documented information determined by HBL as being necessary for the effectiveness of the quality management system.

7.5.2 Creating and updating

When creating and updating documented information, HBL ensures appropriate:

- a) Identification and description (e.g. a title, date, author, or reference number);
- b) Format (e.g. language, software version, graphics) and media (e.g. paper, electronic);
- c) Review and approval for suitability and adequacy.

Ref: Control of Documented Information Procedure, EG-MR-PR-01

7.5.3 Control of Documented Information

7.5.3.1 Documented information required by the quality management system and by ISO 9001:2015 are controlled to ensure:

- a) It is available and suitable for use, where and when it is needed; and

Prepared by:		Approved by:	
--------------	--	--------------	--

b) It is adequately protected (e.g. from loss of confidentiality, improper use, or loss of integrity).
Ref: Control of Documented Information Procedure, EG-MR-PR-01

7.5.3.2 For the control of documented information, HBL addresses the following activities, as applicable:

- a) Distribution, access, retrieval and use;
- b) Storage and preservation, including preservation of legibility;
- c) Control of changes (e.g. version control);
- d) Retention and disposition.

Documented information of external origin determined by HBL to be necessary for the planning and operation of the quality management system is identified as appropriate and controlled.

Documented information retained as evidence of conformity shall be protected from unintended alterations.

Ref: a) Control of Documented Information Procedure, EG-MR-PR-01

b) List of Records & Retention, [EG-MR-AN-06](#)

8. Operation

8.1 Operational Planning and Control

HBL determines the plan, implement and control the processes needed to meet the requirements for the provision of products and services, and to implement the actions determines risks and opportunities clause by:

- a) Determining the requirements for the products and services;
- b) Establishing criteria for:
 - 1) The processes;
 - 2) The acceptance of products and services;
- c) Determining the resources needed to achieve conformity to the product and service requirements;
- d) Implementing control of the processes in accordance with the criteria;
- e) Determining, maintaining and retaining documented information to the extent necessary:
 - 1) To have confidence that the processes have been carried out as planned;
 - 2) To demonstrate the conformity of products and services to their requirements.

HBL ensures the output of this planning is suitable to HBL's operations and also ensures that outsourced processes are controlled.

Ref: Production Procedure, EG-PP-PR-01 and List of Outsourced Processes and Control Methods

Prepared by:

Approved by:

8.2 Requirements for Products and Services

8.2.1 Customer Communication

Communications with customers include:

- a) Providing information relating to products and services;
- b) Handling enquiries, contracts or orders, including changes;
- c) Obtaining customer feedback relating to products and services, including customer complaints;
- d) Handling or controlling customer property; and
- e) Establishing specific requirements for contingency actions, when relevant.

Ref: Sales & Marketing Procedure, EG-SM-PR-01

8.2.2 Determining the requirements for products and services

When determining the requirements for the products and services to be offered to customers, HBL ensures that:

- a) The requirements for the products and services are defined, including:
 - 1) Any applicable statutory and regulatory requirements;
 - 2) Those considered necessary by HBL;
- b) It meets the claims for the products and services it offers.

8.2.3 Review of the requirements for products and services

8.2.3.1 HBL ensures that it has the ability to meet the requirements for products and services offered to customers. HBL conducts a review before committing to supply products and services to a customer, to include:

- a) Requirements specified by the customer, including the requirements for delivery and post-delivery activities;
- b) Requirements not stated by the customer, but necessary for the specified or intended use, when known;
- c) Requirements specified by HBL;
- d) Statutory and regulatory requirements applicable to the products and services;
- e) Contract or order requirements differing from those previously expressed.

HBL ensure that contract or order requirements differing from those previously defined are resolved.

The customer's requirements are confirmed by HBL before acceptance, when the customer does not provide a documented statement of their requirements.

Prepared by:

Approved by:

8.2.3.2 HBL retains documented information, as applicable:

- a) On the results of the review;
- b) On any new requirements for the products and services.

8.2.4 Changes to Requirements for Products and Services

HBL ensures that relevant documented information is amended, and that relevant persons are made aware of the changed requirements, when the requirements for products and services are changed.

8.3 Design and Development of Products and Services

8.3.1 General

HBL establishes implements and maintains a design and development process that is appropriate to ensure the subsequent provision of products and services.

8.3.2 Design and Development Planning

In determining the stages and controls for design and development, HBL considers:

- a) The nature, duration and complexity of the design and development activities;
- b) The required process stages, including applicable design and development reviews;
- c) The required design and development verification and validation activities;
- d) The responsibilities and authorities involved in the design and development process;
- e) The internal and external resource needs for the design and development of products and services;
- f) The need to control interfaces between persons involved in the design and development process;
- g) The need for involvement of customers and users in the design and development process;
- h) The requirements for subsequent provision of products and services;
- i) The level of control expected for the design and development process by customers and other relevant interested parties;
- j) The documented information needed to demonstrate that design and development requirements have been met.

8.3.3 Design and Development Inputs

HBL determines the requirements essential for the specific types of products and services to be designed and developed. HBL considers:

Prepared by:		Approved by:	
--------------	--	--------------	--

- a) Functional and performance requirements;
- b) Information derived from previous similar design and development activities;
- c) Statutory and regulatory requirements;
- d) Standards or codes of practice that HBL has committed to implement;
- e) Potential consequences of failure due to the nature of the products and services.

Inputs are adequate for design and development purposes, complete and unambiguous.

Conflicting design and development inputs are resolved.

8.3.4 Design and Development Controls

HBL applies controls to the design and development process to ensure that:

- a) The results to be achieved are defined;
- b) Reviews are conducted to evaluate the ability of the results of design and development to meet requirements;
- c) Verification activities are conducted to ensure that the design and development outputs meet the input requirements;
- d) Validation activities are conducted to ensure that the resulting products and services meet the requirements for the specified application or intended use;
- e) Any necessary actions are taken on problems determined during the reviews, or verification and validation activities;

8.3.5 Design and Development Outputs

HBL ensures that design and development outputs:

- a) Meet the input requirements;
- b) Are adequate for the subsequent processes for the provision of products and services;
- c) Include or reference monitoring and measuring requirements, as appropriate, and acceptance criteria;
- d) Specify the characteristics of the products and services that are essential for their intended purpose and their safe and proper provision.

8.3.6 Design and Development Changes

HBL identifies, reviews and controls changes made during, or subsequent to, the design and development of products and services, to the extent necessary to ensure that there is no adverse impact on conformity to requirements.

HBL retains documented information on:

- a) Design and development changes;

Prepared by:		Approved by:	
--------------	--	--------------	--

- b) The results of reviews;
- c) The authorization of the changes; and
- d) The actions taken to prevent adverse impacts.

8.4 Control of Externally Provided Processes, Products and Services

8.4.1 General

HBL ensures that externally provided processes, products and services conform to requirements, HBL determines the control applied to externally provided processes, products and services when:

- a) Products and services from external providers are intended for incorporation into the HBL's own products and services;
- b) Products and services are provided directly to the customer(s) by external providers on behalf HBL; and
- c) A process, or part of a process, is provided by an external provider as a result of a decision by HBL.

HBL determines and applies criteria for the evaluation, selection, monitoring of performance, and re-evaluation of external providers, based on their ability to provide processes or products and services in accordance with requirements.

8.4.2 Type and Extent of Control

HBL ensures that externally provided processes, products and services do not adversely affect the organization's ability to consistently deliver conforming products and services to its customers.

HBL:

- a) Ensures that externally provided processes remain within the control of its quality management system;
- b) Define both the controls that it intends to apply to an external provider and those it intends to apply to the resulting output;
- c) Take into consideration:
 - 1) The potential impact of the externally provided processes, products and services on HBL ability to consistently meet customer and applicable statutory and regulatory requirements;
 - 2) The effectiveness of the controls applied by the external provider;

Prepared by:

Approved by:

d) Determines the verification, or other activities, necessary to ensure that the externally provided processes, products and services meet requirements.

8.4.3 Information for External Providers

HBL ensures the adequacy of requirements prior to their communication to the external provider.

HBL communicates to external providers its requirements for:

- a) The processes, products and services to be provided;
- b) The approval of:
 - 1) Products and services;
 - 2) Methods, processes and equipment;
 - 3) The release of products and services;
- c) Competence, including any required qualification of persons;
- d) The external providers' interactions with HBL;
- e) Control and monitoring of the external providers' performance to be applied by HBL; and
- f) Verification or validation activities that HBL, or its customer, intends to perform at the external providers' premises.

Ref: Purchase Procedure, EG-PU-PR-01

8.5 Production and Service Provision

8.5.1 Control of Production and Service Provision

HBL implement production and service provision under controlled conditions.

Controlled conditions shall include, as applicable:

- a) The availability of documented information that defines:
 - 1) The characteristics of the products to be produced, the services to be provided, or the activities to be performed;
 - 2) The results to be achieved;
- b) The availability and use of suitable monitoring and measuring resources;
- c) The implementation of monitoring and measurement activities at appropriate stages to verify that criteria for control of processes or outputs, and acceptance criteria for products and services, have been met;
- d) The use of suitable infrastructure and environment for the operation of processes;
- e) The appointment of competent persons, including any required qualification;
- f) The validation, and periodic revalidation, of the ability to achieve planned results of the processes for production and service provision, where the resulting output cannot be verified by subsequent monitoring or measurement;

Prepared by:

Approved by:

- g) The implementation of actions to prevent human error;
- h) The implementation of release, delivery and post-delivery activities.

8.5.2 Identification and Traceability

HBL uses suitable means to identify outputs when it is necessary to ensure the conformity of products and services.

HBL identifies the status of outputs with respect to monitoring and measurement requirements throughout production and service provision.

HBL controls the unique identification of the outputs when traceability is a requirement, and shall retain the documented information necessary to enable traceability.

Ref: Procedure of Identification and traceability EG-MR-PR-05

8.5.3 Property Belonging to Customers or External Providers

HBL exercises care with property belonging to customers or external providers while it is under HBL's control or being used by HBL.

HBL identifies, verifies, protects and safeguards customers or external providers' property provided for use or incorporation into the products and services.

When the property of a customer or external provider is lost, damaged or otherwise found to be unsuitable for use, HBL reports this to the customer or external provider and retain documented information on what has occurred.

8.5.4 Preservation

HBL preserves the outputs during production and service provision, to the extent necessary to ensure conformity to requirements.

Ref: Stores Procedure, EG-ST-PR-01

8.5.5 Post-delivery Activities

HBL meets requirements for post-delivery activities associated with the products and services.

In determining the extent of post-delivery activities that are required, HBL Considers:

- a) Statutory and regulatory requirements;
- b) The potential undesired consequences associated with its products and services;
- c) The nature, use and intended lifetime of its products and services;
- d) Customer requirements; and
- e) Customer Feedback.

Prepared by:		Approved by:	
--------------	--	--------------	--

	Quality Manual	Number:	HBL-EG-QM-01
		Revision:	6
		Page No:	25 of 29

Ref: Customer Service Procedure, EG-CS-PR-01

8.5.6 Control of Changes

HBL reviews and controls changes for production or service provision, to the extent necessary to ensure continuing conformity with requirements.

HBL retains documented information describing the results of the review of changes, the person(s) authorizing the change, and any necessary actions arising from the review.

8.6 Release of Products and Services

HBL implements planned arrangements, at appropriate stages, to verify that the product and service requirements have been met.

The release of products and services to the customer does not proceed until the planned arrangements have been satisfactorily completed, unless otherwise approved by a relevant authority and, as applicable, by the customer.

HBL retains documented information on the release of products and services. The documented information includes:

- a) Evidence of conformity with the acceptance criteria;
- b) Traceability to the person(s) authorizing the release.

Ref: Quality Control Procedure, EG-QC-PR-01

8.7 Control of Nonconforming Outputs

8.7.1 HBL ensures that outputs that do not conform to their requirements are identified and controlled to prevent their unintended use or delivery.

HBL takes appropriate action based on the nature of the nonconformity and its effect on the conformity of products and services. This will also apply to nonconforming products and services detected after delivery of products, during or after the provision of services.

HBL deals with nonconforming outputs in one or more of the following ways:

- a) Correction;
- b) Segregation, containment, return or suspension of provision of products and services;
- c) Informing the customer;
- d) Obtaining authorization for acceptance under concession.

Conformity to the requirements is verified when nonconforming outputs are corrected.

Prepared by:		Approved by:	
--------------	--	--------------	--

8.7.2 HBL retains documented information that:

- a) Describes the nonconformity;
- b) Describes the actions taken;
- c) Describes any concessions obtained;
- d) Identifies the authority deciding the action in respect of the nonconformity.

Ref: Procedure for Nonconforming Output, EG-MR-PR-03

9. Performance Evaluation

9.1 Monitoring, Measurement, Analysis and Evaluation

9.1.1 General

HBL determines:

- a) What needs to be monitored and measured.
- b) The methods for monitoring, measurement, analysis and evaluation needed to ensure valid results;
- c) When the monitoring and measuring shall be performed;
- d) When the results from monitoring and measurement shall be analyzed and evaluated.

HBL evaluates the performance and the effectiveness of the quality management system.

Ref: Monitoring, Measurement Analysis, [EG-MR-AN-07](#)

9.1.2 Customer Satisfaction

HBL monitor customers' perceptions of the degree to which their needs and expectations have been fulfilled. HBL determines the methods for obtaining, monitoring and reviewing this information.

9.1.3 Analysis and Evaluation

HBL analyzes and evaluates appropriate data and information arising from monitoring and measurement.

The results of analysis are used to evaluate:

- a) Conformity of products and services;
- b) The degree of customer satisfaction;
- c) The performance and effectiveness of the quality management system;
- d) If planning has been implemented effectively;
- e) The effectiveness of actions taken to address risks and opportunities;

Prepared by:

Approved by:

- f) The performance of external providers;
 - g) The need for improvements to the quality management system.
- Ref: Defect tracking system, Quarterly product review meetings

9.2 Internal Audit

9.2.1 HBL conducts internal audits at planned intervals to provide information on whether the quality management system:

- a) Conforms to:
 - 1) HBL's own requirements for its quality management system;
 - 2) The requirements of ISO 9001:2015;
- b) Is effectively implemented and maintained.

9.2.2 HBL :

- a) Plans, establishes, implements and maintains an internal audit program including the frequency, methods, responsibilities, planning requirements and reporting, which will take into consideration the importance of the processes concerned, changes affecting HBL, and the results of previous audits;
- b) Defines the audit criteria and scope for each audit;
- c) Selects auditors and conduct audits to ensure objectivity and the impartiality of the audit process;
- d) Ensures that the results of the audits are reported to relevant management;
- e) Take appropriate correction and corrective actions without undue delay; and
- f) Retain documented information as evidence of the implementation of the audit Programme and the audit results.

Ref: Procedure for Internal Audit and MRM, EG-MR-PR-02

9.3 Management Review

9.3.1 General

Top management of HBL reviews the quality management system, at planned intervals, to ensure its continuing suitability, adequacy, effectiveness and alignment with the strategic direction of organization.

Prepared by:

Approved by:

9.3.2 Management Review Inputs

The management review are planned and carried out taking into consideration:

- a) The status of actions from previous management reviews;
- b) Changes in external and internal issues that are relevant to the quality management system;
- c) Information on the performance and effectiveness of the quality management system, including trends in:
 - 1) Customer satisfaction and feedback from relevant interested parties;
 - 2) The extent to which quality objectives have been met;
 - 3) Process performance and conformity of products and services;
 - 4) Nonconformities and corrective actions;
 - 5) Monitoring and measurement results;
 - 6) Audit results;
 - 7) The performance of external providers;
- d) The adequacy of resources;
- e) The effectiveness of actions taken to address risks and opportunities;
- f) Opportunities for improvement.

9.3.3 Management Review Outputs

The outputs of the management review includes decisions and actions related to:

- a) Opportunities for improvement;
- b) Any need for changes to the quality management system;
- c) Resource needs.

HBL retains documented information as evidence of the results of management reviews.

Ref: Procedure for Internal Audit and MRM, EG-MR-PR-02

10. Improvement

10.1 General

HBL determines and selects opportunities for improvement and implements any necessary actions to meet customer requirements and enhance customer satisfaction.

These include:

- a) Improving products and services to meet requirements as well as to address future needs and expectations;
- b) Correcting, preventing or reducing undesired effects; and
- c) Improving the performance and effectiveness of the quality management system.

Prepared by:

Approved by:

10.2 Nonconformity and Corrective Action

10.2.1 When nonconformity occurs, including any arising from complaints, HBL :

a) Reacts to the nonconformity and, as applicable:

1) Take action to control and correct it;

2) Deal with the consequences;

b) Evaluates the need for action to eliminate the cause(s) of the nonconformity, in order that it does not recur or occur elsewhere, by:

1) Reviewing and analyzing the nonconformity;

2) Determining the causes of the nonconformity;

3) Determining if similar nonconformities exist, or could potentially occur;

c) Implements any action needed;

d) Reviews the effectiveness of any corrective action taken;

e) Updates risks and opportunities determined during planning, if necessary; and

f) Makes changes to the quality management system, if necessary.

Corrective actions are appropriate to the effects of the non-conformities encountered.

10.2.2 HBL retains documented information as evidence of:

a) The nature of the non-conformities and any subsequent actions taken; and

b) The results of any corrective action.

Ref: Procedure for Corrective Action, EG-MR-PR-04

10.3 Continual Improvement

HBL continually improve the suitability, adequacy and effectiveness of the quality management system.

HBL considers the results of analysis and evaluations, and the outputs from management review, to determine if there are needs or opportunities that shall be addressed as part of continual improvement.

Prepared by:

Approved by: