

## for loop Scripts:

### Simple for loop output

```
#!/bin/bash

for i in 1 2 3 4 5
do
echo "Welcome $i times"
done
```

```
[root@ip-172-31-21-46 scripts]# vi forloop.bash
[root@ip-172-31-21-46 scripts]# cat forloop.bash
#!/bin/bash
# Purpose: executing for loop
#Date: 14/08/2026
#Modification: 14/08/2026
#Owner= vamshi

for i in 1 2 3 4 5
do
echo "welcome $i times"
done

for i in eat run jump play
do
echo See Imran $i
done

[root@ip-172-31-21-46 scripts]# chmod 755 forloop.bash
[root@ip-172-31-21-46 scripts]# ./forloop.bash
Welcome 1 times
Welcome 2 times
Welcome 3 times
Welcome 4 times
Welcome 5 times
See Imran eat
See Imran run
See Imran jump
See Imran play
[root@ip-172-31-21-46 scripts]# vi dowhile.bash
[root@ip-172-31-21-46 scripts]# cat dowhile.bash
#!/bin/bash
# Purpose: excuting do while
#Date: 14/08/2026
#Modification: 14/08/2026
#Owner= vamshi

count=0
num=10
while [ $count -lt 10 ]
```

### Simple for loop output

```
#!/bin/bash

for i in eat run jump play
do
echo See Imran $i
```

done

---

## for loop to create 5 files named 1-5

```
#!/bin/bash
```

```
for i in {1..5}
```

```
do
```

```
    touch $i
```

```
done
```

```
[root@ip-172-31-21-46 scripts]# vi createfile.bash
[root@ip-172-31-21-46 scripts]# cat createfile.bash
#!/bin/bash
# Purpose: For Loop to create 5 files named 1-5
#Date: 14/08/2026
#Modification: 14/08/2026
#Owner= vamshi

for i in {1..5}
do
touch $i
done
[root@ip-172-31-21-46 scripts]# chmod 755 createfile.bash
[root@ip-172-31-21-46 scripts]# ./createfile.bash
[root@ip-172-31-21-46 scripts]# ls
1 4 admintasks.bash  checkforfile.bash  curdate.bash  dowhile.bash  forloop.bash  input.bash  runcomnds.bash  usrinput.bash
2 5 b                count.bash         date.bash     errorfile.bash  helloworld.bash  newpertask.bash  smalltasks.bash  variables.bash
3 a c                createfile.bash    defvariables.bash  exitstatus.bash  hostname.bash  option.bash  userinfo.bash
[root@ip-172-31-21-46 scripts]#
```

## for loop to delete 5 files named 1-5

```
#!/bin/bash
```

```
for i in {1..5}
```

```
do
```

```
    rm $i
```

```
done
```

```
[root@ip-172-31-21-46 scripts]# vi removefiles.bash
[root@ip-172-31-21-46 scripts]# cat removefiles.bash
#!/bin/bash
# Purpose: for Loop to remove 5 files named 1-5
#Date: 14/08/2026
#Modification: 14/08/2026
#Owner= vamshi

for i in {1..5}
do
rm $i
done
[root@ip-172-31-21-46 scripts]# ls
1 4 admintasks.bash  checkforfile.bash  curdate.bash  dowhile.bash  forloop.bash  input.bash  removefiles.bash  userinfo.bash
2 5 b                count.bash         date.bash     errorfile.bash  helloworld.bash  newpertask.bash  runcomnds.bash  usrinput.bash
3 a c                createfile.bash    defvariables.bash  exitstatus.bash  hostname.bash  option.bash  smalltasks.bash  variables.bash
[root@ip-172-31-21-46 scripts]# ./removefiles.bash
[root@ip-172-31-21-46 scripts]# ls
a                c                createfile.bash  defvariables.bash  exitstatus.bash  hostname.bash  option.bash  smalltasks.bash  variables.bash
admintasks.bash  checkforfile.bash  curdate.bash  dowhile.bash  forloop.bash  input.bash  removefiles.bash  userinfo.bash
b                count.bash         date.bash     errorfile.bash  helloworld.bash  newpertask.bash  runcomnds.bash  usrinput.bash
[root@ip-172-31-21-46 scripts]#
```

### Specify days in for loop

```
#!/bin/bash

i=1
for day in Mon Tue Wed Thu Fri
do
    echo "Weekday $((i++)) : $day"
done
```

```
[root@ip-172-31-21-46 scripts]# vi days.bash
[root@ip-172-31-21-46 scripts]# cat days.bash
#!/bin/bash
# Purpose: Specify days in for loop
#Date: 14/08/2026
#Modification: 14/08/2026
#Owner= vamshi
i=1
for day in Mon Tue Wed Thu Fri
do
    echo "Weekday $((i++)) : $day"
done
[root@ip-172-31-21-46 scripts]# chmod 755 days.bash
[root@ip-172-31-21-46 scripts]# ./days.bash
Weekday 1 : Mon
Weekday 2 : Tue
Weekday 3 : Wed
Weekday 4 : Thu
Weekday 5 : Fri
[root@ip-172-31-21-46 scripts]# |
```

### List all users one by one from /etc/passwd file

```
#!/bin/bash

i=1
for username in `awk -F: '{print $1}' /etc/passwd`
do
    echo "Username $((i++)) : $username"
done
```

```
[root@ip-172-31-21-46 scripts]# vi listusrs.bash
[root@ip-172-31-21-46 scripts]# cat listusrs.bash
#!/bin/bash
# Purpose: List all users one by one from /etc/passwd file
#Date: 14/08/2026
#Modification: 14/08/2026
#Owner= vamshi

i=1
for username in `awk -F: '{print $1}' /etc/passwd`
do
echo "Username $((i++)) : $username"
done
[root@ip-172-31-21-46 scripts]# chmod 755 listusrs.bash
[root@ip-172-31-21-46 scripts]# ./listusrs.bash
Username 1 : root
Username 2 : bin
Username 3 : daemon
Username 4 : adm
Username 5 : lp
Username 6 : sync
Username 7 : shutdown
Username 8 : halt
Username 9 : mail
Username 10 : operator
Username 11 : games
Username 12 : ftp
Username 13 : nobody
Username 14 : dbus
Username 15 : systemd-network
Username 16 : systemd-oom
Username 17 : systemd-resolve
Username 18 : rpc
Username 19 : libstoragemgmt
Username 20 : systemd-coredump
Username 21 : systemd-timesync
Username 22 : sshd
Username 23 : chrony
Username 24 : ec2-instance-connect
Username 25 : stapunpriv
Username 26 : rpcuser
Username 27 : tcpdump
Username 28 : ec2-user
Username 29 : nginx
[root@ip-172-31-21-46 scripts]# |
```