Velo — High-Level Demo Script

For the CIO call · Module 1, Module 2 and Reports · Internal presenter notes · 28 Oct 2026

Time you get	What to show
5 min	Opening · Allocation Summary · Buffer Map · Season Performance · Close
10 min	MUST SHOW screens only
20 min	Everything below

Before the call

- Log in as **Head of Planning**. A planner login only sees its own stores.
- Check the sidebar season selector and that the licence is valid.
- Make sure Module 2 has run so the queues aren't empty.
- **Pick one demo store** with a good mix (some red cells, a few transfers and substitutions) and use it throughout.
- Rehearse Style Substitutions once. Open the home page before sharing.

Opening ~1 min

*"Good morning, everyone, and thank you for the opportunity. Let me share my screen and show you the product. This is **Simbus Velo, the Planner Workbench**, the web application the planners and the Head of Planning use day to day. It is deployed as a Databricks App inside the client's own Databricks workspace, so it works directly on their data and nothing leaves their environment. This is the home page, organised into four areas: **Module 1**, pre-season allocation of the buy plan across stores; **Module 2**, daily in-season replenishment; **Admin**, where seasons, business rules and user-store assignments are configured; and **Reports**, for performance tracking. I'll take you through it module by module, starting with Module 1."*

Show: the home page. Point at each of the four areas as you name it, and at the season selector. Don't open Admin; just name it.

Module 1 — Pre-season allocation ~6 min

Say (before opening the first screen):
"Module 1 is the pre-season Initial Fill, the first allocation of the season's stock to stores. We start with the season's buy plan from the planning team, at store and size level. Velo runs a demand model trained on several seasons of sales and sell-through, which predicts how much of each product will sell in each store. Using that, the system optimises how the buy plan is distributed. Stock is allocated in line with each store's predicted demand, within its shelf capacity and size norms. The planners then review and adjust it, and the Head of Planning approves it before anything is released to the stores. Let me show you how that looks."

Allocation Summary /m1

MUST SHOW

1 · The page

SHOW

- Open the page and pause on the full view.

SAY

- "This is the Allocation Summary. The planner sees system-recommended against planned units, across their stores."

2 · KPI cards

SHOW

- `Stores In Plan`, `Styles in Buy Plan`, `System Allocated Units`, `Planogram Breaches`.

SAY

- "The overall split at a glance: stores, styles, units allocated, and stores over shelf capacity."

3 · Store Overview

SHOW

- `Store`, `Grade`, `Planogram Max Units`.
- `Buyer's Plan Units` vs `System Plan Units`, same for Options.
- `Buyer Fit` / `System Fit`.

SAY

- "Each store shows planned against recommended, in units and options."
- "The fit columns show whether each plan fits the store's shelf capacity."

4 · Store detail

SHOW

- Click the demo store and filter by **Category**.
- `Buyer Qty` vs `System Qty`, `Final`, `Predicted Sell-through`, `System Reason`.

SAY

- "Line-level detail by style and size, with the predicted sell-through."
- "The reason column explains every quantity."

Land: Planned vs recommended, from season level down to each line.

Affinity Heat Map /m1/heatmap

IF TIME

1 · The page

SHOW

- Open the page and pause on the full view.

SAY

- "This is the Affinity Heat Map. It shows the planner why the system allocated the way it did, store by store."

2 · The grid

SHOW

- Store × category grid; filter by **City** or **Grade**.

SAY

- "The model's predicted sell-through for each store and category: green strong, red weak."

3 · Hover a cell

SHOW

- Hover a green and a red cell. Point at a ★ cell.

SAY

- "Stronger affinity, larger share. New stores (★) borrow a comparable store's profile."

Land: You can see why one store gets more than another.

Override & Adjust /m1/override

IF TIME

1 · Pick a store

SHOW

- **Select Store** = demo store; filter by **Category**.

SAY

- "This is Override & Adjust, where the planner reviews and adjusts the recommendation for a store."

2 · The columns

SHOW

- `Recommended Units`, `Final Units`, `Dev %`, `Reason`. Don't save.

SAY

- "Each line can move by only ±1 unit from the system recommendation, and every change needs a reason."
- "Changes must stay within shelf and stock limits. Going beyond the limits needs Head of Planning approval."

3 · Sign off the store

SHOW

- Point at the **Sign Off** button. Don't click.

SAY

- "The planner signs off each store once reviewed. Only signed-off stores go forward for Head of Planning approval."

Land: Planner judgement, within governed limits, signed off store by store.

Approve & Push /m1/approve

MUST SHOW

1 · The page

SHOW

- The progress bar at the top: **Buy Plan** → **Allocation** → **Sign-Offs** → **Approve**.

SAY

- "This is Approve & Push, the Head of Planning's final review before stock is released to stores."

2 · Pre-Approval Checklist

SHOW

- The **Pre-Approval Checklist**: buy plan uploaded, system allocation complete, all merchandisers signed off, planner deviations, new store seeding.

SAY

- "A pass/fail checklist confirms everything is in place before approval is allowed."

3 · Allocation Waterfall

SHOW

- Total buy → warehouse reserve → buyer allocation → system allocation → final dispatch.

SAY

- "The full plan reconciled: what was bought, what stays in the warehouse, and what goes to stores."

4 · Category and store tables

SHOW

- The **by-category** table, then the **by-store** table. Click a store for its detail.

SAY

- "The same plan by category and by store, so the Head of Planning can check the mix before approving."

5 · Sign-offs and overrides

SHOW

- **Sign-Offs** (`Merchandiser`, `Signed Off`) and **Planner Override Analysis** (`System Rec.` vs `Planner`, `Δ Units`).

SAY

- "Which stores are signed off, and every change planners made against the recommendation."

6 · Buy plan versions and final approval

SHOW

- The **Final Approval** panel. **Don't click Approve.**

SAY

- "Until final approval, the buy plan can be updated with new versions. Every version is kept, and the allocation is re-run on the latest one."
- "Once approved, the plan is locked; any later change is a tracked amendment with a reason. Release to the ERP is a separate, controlled step."

Land: One checked, reconciled and accountable approval for the season.

M1 Audit Trail /m1/audit

IF TIME

SHOW

- Filter by **action** or **planner**, and by date (**From** / **To**).
- Point at entries such as **Override Saved**, **Store Signed Off**, **Plan Approved**, **Plan Exported**.

SAY

- "This is the Module 1 Audit Trail: every override, sign-off, approval and export, with who did it and when."
- "So the season's decisions are fully traceable."

Land: Every Module 1 decision is traceable.

Module 2 — Daily replenishment

~8 min

Say (before opening the first screen):
"Module 2 is in-season replenishment, which keeps every store's range healthy while the season is trading. Every night, Velo takes the latest sales, stock on hand and in-transit data, and uses TOC-based buffer logic to identify the styles that need replenishment. The system then determines the right action: replenishment from the warehouse, a transfer from another store, or a replacement with a similar style. It also identifies slow-moving stock to be pulled back. Routine replenishment is approved automatically, so planners only review the exceptions. Let me show you how that looks."

Buffer Map /buffer

MUST SHOW

1 · The heatmap

SHOW

- Stores × categories, each cell split Black / Red / Yellow / Green, with a count in each segment.

SAY

- "This is the Buffer Map. Each cell shows how many fashion buckets in that category sit in each buffer zone."

2 · Buffer zones

SHOW

- **Filter by city**, then **Filter by store** = demo store. Optionally **Filter by zone**.

SAY

- "Green is healthy; red and black mean the range is running thin, and that's when the engine acts."

3 · Drill down

SHOW

- Click a red cell: `Style ID`, `Size`, `Store SOH`, `WH SOH`, `Target`, `ROQ`.

SAY

- "The exact styles and sizes behind the gap, and what needs ordering. This is what the nightly engine acts on."

Land: Gaps are visible before they become lost sales.

WH Dispatch Orders /wh-orders

MUST SHOW

1 · Summary

SHOW

- KPI strip and the category breakdown.

SAY

- "This is WH Dispatch Orders, the warehouse replenishment generated overnight. It is auto-approved because it's like-for-like."

2 · The orders

SHOW

- Filter **Store** = demo store: `Style`, `Size`, `Grade`, `Ordered`, `WH Avail.`

SAY

- "When stock is short, higher-grade stores are served first."

Land: Most replenishment runs without planner effort.

Inter Store Transfer /auto

IF TIME

1 · The queue

SHOW

- `Store Name` ← `Donor Store`, `Donor ROS (21d)`, `Transfer Type`, `Order Qty`.

SAY

- "This is the Inter Store Transfer queue. When the warehouse is out, stock moves from the slowest-selling store, within the same state."

2 · Approval

SHOW

- The approve and reject buttons. Don't click.

SAY

- "A planner approves each transfer."

Land: Stock already owned moves to where it sells.

Style Substitutions /subs

MUST SHOW

1 · The queue

SHOW

- **Select a store** = demo store: `Photo`, `Style Code`, `Colour`, `OOS Sizes`.

SAY

- "This is Style Substitutions. It lists styles sold out in core sizes that can't be refilled or transferred."

2 · AI search

SHOW

- Click a style and run the search. Show the sold-out style's image next to the suggestions.

SAY

- "Every product image is converted into a visual signature using the CLIP AI model, and stored in Databricks Vector Search."
- "The search finds the visually closest styles in seconds, then filters on business rules: same sleeve, right season, no clearance lines."

3 · The suggestion cards

SHOW

- On each card: **match score**, **size-wise warehouse stock**, **sell-through**, and the AI-written **similarity summary**.

SAY

- "Each suggestion shows how close the match is, whether a full size set is in stock, and how well it has sold."
- "A short AI summary explains why it's a good match."

4 · Confirm

SHOW

- Point at the Confirm button. **Don't click.**

SAY

- "The planner picks one, and an order is created for the full size set, from stock that is reserved for it."

Land: AI-assisted replacement: visually similar, proven to sell, and ready to ship.

60-Day Pull-Back /velocity

IF TIME

SHOW

- Filter to demo store: **Style**, **Colour**, **Days In Store**, **Last Receipt**.

SAY

- "This is the 60-Day Pull-Back list. Styles not selling 60 days after delivery are flagged to come back and be redeployed."

Land: Slow stock is freed up early.

Close Module 2: "*Routine replenishment is done overnight. Planners focus on transfers, replacements and pull-backs.*"

Reports ~4 min

> **Say (before opening the first screen):**
> "*The last part is reporting. All KPIs are calculated on one agreed set of definitions, from the same governed data the engines use, so everyone works from the same numbers. There are two views: Season Performance for management, and Store Availability for the planning team.*"

Season Performance /reports/season

MUST SHOW

1 · Headline

SHOW

- The sell-through dial and the "against target" bars.

SAY

- "This is Season Performance, the management view: sell-through against target and against last year."

2 · Filter and drill

SHOW

- Change **Region** or **Grade**; scroll to by-category and the weakest-stores grid.

SAY

- "Any variance traces to the region, grade, category or store behind it."

3 · Core vs new

SHOW

- Core / New this season / Carried over: `Received`, `Sold`, `Change vs last year`.

SAY

- "Core and new-season stock are tracked separately, as they behave differently."

Land: One source of truth for season performance.

Store Availability /reports/availability

IF TIME

SHOW

- Pivotal size availability dial, the tiles, then the stores-below-norm grid.

SAY

- "This is Store Availability, the planners' weekly view. Availability is a leading indicator: a size not on the shelf can't sell."

Land: Gaps flagged while there is still time to act.

When showing reports

- Early in a season the new range looks low next to core. That's timing. Point at the change vs last year.
- These are baseline figures from the parallel run. **Don't present them as results produced by Velo.**

Close ~1 min

"So Velo covers the full cycle: an optimised allocation before the season, daily replenishment during it, and consistent measurement throughout. It all runs in the client's own Databricks environment, with planners in control of the decisions that matter. A good next step would be a parallel run on your data, so the impact can be measured side by side."

If the CIO asks

- **Where it runs:** Databricks in the client's own cloud. Data doesn't leave.
- **Integration:** file-based in and out. No live coupling to the ERP.
- **Access:** role-based and audit-logged. Planners see only their stores.
- **Start small?** Yes. Module 2 alone is a common starting point.

Don't

- Click Approve, Confirm or Save, or open Admin > Licence.
- Say "real-time", "fully automated" or "live in production", or quote ROI numbers or go-live dates.