API Specification

This section lists the APIs which may be required to build this project. Slapchart would like to the developer to understand our suggested approach and provide their own feedback and/or revisions based on their expertise and experiences.

- 1. Section 1 /api/producer APIs specific to the Producer.
- 2. Section 2 /api/beats APIs specific to the Beats.
- 3. Section 3 Database requirements.

Section 1 - /api/producer/

Method	Endpoint	Authentication	Description
GET	api/producers/	Admin Only	Returns all the producers from the database

Method	Endpoint	Authentication	Description	
POST	api/producers/	None	Creates a new producer in the database.	
			First should perform validations on the request. If all validations pass, a unique ID should be generated.	
			With the unique ID as the "producerId", the producer is saved in the database. This includes saving the base64 encoded photo	

- Producer name must be less than 32 Characters
- Producer name can't contain text like XxXxStr8FirexXxX
- Email must be a valid email
- Email must be less than 256 characters
- Twitter Name must be less than 16 characters
- Soundcloud Name must be less than 32 characters
- Photo must be a valid base64 encoded image
- Photo must be less than 4MB

```
Example Request Json:
                                                     Example Response Json:
       "producerName": "Metro Boomin",
                                                            "producerId": 34,
       "email": "metroboominbeats@gmail.com",
                                                            "producerName": "Metro Boomin",
       "twitterName": "MetroBoomin",
                                                            "email": "metroboominbeats@gmail.com",
       "soundcloudName": "Metro Boomin"
                                                            "twitterName": "MetroBoomin",
       "photoBase64":
"
                                                            "soundcloudName": "Metro Boomin"
AwO/AwHVYZ/z595kzAP/s7P+goOXMv8+fhw/v739
/f+8PD98fH/8mJl+fn/9ZWb8/PzWlwv///6wWGbIm
APgTEMImfDEUVLyADj5AChSIQW6gu10bE/JG2Vn
```

Method	Endpoint	Authentication	Description
GET	api/producers/:id	None	Returns all fields of the producer for the given id. The photo field should instead return a link to where the photo can be retrieved.

Example Response Json:

```
"producerId": 34,
"producerName": "Metro Boomin",
"email": "metroboominbeats@gmail.com",
"twitterName": "MetroBoomin",
"soundcloudName": "Metro Boomin",
"photo": "/producer/34/photo""
```

CZGfo4R4d0sdQoBAHhPjhIB94v/wRoRKQWGRHgrh

GSQJxCS+0pCZbEhAAOw=="

Method	Endpoint	Authentication	Description
DELETE	api/producers/:id	Admin Only	Deletes a given producer in the database. Deleting a producer should delete all their beats too.

Method	Endpoint	Authentication	Description
PUT	api/producers/:id	None	Modifies the fields of a given producer. First should perform validations on the request. If all validations pass the fields should be updated. This request does NOT update the photo.

- Producer name must be less than 32 Characters
- Producer name can't contain text like XxXxStr8FirexXxX
- Email must be a valid email
- Email must be less than 256 characters
- Twitter Name must be less than 16 characters
- Soundcloud Name must be less than 32 characters
- Photo must be less than 4MB

Method	Endpoint	Authentication	Description
PUT	api/producers/:id/ photo	Admin OR Producer	Updates the base64 encoded image for the producer.

- Photo must be a valid base64 encoded image
- Photo must be less than 4MB

Example Request Json:

{

"photoBase64":

 $\label{lem:control} ``data: image/png; base 64, R0IGODlhPQBEAPeoAJosM//AwO/AwHVYZ/z595kzAP/s7P+goOXMv8+fhw/v739/f+PD98fH/8mJl+fn/9ZWb8/PzWlwv///6wWGbImAPgTEMImfDEUVLyADj5AChSIQW6gu10bE/JG2VnCZGfo4R4d0sdQoBAHhPjhIB94v/wRoRKQWGRHgrhGSQJxCS+0pCZbEhAAOw==""$

Method	Endpoint	Authentication	Description
GET	api/producers/:id/ photo	None	Updates the base64 encoded image for the producer.

Example Response Json:

{

"photoBase64":

"""

Method	Endpoint	Authentication	Description
GET	api/producers/:id/ approvedBeats	None	Returns all the beats for that producer that have been approved. An approved beat should have values in the "approvedDate" and "dateTimeToPost" fields.

Method	Endpoint	Authentication	Description
GET	api/producers/:id/ submittedBeats	Admin Only	Returns all the beats for that producer that have been submitted.
			This includes beats that have been approved and also not been approved

Section 2 - /api/beats/

Method	Endpoint	Authentication	Description
GET	api/beats/submitted	Admin Only	Returns all the beats that have been submitted and have NOT been approved

Method	Endpoint	Query Params	Authentication	Description
GET	api/beats/approved	startDateendDate	Admin Only	Returns all the beats that have been approved to be posted between the given start date and end date.

Method	Endpoint	Query Params	Authentication	Description
GET	api/beats/posted	● startDate	None	Returns all the beats that have been approved to be posted between the given start date and the current date.

Method	Endpoint	Authentication	Description
GET	api/beats/pending	Admin Only	Returns all the beats that have been approved but the approval date has not yet happened.

Method	Endpoint	Authentication	Description
POST	api/beats	Admin Only Or Producer	Submits a new beat.
			Validates the fields in the request body. If all fields pass validation, a unique ID is generated for the beat and a new Beat is added to the beats database.

- File size for beat must be less than 10mb
- Producer can only upload 1 beat per day
- Beat name must be less than 64 characters
- Beat name can't contain extra text like [MUST LISTEN]

```
Example Request Json:

{
    "beatName": "Obey The Ghost",
    "beatURL": "http://beats.com/obey.mp3"
}

("beatName": "Obey The Ghost",
    "beatName": "Obey The Ghost",
    "beatURL": "/api/beats/152/stream",
    "submittedDateTime": "2016-04-23T18:25:43.511Z",
    "producerId": 32
}
```

Method	Endpoint	Authentication	Description
GET	api/beats/:id	Admin Only	Returns the fields associated with the given beat.

Method	Endpoint	Authentication	Description
DELETE	api/beats/:id	Admin Only	Deletes a given submitted beat

Method	Endpoint	Authentication	Description
PUT	api/beats/:id	Admin Only	Modifies the fields on the given beat.
			Cannot change the beat itself.
			First should perform validations on the fields in the request body. If all fields pass validations, then the given beat is updated in the database.

- Beat name must be less than 64 characters
- Beat name can't contain extra text like [MUST LISTEN]

```
Example Response Json:

{
    "beatName": "Obey The Ghost",
    "beatURL": "http://beats.com/obey.mp3"
}

### Comparison of the Comparison
```

Method	Endpoint	Authentication	Description
PUT	api/beats/:id/approve	Admin Only	Approves the given beat.
			This will add the approval date and set the date/time to be posted.

Method	Endpoint	Authentication	Description
PUT	api/beats/:id/unapprove	Admin Only	Unapproves the given beat.
			This will remove the approval date and the date/time to be posted.

Section 3 – Database Requirements

Producer:

- Producer Id Int
- Producer Name String
- Email String
- Password Hash String
- Twitter Name String
- Soundcloud Name String
- Producer Status (None, Not Ready, Featured)
- Photo String (Base64 Encoded)

Beat:

- Beat Id Int
- Beat Name String
- Beat Url String
- Approved Boolean
- Producer Id Int
- Submit Date Date
- Approval Date Date
- Post Date/Time Date/Time