

Object geometry annotation

EVALUATION REPORT

2026-09-06

Evaluation scope:

GPT-5.5 via Codex CLI (subscription, image input)

Prepared by:

VVDex Forge — generated directly from sealed run evidence

fr-20260906-af2506a7 · vvdex.annotation.image-object-1 v0.1.0 · Independent model evaluation report

About this report

About VVDex Forge

VVDex Forge builds and certifies evaluation environments for AI agents. Every exam is sealed before any model sees it: the reference solution must pass, an empty submission must fail, the grader must reject near-misses, and the hidden tests never enter the agent's tree. Reports and the public catalog live at **vvdexops.com**.

Report integrity

This report is generated from run evidence; its digests verify authenticity. The sole test of a copy is the three-line procedure in Verification — a copy whose digests do not reproduce is not this report.

Scope

One exam · 1 rollout(s) · 24 tool steps and 3000s wall clock per rollout, stated in full in Evaluation configuration.

Boundary

Not a leaderboard. Not a general capability score. A post-seal benchmark: this run stamped no certification gate and rewrote nothing — not the exam, not the reference solution, not the grader, not the certified evidence.

Contents

01.	Annotation evidence	
02.	Executive summary	4
03.	Exam definition	5
04.	Certification evidence	6
05.	Model outcomes	7
06.	Stage funnel	8
07.	Findings	8
08.	Recommendations	9
09.	Verification	10

Followed by: companion evidence report reference · Attestation

01 Annotation evidence

Modality: image. **Rubric:** 1.0.

A constructed image is reviewed for classification, object boxes, attributes and keypoints.

Submission 17671a13-64e4-42b8-9a90-98b7d789da54

Score	Items	Valid / invalid	Types
0.9938	4	4 / 0	box, classification, keypoint

Measured metrics

annotationCount	4	boxF1	1
boxIoU	0.9875	boxPrecision	1
boxRecall	1	classificationAccuracy	1
classificationF1	1	classificationPrecision	1

classificationRecall	1	keypointF1	1
keypointNormalizedError	0	keypointPrecision	1
keypointRecall	1	matchedCount	4
mismatchCount	1		

Track consistency depends on successful box matching. A zero can reflect inaccurate boxes even when track IDs are correct.

Validation error codes

None recorded

Disagreement

Agreement reviewNot measured

Measured grader aggregates only. Missing metrics or disagreement are not measured, never zero. Reference answers and item-level labels are excluded. Certification and the evidence digest are recorded in this report's verification sections.

02 Executive summary

MODELS TESTED

1

CERTIFIED PASSES

0

of 1 graded rollouts

SUBMITTED

1 of 1

graded rollouts that called submit

NOT GRADED — LANE ERRORS

0

of 1 attempts

Purpose

This report presents a controlled evaluation of 1 model lane(s) against the certified exam `vvdex.annotation.image-object-1` (v0.1.0, family annotation). Every lane received the identical frozen workspace, tool contract and limits; grading ran afterwards, in isolation, against hidden tests no lane ever saw. The purpose is to state, with reproducible evidence, what each lane did and where it stopped.

Outcome

0 of 1 graded rollouts passed the independent hidden tests and were certified

0 of 1 graded rollouts passed the hidden tests. The exam's certification establishes the task is winnable, so every failure below is a finding about a lane, not about the instrument. **Low-N:** 1 rollout(s) is below the 10-rollout floor for reading a rate as a rate — read the per-rollout outcomes, not the percentages. The most common way to fail was `submitted_failed` — submitted annotations rejected by the independent grader.

Key findings

F-01 No evaluated lane passed the hidden tests in this run

F-02 `submitted_failed` × 1 (cli/codex-gpt-5.5)

F-03 Statistical floor — 1 rollout(s) is below the 10-rollout rate floor

Each finding is stated in full, with evidence, in the Findings section; recommendations for acting on them follow it. Elapsed wall clock for the whole engagement: 43.1s.

03 Exam definition

In scope. The ability of each configured model lane to complete this one certified task end to end — inspect the asset, annotate against the declared rubric, validate, submit, and be accepted by the independent annotation grader — within 24 tool steps and 3000s of wall clock, at 1 rollout(s) per lane. Behavioural measurements along the way (tool discipline, grounding, overclaim) are in scope because they are read from the recorded trace, not judged by another model.

Out of scope. General model quality, performance on other task families, prompt-tuning on the lane's behalf, and any comparison this run's sample size cannot support. A lane's API failure is reported as infrastructure, never as model capability.

The instrument. Exam `vvdex.annotation.image-object-1` was certified before this run: its reference solution passes, an empty submission fails, its grader distinguishes near-

misses, and its sealed evidence is unchanged by this evaluation (see Certification evidence).

What was measured

EXAM

**vvdex.annotation.imag
e-object-1**

VERSION

0.1.0

FAMILY

annotation

ROLLOUTS

1 (1 per model)

Where the defect came from

This exam has no upstream repository to credit: the defect, the reference solution and the hidden suite are VVDex's own.

04 Certification evidence

Why this exam is trustworthy. Every pillar below was established before any model saw the exam, loaded from the sealed evidence matching this run's exam fingerprint, and unchanged by this evaluation.

FROZEN BASELINE

FAIL

expected — an empty submission over 2 run(s)
must not pass

→

GOLD / REFERENCE

PASS

expected — the reference solution over 2 run(s)
must pass

GRADER CONTROLS

19 / 19

The grader accepted the
reference and rejected every
near-miss.

ATTACK PROBES

9 / 9 blocked

0 trivial exploit(s) found.

SEALED EVIDENCE

verified

Sealed 2026-09-06 over 13
artifact(s).

RUNTIME

sha256:679b36225a1f
83238efba8c71b9cde
3c24caaeacc9b682ae
92819cb55eec328f

network policy: deny

CERTIFICATION BUNDLE DIGEST

c f945b4838a266664300b32 fdd5fed0c4e781ab95e
aaebfde31a0ce8ae2d7295

EXAM FINGERPRINT

422753713aeb9f41abcc4135...

Full value in Appendix B; the contract digest this run was executed against.

05 Model outcomes

Denominators. Attempts requested: 1. Graded (evaluable) rollouts: 1. Not graded — lane errors: 0. A lane error is a rollout the API or the runtime ended before the hidden grader ran: it is listed, excluded from every rate and pass@k, and never silently dropped. Passes are certified passes: hidden grader exit 0 with integrity verified.

MODEL	ATTEMPTS	GRADED	PASSED	MODEL FAILS	LANE ERRORS	SUBMITTED	MEAN TIME	TYPICAL DEEPEST STAGE
GPT-5.5 via Codex CLI (subscription, image input) cli/codex-gpt-5. 5	1	1	0 / 1	1	0	1 / 1	41.9s	Graded

Every rollout, with its own deepest stage and grade, is in Appendix A.

Success rate, confidence and pass@k

Every rate on this page is a measurement of a finite number of rollouts, so every rate carries the interval that measurement actually supports. n is the evaluable count — attempts minus rollouts the lane ended before grading; those are listed under "not graded" and sit in no rate, interval or pass@k.

MODEL	ATTEMPTS	N	NOT GRADED	PASSES	RATE	95% INTERVAL	SEEDS	PASS@1
cli/codex-gpt-5.5	1	1	0	0	0.0%	[0%, 79%]	0	0.0%

Interval and pass@k methods are stated in full in Appendix D. pass@k is shown for k = 1; the sealed record carries every k up to n.

Model comparison

One model ran in this record, so there is nothing to compare it with. A comparison table across models appears here when a run covers more than one.

06 Stage funnel

Recorded annotation actions and independent grader verdicts. Missing capabilities are N/A; each stage is measured independently.

STAGE	CLI:CLI/CODEX-GPT-5.5
Inspect	1 / 1
Annotate	1 / 1
Validate	1 / 1
Submit	1 / 1
Graded	1 / 1
Passed	0 / 1

Deepest stage reached

MODEL	DEEPEST (ANY ATTEMPT)	TYPICAL (MOST ATTEMPTS)	ANNOTATION QA PASSES	NOT GRADED
cli:cli/codex-gpt-5.5	Graded	Graded	0 / 1	0

The matrix counts evaluable annotation attempts; lane errors are shown separately. Successful recorded actions establish each stage independently.

07 Findings

Every finding below is derived from the recorded data of this run — none is an opinion.
Severity: PASS a lane succeeded · ATTENTION a capability gap · LANE / INFRA infrastructure, not capability · NOTE a property of the measurement.

F-01

ATTENTION

No evaluated lane passed the hidden tests in this run

Severity: ATTENTION

Evidence: Model outcomes · Certification evidence

Every rollout either stopped before submitting or submitted an annotation submission the independent grader rejected. The exam's own certification (gold solution passes, empty submission fails) establishes the task itself is winnable.

F-01 · derived from the recorded run data

F-02

ATTENTION

submitted_failed × 1 (cli/codex-gpt-5.5)

Severity: ATTENTION

Evidence: Appendix A · Appendix C

Submitted annotations rejected by the independent grader.

F-02 · derived from the recorded run data

F-03

NOTE

Statistical floor — 1 rollout(s) is below the 10-rollout rate floor

Severity: NOTE

Evidence: Appendix D

The counts are exact; the percentages are anecdotes with decimal points. Per-rollout outcomes, not rates, are the reliable reading of this run.

F-03 · derived from the recorded run data

08 Recommendations

One recommendation per observed failure mode, addressed to the lane it affects. Each traces back to a finding above and to the raw trace in Appendix A.

R-01 PROBLEM

Submitted annotations rejected by the independent grader.

AFFECTED LANES

cli/codex-gpt-5.5

WHAT WE WOULD LOOK AT FIRST

Review the measured annotation metrics and validator error codes against the declared rubric.

R-02 For anyone reading the percentages

Commission a run at $n \geq 10$ rollouts per lane before treating any rate here as a rate; this run's per-rollout outcomes are exact, its percentages are not yet stable.

09 Verification

RUN ID

live-20260906T032729Z

EXAM FINGERPRINT

**422753713aeb9f41abcc4135d637e3064cae1e770f
c8d22ec9dacf260b35a3ef**

The contract digest this run was executed against.

Tamper-evidence

Three digests, and how to check each one. If any of them does not reproduce, this page is not the page that was generated for this run.

THIS REPORT

**9fa1eace40b8bc5ce7db7b528f
a79418707010fa4967f23f0626
258276fa06a9**

sha256 over the report's UTF-8 bytes with every occurrence of the report digest itself replaced by 64 '0' characters

EVAL RECORD

**e6f8a67d25df861142ea20342a
a798b9cef27b8899346bb21428
a3adfd04f3f5**

sha256 of fr-20260906-af2506a7.json as written beside this file.

RUN EVIDENCE BUNDLE

**af2506a73576d7a7b551f47384
46c41a4c226fff913a430f7966
f807f3c843f3**

The digest the run's own bundle computed over itself.

CERTIFIED EVIDENCE SEAL

**cf945b4838a266664300b32fdd
5fed0c4e781ab95eaaebfde31a
0ce8ae2d7295**

The exam's sealed evidence, established before this run.

Measurement history

Previous run on this exam: fr-20260906-62fb1341. Model progress over time on this exam is the difference between that record and this one — same frozen tree, same hidden grader, same limits. Anything else that moved between them moved outside this exam.

Verifying it, in three lines

1. `vvdex-env verify-report --report fr-20260906-af2506a7.html`
2. or by hand: replace every occurrence of the report digest above with 64 zeros, then sha256 the file — it must equal that digest
3. `shasum -a 256 fr-20260906-af2506a7.json` must equal the eval-record digest, and the bundle digest must equal `bundleSha256` in the run's bundle file

The full artifact-by-artifact digest table, and the reproduction protocol, are in Appendix B.

This is the executive report. The full verifiable evidence report for the same run — every rollout, artifact digests, redacted transcripts and methods — is fr-20260906-af2506a7.pdf, generated from exactly the same sealed record.

Attestation

This report was generated end to end by VVDex Forge from the sealed evidence of the evaluation run described above. Measurement values were populated from recorded artifacts, not manually entered. The digests in Verification let any holder of this file confirm that the report, the eval record and the run evidence are the ones this run produced — without contacting VVDex.

VVDex Forge · vvdexops.com	2026-09-06	vvdex-env 0.1.0
Issuer — certified evaluation environments	Date of issue	Engine · verifiers pin c521e4146026

No upstream repository: this exam is VVDex's own.

Post-seal benchmark. It does not stamp any certifying gate and did not rewrite the exam, the gold solution, the grader or the certified evidence.

— END OF REPORT · fr-20260906-af2506a7 —