

# Two new families — browser and harness evaluation, ten rollouts per lane

2 sealed evaluations · 59 graded rollouts · 41  
certified passes

HISTORICAL — SUPERSEDED

## CAMPAIGN REPORT

2026-09-02

Evaluation scope:

- cli/claude-sonnet
- cli/codex
- codestral-latest

Prepared by:

VVDex Forge — regenerated from verified sealed records only

fc-72fe6f91c29e · 2 record(s) · every value recomputable

# Contents

|     |                                           |    |
|-----|-------------------------------------------|----|
| 01. | Executive summary                         | 3  |
| 02. | Per-exam results                          | 4  |
| 03. | Environment families                      | 5  |
| 04. | Campaign aggregate across these two exams | 6  |
| 05. | Harness status                            | 7  |
| 06. | Cells excluded from capability            | 8  |
| 07. | What the outcomes mean                    | 9  |
| 08. | What this report withholds, and why       | 10 |
| 09. | Exam · order-desk-1                       | 11 |
| 10. | Exam · fault-recovery-1                   | 48 |
| 11. | Evidence                                  | 82 |
| 12. | Attestation                               | 83 |

01 Executive summary

**Release status: HISTORICAL — superseded.** A newer campaign carries these exams. This report is published so the earlier measurement stays checkable; its exams are NOT on the public featured index, and the current numbers are in the campaign the index names.

|                       |                        |                               |                         |
|-----------------------|------------------------|-------------------------------|-------------------------|
| EXAMS<br>2            | SEALED RECORDS<br>2    | MODEL LANES<br>3              | ATTEMPTS<br>60          |
| GRADED ROLLOUTS<br>59 | CERTIFIED PASSES<br>41 | LANE ERRORS (NOT GRADED)<br>1 | WITHHELD / INVALID<br>0 |

Purpose

This report presents a controlled evaluation of 3 model lane(s) against 2 fixed certified exams, 10 rollouts per lane. For each exam, every lane received that exam's frozen workspace, tool contract and limits; grading ran afterwards, in isolation, against hidden tests no lane ever saw; and every rollout carries three separate outcomes — grader, integrity, certified — of which only the certified outcome is counted. Each sealed evaluation record is rendered below as a chapter derived from the same record as its standalone report: the chapter's bytes are authenticated by this campaign document, the standalone report by its own digest.

Outcome

41

certified pass(es) across 59 graded rollouts (60 attempts, 1 lane error(s) not graded) in 6 cells — counted only where the grader accepted the submission AND containment was verified AND provenance is complete AND no integrity invariant or verdict-bearing harness suspicion applies.

fc-72fe6f91c29e · generated from 2 verified sealed record(s)

Key findings across the campaign

- `fault-recovery-1 · cli/claude-sonnet · PASS` — 10 certified passes / 10 graded rollouts; 0 model failures; 0 excluded (0 lane errors, 0 withheld, 0 invalid).
- `fault-recovery-1 · cli/codex · PASS` — 10 certified passes / 10 graded rollouts; 0 model failures; 0 excluded (0 lane errors, 0 withheld, 0 invalid).
- `fault-recovery-1 · codestral-latest · ATTENTION` — 0 certified passes / 10 graded rollouts; 10 model failures; 0 excluded (0 lane errors, 0 withheld, 0 invalid).
- `order-desk-1 · cli/claude-sonnet · PASS` — 10 certified passes / 10 graded rollouts; 0 model failures; 0 excluded (0 lane errors, 0 withheld, 0 invalid).
- `order-desk-1 · cli/codex · PASS` — 10 certified passes / 10 graded rollouts; 0 model failures; 0 excluded (0 lane errors, 0 withheld, 0 invalid).
- `order-desk-1 · codestral-latest · ATTENTION` — 1 certified passes / 9 graded rollouts; 8 model failures; 1 excluded (1 lane error, 0 withheld, 0 invalid).

02 Per-exam results

| MODEL LANE        | HARNESS<br>VVDEX.HARNESS.FAULT-RECOVERY-1 | BROWSER<br>VVDEX.BROWSER.ORDER-DESK-1 |
|-------------------|-------------------------------------------|---------------------------------------|
| cli/claude-sonnet | 10/10                                     | 10/10                                 |
| cli/codex         | 10/10                                     | 10/10                                 |
| codestral-latest  | 0/10                                      | 1/9 + 1 lane error                    |

Each cell is *certified passes / graded rollouts* for that lane on that exam. An attempt the lane ended before grading is reported beside the cell — 1/9 + 1 lane error, never 1/10 — and is outside the denominator; withheld and invalid attempts are reported the same way. A cell whose graded attempts all passed but which also holds such an attempt is shown as *passes with attempts outside the denominator*, not as a clean sweep — the clean-sweep state is reserved for a cell where every attempt was graded and every graded attempt certified. No cell here carries a percentage: these are separate exams, not one score.

03 Environment families

This campaign covers two exam(s) drawn from two environment family(ies). The sentence in each row is the family's own description of what the exam tests; nothing is claimed here that the exam does not.

| FAMILY                          | EXAM                           | WHAT IT TESTS                                                                 |
|---------------------------------|--------------------------------|-------------------------------------------------------------------------------|
| Tool and harness fault recovery | vvdex.harness.fault-recovery-1 | A code-fix task carried out through a deliberately unreliable tool loop.      |
| Browser and computer use        | vvdex.browser.order-desk-1     | A task inside a real web application, driven through a real headless browser. |

04 Campaign aggregate across these two exams

| MODEL LANE        | CERTIFIED PASSES | GRADED ROLLOUTS | LANE ERRORS | WITHHELD | INVALID | CERTIFIED RATE (95% CI) |
|-------------------|------------------|-----------------|-------------|----------|---------|-------------------------|
| cli/claude-sonnet | 20               | 20              | 0           | 0        | 0       | 100% [84-100]           |
| cli/codex         | 20               | 20              | 0           | 0        | 0       | 100% [84-100]           |
| codestral-latest  | 1                | 19              | 1           | 0        | 0       | 5% [1-25]               |

Raw counts first. *Graded rollouts* = certified passes + model fails; lane errors, withheld and invalid cells are outside capability arithmetic in both directions. A rate with its 95% Wilson interval is shown only for a lane with at least 10 countable attempts; intervals that overlap support no ordering. Every percentage in this section is an aggregate over this campaign's exams only, not a capability score or a ranking.

## 05 Harness status

---

No record in this campaign fired a harness self-suspicion rule. Every countable cell is a grader outcome under verified containment.

06 Cells excluded from capability

An attempt is excluded from capability only when the lane, not the model, ended it (lane error), when the run cannot prove its own conditions (withheld), or when an integrity invariant fired (INVALID). A submission the hidden grader failed is a model result and is counted, never listed here.

| EXAM         | LANE             | SEED | EXCLUSION  | RECORDED REASON              |
|--------------|------------------|------|------------|------------------------------|
| order-desk-1 | codestral-latest | 2    | lane error | The read operation timed out |



## 07 What the outcomes mean

- **CERTIFIED PASS:** the grader accepted the submission, containment was verified, provenance is complete and no integrity invariant fired.
- **model fail:** the submission failed the hidden tests under verified containment; a real, attributable model result.
- **lane error:** the provider or CLI lane failed (rate limit, quota, transport) before an attributable measurement existed; not a model result.
- **withheld:** the run cannot prove its own conditions (containment unproven, provenance incomplete, or a harness suspicion the record cannot clear); neither a pass nor a model failure.
- **INVALID:** an integrity invariant fired (isolation breach, evidence mismatch); the row is not a model result.
- **harness suspect:** the run's own self-check fired; each rule is classified as verdict-bearing or diagnostic, and verdict-bearing suspicion withholds the affected cells.

08 What this report withholds, and why

What a public document may print about a rollout is decided by what the exam GRADES, not case by case. Where the graded artefact is a change to a public upstream repository, a bounded redacted excerpt of the model's own diff is published. Where the graded output is an answer, a keyed value or the state of an application, nothing derived from the submission is published — no diff, no answer value, no model claim, and not the names of the hidden assertions a rollout failed, because a grader's name can carry the value it asserts. Withheld on every exam without exception: the contents of tool results, the hidden tests, the reference solution, host paths and keys. The counts, verdicts and intervals in this report are the grader's and are unaffected by what is withheld.

| EXAM             | DISCLOSURE CLASS | RULE APPLIED                                                                                                                                                                                                                                                                                                  |
|------------------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| order-desk-1     | state            | Applied consistently to 1 sealed records. state disclosure (ownership vvdex_proprietary — engine registry; family browser): the exam is VVDex evaluation IP and the graded output is the application's own state and audit trail, so no submission content, diff or state is published.                       |
| fault-recovery-1 | answer_key       | Applied consistently to 1 sealed records. answer-key disclosure (ownership vvdex_proprietary — engine registry; family harness_eval): the exam is VVDex evaluation IP and the graded output is an answer or a keyed value, so no submission content, diff, model claim or hidden-assertion name is published. |

09 Exam · order-desk-1

vvdex.browser.order-desk-1 · record fr-20260902-6e618c05 · record digest 59f94854d78f7ce1... · harness clean · containme  
nt clean

Executive summary

|                                       |                                                                            |                                                                                        |                                                                            |
|---------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------|
| <div>MODELS TESTED</div> <div>3</div> | <div>CERTIFIED PASSES</div> <div>21</div> <div>of 29 graded rollouts</div> | <div>SUBMITTED</div> <div>29 of 29</div> <div>graded rollouts that called submit</div> | <div>NOT GRADED — LANE ERRORS</div> <div>1</div> <div>of 30 attempts</div> |
|---------------------------------------|----------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------|

Purpose

This report presents a controlled evaluation of 3 model lane(s) against the certified exam vvdex.browser.order-desk-1 (v0.1.0, family browser). Every lane received the identical frozen workspace, tool contract and limits; grading ran afterwards, in isolation, against hidden tests no lane ever saw. The purpose is to state, with reproducible evidence, what each lane did and where it stopped.

Outcome

21 of 29

graded rollouts passed the independent hidden tests and were certified — 1 of 30 attempts not graded (lane errors)

21 of 29 graded rollouts passed. cli/claude-sonnet, cli/codex, codestral-latest completed the required browser workflow, submitted, and were accepted by the independent grader. The most common way to fail was submitted\_failed — submitted a final application state that the independent grader rejected.

Key findings

F-01 cli/claude-sonnet, cli/codex, codestral-latest passed the independent hidden tests

F-02 submitted\_failed × 8 (codestral-latest)

F-03 model\_api\_failure × 1 (codestral-latest)

Each finding is stated in full, with evidence, in the Findings section; recommendations for acting on them follow it. Elapsed wall clock for the whole engagement: 3292.4s.

Exam definition

**In scope.** The ability of each configured model lane to complete this one certified task end to end — inspect and open the application, drive it through the declared browser actions to the required state, submit, and be accepted by the independent grader — within 40 tool steps and 9720s of wall clock, at 10 rollout(s) per lane. Behavioural measurements along the way (tool discipline, grounding, overclaim) are in scope because they are read from the recorded trace, not judged by another model.

**Out of scope.** General model quality, performance on other task families, prompt-tuning on the lane's behalf, and any comparison this run's sample size cannot support. A lane's API failure is reported as infrastructure, never as model capability.

**The instrument.** Exam `vvdex.browser.order-desk-1` was certified before this run: its reference solution passes, an empty submission fails, its grader distinguishes near-misses, and its sealed evidence is unchanged by this evaluation (see Certification evidence).

What was measured

|                            |         |         |                   |
|----------------------------|---------|---------|-------------------|
| EXAM                       | VERSION | FAMILY  | ROLLOUTS          |
| vvdex.browser.order-desk-1 | 0.1.0   | browser | 30 (10 per model) |

Where the defect came from

This exam has no upstream repository to credit: the defect, the reference solution and the hidden suite are VVDex's own.

Certification evidence

4 of 5 certification pillars are recorded in this package, loaded from the receipts sealed into the exam and matching this run's exam fingerprint. What is recorded is shown with its real value; what is not is named below and is not claimed.

FROZEN BASELINE

FAIL

expected — an empty submission over 2 run(s) must not pass

→

GOLD / REFERENCE

PASS

expected — the reference solution over 2 run(s) must pass

GRADER CONTROLS

9 / 9

The grader accepted the reference and rejected every near-miss.

ATTACK PROBES

10 / 10 blocked

0 trivial exploit(s) found.

RUNTIME

sha256:679b36225a1f83238efba8c71b9cde3c24caaeacc9b682ae92819cb55eec328f

network policy: deny

Certification metadata is not included in this report package for:

- sealed evidence bundle

Benchmark results remain valid as run evidence; the pillar(s) above are not substantiated by this document and this report does not claim them.

What the package does carry: the exam fingerprint below is the contract digest this run was executed against — a holder of the certification bundle for this fingerprint can join the two independently.

EXAM FINGERPRINT

8d404ee5d5ab71456de3d3df0b8ca69271d8810767a694f71c6e45e72fc347bf

The contract digest this run was executed against.

Evaluation configuration

|                |                                                                     |
|----------------|---------------------------------------------------------------------|
| REPORT         | fr-20260902-6e618c05                                                |
| ISSUED         | 2026-09-02                                                          |
| SUBJECT EXAM   | vvdex.browser.order-desk-1 · v0.1.0                                 |
| FAMILY         | browser                                                             |
| PREPARED BY    | VVDex Forge engine vvdex-env 0.1.0                                  |
| CLASSIFICATION | Independent model evaluation report — independently verifiable      |
| CERTIFICATION  | Exam certification: partially recorded (see Certification evidence) |
| STATUS         | FINAL · report sealed against its own digest                        |

Timeline

| WHEN (UTC)          | EVENT                                         |
|---------------------|-----------------------------------------------|
| 2026-09-02 14:49:56 | Evaluation run started                        |
| 2026-09-02 15:44:48 | Evaluation run finished                       |
| 2026-09-02 15:44:48 | Report generated from the sealed run evidence |

Models under test

| MODEL                                  | PROVIDER | ENDPOINT         | BILLING                                            |
|----------------------------------------|----------|------------------|----------------------------------------------------|
| Claude Code CLI (Sonnet, subscription) | cli      | local runtime    | operator subscription, flat — not billed per token |
| Codex CLI (GPT, subscription)          | cli      | local runtime    | operator subscription, flat — not billed per token |
| codestral-latest                       | mistral  | VVDex-configured | VVDex free-quota                                   |

A customer endpoint is recorded by origin only — never its port, its path, or its key.

Limits

|                                              |                                                |                                                     |                                                                                                                                                                                    |
|----------------------------------------------|------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>RUNTIME</div> <div><b>docker</b></div>  | <div>STEP LIMIT</div> <div><b>40</b></div>     | <div>WALL-CLOCK LIMIT</div> <div><b>9720s</b></div> | <div>MAX OUTPUT TOKENS</div> <div><b>2048</b></div>                                                                                                                                |
| <div>TEMPERATURE</div> <div><b>0.2</b></div> | <div>RETRY POLICY</div> <div><b>none</b></div> | <div>COMMAND BUDGET</div> <div><b>0</b></div>       | <div>TOOLS OFFERED</div> <div><b>list_files, read_file, submit, browser_open, browser_snapshot, browser_click, browser_fill, browser_select, browser_press, browser_back</b></div> |

The evaluated model never saw the hidden tests or the reference solution, and could not change its result. Grading ran in a separate step, after submission, on a container with no network.

Model outcomes

**Denominators.** Attempts requested: 30. Graded (evaluable) rollouts: 29. Not graded — lane errors: 1. A lane error is a rollout the API or the runtime ended before the hidden grader ran: it is listed, excluded from every rate and pass@k, and never silently dropped. Passes are certified passes: hidden grader exit 0 with integrity verified.

| MODEL                                                       | ATTEMPTS | GRADED | PASSED  | MODEL FAILS | LANE ERRORS | SUBMITTED | MEAN TIME | TYPICAL DEEPEST STAGE |
|-------------------------------------------------------------|----------|--------|---------|-------------|-------------|-----------|-----------|-----------------------|
| Claude Code CLI (Sonnet, subscription)<br>cli/claude-sonnet | 10       | 10     | 10 / 10 | 0           | 0           | 10 / 10   | 89.4s     | Passed hidden tests   |
| Codex CLI (GPT, subscription)<br>cli/codex                  | 10       | 10     | 10 / 10 | 0           | 0           | 10 / 10   | 125.2s    | Passed hidden tests   |
| codestral-latest<br>codestral-latest                        | 10       | 9      | 1 / 9   | 8           | 1           | 9 / 9     | 84.4s     | Graded                |

Every rollout, with its own deepest stage and grade, is in Appendix A.

Success rate, confidence and pass@k

Every rate on this page is a measurement of a finite number of rollouts, so every rate carries the interval that measurement actually supports. n is the evaluable count — attempts minus rollouts the lane ended before grading; those are listed under "not graded" and sit in no rate, interval or pass@k.

| MODEL             | ATTEMPTS | N  | NOT GRADED | PASSES | RATE   | 95% INTERVAL | SEEDS | PASS@1 | PASS@3 | PASS@5 | PASS@10 |
|-------------------|----------|----|------------|--------|--------|--------------|-------|--------|--------|--------|---------|
| cli/claude-sonnet | 10       | 10 | 0          | 10     | 100.0% | [72%, 100%]  | 0–9   | 100.0% | 100.0% | 100.0% | 100.0%  |
| cli/codex         | 10       | 10 | 0          | 10     | 100.0% | [72%, 100%]  | 0–9   | 100.0% | 100.0% | 100.0% | 100.0%  |
| codestral-latest  | 10       | 9  | 1          | 1      | 11.1%  | [2%, 43%]    | 0–9   | 11.1%  | 33.3%  | 55.6%  | –       |

Interval and pass@k methods are stated in full in Appendix D. pass@k is shown for k = 1, 3, 5, 10; the sealed record carries every k up to n.

Model comparison

| MODEL             | PASS@1 | 95% INTERVAL | TOKENS  | COST       | MEAN ROLLOUT | OVERCLAIM RATE | TOP FAILURE CLASS |
|-------------------|--------|--------------|---------|------------|--------------|----------------|-------------------|
| cli/claude-sonnet | 100.0% | [72%, 100%]  | n/a     | n/a        | 89.4s        | 0.0%           | none              |
| cli/codex         | 100.0% | [72%, 100%]  | n/a     | n/a        | 125.2s       | 0.0%           | none              |
| codestral-latest  | 11.1%  | [2%, 43%]    | 857 790 | not billed | 84.4s        | 0.0%           | submitted_failed  |

Tokens and cost read n/a where a lane reports no telemetry (a flat-rate CLI) — an absent measurement, not zero. pass@1 and its interval are over evaluable rollouts only.

This is not a leaderboard. Separated by this run (intervals do not overlap): cli/claude-sonnet vs codestral-latest; cli/codex vs codestral-latest. Not separated (intervals overlap): cli/claude-sonnet vs cli/codex. Below the 10-rollout floor for reading a rate as a rate: codestral-latest (9) — read the count, not the percentage. The primary comparison in this report is the stage funnel below — where a model stops is a finding; a percentage over this many rollouts is not.

Stage funnel

The funnel is the primary reading of a run. Where a model stops says more than a single pass percentage does, especially at low N.

| STAGE               | CLI:CLI/CLAUDE-SONNET | CLI:CLI/CODEX | MISTRAL:CODESTRAL-LATEST |
|---------------------|-----------------------|---------------|--------------------------|
| Inspected           | 10 / 10               | 10 / 10       | 9 / 9                    |
| Edited              | N/A                   | N/A           | N/A                      |
| Ran tests           | N/A                   | N/A           | N/A                      |
| Submitted           | 10 / 10               | 10 / 10       | 9 / 9                    |
| Graded              | 10 / 10               | 10 / 10       | 9 / 9                    |
| Passed hidden tests | 10 / 10               | 10 / 10       | 1 / 9                    |

Deepest stage reached

| MODEL                    | DEEPEST (ANY ATTEMPT) | TYPICAL (MOST ATTEMPTS) | HIDDEN-TEST PASSES | NOT GRADED |
|--------------------------|-----------------------|-------------------------|--------------------|------------|
| cli:cli/claude-sonnet    | Passed hidden tests   | Passed hidden tests     | 10 / 10            | 0          |
| cli:cli/codex            | Passed hidden tests   | Passed hidden tests     | 10 / 10            | 0          |
| mistral:codestral-latest | Passed hidden tests   | Graded                  | 1 / 9              | 1          |

Stage definitions are in Appendix D. The matrix counts evaluable rollouts; lane errors are shown beside it, not inside it. The stages are not strictly nested: a model can submit without editing, and the matrix shows that rather than hiding it. Each rollout's own deepest stage is in Appendix A. N/A marks a stage this exam does not offer (Edited, Ran tests): not reached, not failed — not asked.



Behavioural analysis

Long-horizon behaviour

Counted off the recorded trace of each rollout. A dead end is a step that moved nothing: a re-read of a slice already returned, a repeat of the previous action, or a call to a tool this exam does not have.

| MODEL                    | N  | STEPS USED | RAN OUT OF STEPS | COMMANDS | CHANGED THE TREE | REFUSED (OVER BUDGET) | REVISITS | DEAD ENDS / ROLLOUT |
|--------------------------|----|------------|------------------|----------|------------------|-----------------------|----------|---------------------|
| cli:cli/claude-sonnet    | 10 | 18 / 40    | 0                | 0 / 0    | 0                | 0                     | 0        | 3                   |
| cli:cli/codex            | 10 | 20 / 40    | 0                | 0 / 0    | 0                | 0                     | 0        | 2                   |
| mistral:codestral-latest | 10 | 22 / 40    | 0                | 0 / 0    | 0                | 0                     | 0        | 1                   |

Each column is defined in Appendix D.

Hallucination & overclaim

Three measurements, each with a stated definition. None of them is a judgement of the model's prose by another model — every number below comes from comparing what the model wrote against what was on disk, or against what the independent grader returned.

| MODEL                    | N  | GROUNDING FAILURES | KINDS | ROLLOUTS AFFECTED | OVERCLAIMS | OVERCLAIM RATE | RE-READS |
|--------------------------|----|--------------------|-------|-------------------|------------|----------------|----------|
| cli:cli/claude-sonnet    | 10 | 0                  | none  | 0 / 10            | 0 / 10     | 0.0%           | 0        |
| cli:cli/codex            | 10 | 0                  | none  | 0 / 10            | 0 / 10     | 0.0%           | 0        |
| mistral:codestral-latest | 10 | 0                  | none  | 0 / 10            | 0 / 10     | 0.0%           | 0        |

No grounding failures and no false pass claims were detected across these 30 rollout(s). No lane re-read material it had already been given.

Every term above is defined in Appendix D.

Efficiency & telemetry

This run has no per-token price attached — a local model, a free quota, or a customer endpoint we are not billed for — so spend is reported in tokens. Tokens are what was actually measured; a dollar figure here would be invented. Lanes run through a flat-rate local CLI report no token telemetry; their cells say n/a — an absent measurement, not zero. Rollout counts here are evaluable rollouts.

| MODEL                    | ROLLOUTS | TOKENS  | TOKENS / ROLLOUT | COST                        | PASSES  | RATE   |
|--------------------------|----------|---------|------------------|-----------------------------|---------|--------|
| cli:cli/claude-sonnet    | 10       | n/a     | n/a              | n/a — telemetry unavailable | 10 / 10 | 100.0% |
| cli:cli/codex            | 10       | n/a     | n/a              | n/a — telemetry unavailable | 10 / 10 | 100.0% |
| mistral:codestral-latest | 9        | 857 790 | 95 310           | not billed                  | 1 / 9   | 11.1%  |

Findings

Every finding below is derived from the recorded data of this run — none is an opinion.  
Severity: PASS a lane succeeded · ATTENTION a capability gap · LANE / INFRA infrastructure, not capability · NOTE a property of the measurement.

|                                                                                                                                                                                              |                                                      |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| F-01                                                                                                                                                                                         | PASS                                                 |
| cli/claude-sonnet, cli/codex, codestral-latest passed the independent hidden tests                                                                                                           |                                                      |
| Severity: PASS                                                                                                                                                                               | Evidence: Model outcomes · Stage funnel · Appendix A |
| 21 of 29 graded rollouts completed the required browser workflow, submitted, and were accepted by the independent grader. This demonstrates the task is solvable under the published limits. |                                                      |
| F-01 · derived from the recorded run data                                                                                                                                                    |                                                      |

|                                                                           |                                   |
|---------------------------------------------------------------------------|-----------------------------------|
| F-02                                                                      | ATTENTION                         |
| submitted_failed × 8 (codestral-latest)                                   |                                   |
| Severity: ATTENTION                                                       | Evidence: Appendix A · Appendix C |
| Submitted a final application state that the independent grader rejected. |                                   |
| F-02 · derived from the recorded run data                                 |                                   |

|                                                                                                                                        |                                   |
|----------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| F-03                                                                                                                                   | LANE / INFRA                      |
| model_api_failure × 1 (codestral-latest)                                                                                               |                                   |
| Severity: LANE / INFRA                                                                                                                 | Evidence: Appendix A · Appendix C |
| The model endpoint failed to answer. Not a verdict about the model's ability. These rollouts are excluded from any capability reading. |                                   |
| F-03 · derived from the recorded run data                                                                                              |                                   |

Recommendations

One recommendation per observed failure mode, addressed to the lane it affects. Each traces back to a finding above and to the raw trace in Appendix A.

R-01

PROBLEM

Submitted a final application state that the independent grader rejected.

AFFECTED LANES

codestral-latest

WHAT WE WOULD LOOK AT FIRST

The model drives the application and submits a final state the grader rejects — the named failing axes say which part of the required state was wrong (the target record, a collateral change, a skipped confirmation, an uncorrected input).

R-02

PROBLEM

The model endpoint failed to answer. Not a verdict about the model's ability.

AFFECTED LANES

codestral-latest

WHAT WE WOULD LOOK AT FIRST

The lane failed, not the model; these rollouts carry no signal about capability and are labeled accordingly.

Verification

RUN ID

**live-20260902T144956Z**

EXAM FINGERPRINT

**8d404ee5d5ab71456de3d3df0b8ca69271d8810767a694f71c6e45e72fc347bf**

The contract digest this run was executed against.

Provenance of this chapter

This chapter was rendered by the campaign generator from the sealed evaluation record; it is not the standalone report reproduced byte for byte. Verify the standalone report with its own digest, verify the record with `vvdex-env records verify`, and verify this campaign document as a whole.

RELATIONSHIP

**campaign-rendered chapter**

Derived from the same sealed evaluation record as the standalone report; these bytes are authenticated by the campaign artifact that contains them.

SEALED RECORD DIGEST

**59f94854d78f7ce174866ff114505b2b41ca2333f287f40b604fbb38cc267da5**

sha256 over the record's canonical JSON — the identity every renderer works from.

SOURCE RECORD FILE

**251730136fa0efbdd157d980d037447c967af4be4aaf1f04ce2c7a07a605bea**

sha256 of fr-20260902-6e618c05.json as written beside the standalone report.

SOURCE STANDALONE REPORT

**c3d6b3a7f8ee1af6e5a02c50f4164a71596058ed27f7ef869c9d6a12a26c79d8**

sha256 of fr-20260902-6e618c05.html — independently verifiable with its own digest.

SOURCE STANDALONE PDF

**3cdbabb1e71cdd442f4379265a80c86a2596cb8d5550631bcc53fd521c1a8609**

sha256 of fr-20260902-6e618c05.pdf.

RUN EVIDENCE BUNDLE

**6e618c0542eb41677ef2556126365aea5538ce4f4a959245e1e09e1732ae8620**

The digest the run's own bundle computed over itself.

CERTIFIED EVIDENCE SEAL

**not available in this package**

The exam's sealed evidence, established before this run.

Measurement history

Previous run on this exam: fr-20260902-c05474ed. Model progress over time on this exam is the difference between that record and this one — same frozen tree, same hidden grader, same limits. Anything else that moved between them moved outside this exam.

The full artifact-by-artifact digest table, and the reproduction protocol, are in Appendix B.

## Appendix A — every rollout

| ROLLOUT  | MODEL             | SEED | OUTCOME          | SUBMITTED | DEEPEST STAGE       | HIDDEN TESTS | FILES | TOKENS | ELAPSED | BROWSER BOX                           |
|----------|-------------------|------|------------------|-----------|---------------------|--------------|-------|--------|---------|---------------------------------------|
| 532e1db3 | cli/claude-sonnet | 0    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 137.9s  | docker<br>sha256: c5587afc<br>e772... |
| d641f68a | cli/claude-sonnet | 1    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 96.5s   | docker<br>sha256: c5587afc<br>e772... |
| b4f9ae08 | cli/claude-sonnet | 2    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 89.4s   | docker<br>sha256: c5587afc<br>e772... |
| da5c8bda | cli/claude-sonnet | 3    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 79.5s   | docker<br>sha256: c5587afc<br>e772... |
| a116d4fa | cli/claude-sonnet | 4    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 86.6s   | docker<br>sha256: c5587afc<br>e772... |
| d6987896 | cli/claude-sonnet | 5    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 75.1s   | docker<br>sha256: c5587afc<br>e772... |
| e52d496d | cli/claude-sonnet | 6    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 80.6s   | docker<br>sha256: c5587afc<br>e772... |
| 7f40f719 | cli/claude-sonnet | 7    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 85.9s   | docker<br>sha256: c5587afc<br>e772... |
| 9b8db9ca | cli/claude-sonnet | 8    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 79.3s   | docker<br>sha256: c5587afc<br>e772... |
| 38d7cace | cli/claude-sonnet | 9    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 83.1s   | docker<br>sha256: c5587afc<br>e772... |
| 6bd00d3c | cli/codex         | 0    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 109.6s  | docker<br>sha256: c5587afc<br>e772... |
| b3f86ec4 | cli/codex         | 1    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 120.7s  | docker<br>sha256: c5587afc<br>e772... |
| 0d1dabed | cli/codex         | 2    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 147.3s  | docker<br>sha256: c5587afc<br>e772... |
| e415a6c4 | cli/codex         | 3    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 137.7s  | docker<br>sha256: c5587afc<br>e772... |
| e771f4b2 | cli/codex         | 4    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 130.1s  | docker<br>sha256: c5587afc<br>e772... |
| c8c5c1f3 | cli/codex         | 5    | submitted_passed | yes       | Passed hidden tests | pass         | 0     | n/a    | 115.9s  | docker<br>sha256: c5587afc<br>e772... |

| ROLLOUT  | MODEL            | SEED | OUTCOME           | SUBMITTED | DEEPEST STAGE           | HIDDEN TESTS | FILES | TOKENS  | ELAPSED | BROWSER BOX                        |
|----------|------------------|------|-------------------|-----------|-------------------------|--------------|-------|---------|---------|------------------------------------|
| c20efdb4 | cli/codex        | 6    | submitted_passed  | yes       | Passed hidden tests     | pass         | 0     | n/a     | 125.2s  | docker<br>sha256: c5587afc e772... |
| 6015f268 | cli/codex        | 7    | submitted_passed  | yes       | Passed hidden tests     | pass         | 0     | n/a     | 128.9s  | docker<br>sha256: c5587afc e772... |
| bbef3c65 | cli/codex        | 8    | submitted_passed  | yes       | Passed hidden tests     | pass         | 0     | n/a     | 121.4s  | docker<br>sha256: c5587afc e772... |
| 3aa7a74b | cli/codex        | 9    | submitted_passed  | yes       | Passed hidden tests     | pass         | 0     | n/a     | 114.7s  | docker<br>sha256: c5587afc e772... |
| cc461d13 | codestral-latest | 0    | submitted_passed  | yes       | Passed hidden tests     | pass         | 0     | 64 558  | 53.5s   | docker<br>sha256: c5587afc e772... |
| 26427e2b | codestral-latest | 1    | submitted_failed  | yes       | Graded                  | fail         | 0     | 246 174 | 233.0s  | docker<br>sha256: c5587afc e772... |
| b4a95e09 | codestral-latest | 2    | model_api_failure | no        | Not graded — lane error | not graded   | 0     | 48 578  | 126.2s  | docker<br>sha256: c5587afc e772... |
| 4df83755 | codestral-latest | 3    | submitted_failed  | yes       | Graded                  | fail         | 0     | 31 078  | 31.6s   | docker<br>sha256: c5587afc e772... |
| 3d19affd | codestral-latest | 4    | submitted_failed  | yes       | Graded                  | fail         | 0     | 110 075 | 77.3s   | docker<br>sha256: c5587afc e772... |
| 7ee376ca | codestral-latest | 5    | submitted_failed  | yes       | Graded                  | fail         | 0     | 72 643  | 76.5s   | docker<br>sha256: c5587afc e772... |
| 5ca4b95a | codestral-latest | 6    | submitted_failed  | yes       | Graded                  | fail         | 0     | 72 643  | 59.4s   | docker<br>sha256: c5587afc e772... |
| fe44cb82 | codestral-latest | 7    | submitted_failed  | yes       | Graded                  | fail         | 0     | 96 982  | 67.5s   | docker<br>sha256: c5587afc e772... |
| 86e8cb58 | codestral-latest | 8    | submitted_failed  | yes       | Graded                  | fail         | 0     | 90 994  | 96.3s   | docker<br>sha256: c5587afc e772... |
| 95636cf6 | codestral-latest | 9    | submitted_failed  | yes       | Graded                  | fail         | 0     | 72 643  | 64.3s   | docker<br>sha256: c5587afc e772... |

### Failure taxonomy

| CLASS             | COUNT | WHAT IT MEANS                                                                 |
|-------------------|-------|-------------------------------------------------------------------------------|
| submitted_failed  | 8     | Submitted a final application state that the independent grader rejected.     |
| model_api_failure | 1     | The model endpoint failed to answer. Not a verdict about the model's ability. |

Appendix B — evidence and artifact digests

RUN BUNDLE DIGEST

6e618c0542eb41677ef25561

26365aea5538ce4f4a959245

e1e09e1732ae8620

RUN ID

live-

20260902T144956Z

STARTED

2026-09-

02T14:49:56.156491

+00:00

FINISHED

2026-09-

02T15:44:48.577359

+00:00

Artifact digests

| ARTIFACT                                           | SHA-256                                                           |
|----------------------------------------------------|-------------------------------------------------------------------|
| publicSummary                                      | b2d0aedc0fb60c85fd4d643f4400fcfa02fd7774b09ccf4260be46c53ad93a56  |
| rollouts/0d1dabed-f1a4-464d-8573-6298c4456eba.json | fb3d28ab7a5e999a43d50283dac14d6d6a892b208afcacf8d50718d410c1ca98  |
| rollouts/26427e2b-2379-4a9f-891d-9fac9ff5783d.json | e480c99256a5a11253e10cd41035917212805b1af6cdf6aa7d78a61a5c9d1599  |
| rollouts/38d7cace-518a-47c2-9678-318d7791b65f.json | a1da0a8316e97be2789ae1391260ac73ba67d97e7a4ebceb5c81cc37dded1469  |
| rollouts/3aa7a74b-9c98-4c6e-814d-f759615903f5.json | 559cc093d11a57d222156438f4e07f0e79914cece32ac6e3869394ecb8070bd   |
| rollouts/3d19affd-3e09-4a9b-be1d-1bc702a87a51.json | 3279d55e621bda9ecad8bcab0d2cb6584e833f1e1ae5392c25da0704f6349e94  |
| rollouts/4df83755-7cf3-4d09-939f-44245af49dd0.json | e265d305de0acd9a29b6e9599c44785b51f5449dc375b9fb9ebae70773651b41  |
| rollouts/532e1db3-0b8f-4765-808d-9341d00aee8f.json | 53564320a7e4555050a2993db03fe77e59b6eb970fa3d7a94682a139b67e2e8b  |
| rollouts/5ca4b95a-34c3-47a6-92aa-64987001944c.json | 818ad5941d717436ba85cfc0f5d2729f61db4d525a5e0238cdc1ff7ab372ed98  |
| rollouts/6015f268-cbda-4c89-a337-78b12414d270.json | eb1bea2ad651ae35bef64554e00b24a2eb4fa9a3f7ab3aaa6576036cc93d95a0  |
| rollouts/6bd00d3c-1064-4c32-8a9c-121373dcfe98.json | ac2013c954cd90cc51718fabdc56d1a082a15a764d8c6f27ccd36cea99978256  |
| rollouts/7ee376ca-7679-44f3-b428-5e3ad0d7e6f0.json | 491b3dce54e59a85d2218733d08f9cb04d7afe7b3154473faae9b1cbbaa2cd6a  |
| rollouts/7f40f719-4f86-464e-a1f9-cadfeeffa559.json | 9e66bccf1b28e14a3621c81a47a593078f99a13e08b164b01139b66baa1deb74  |
| rollouts/86e8cb58-b83d-4b8d-83f6-0003ac366fda.json | 488baffcef7b005cb6fa47c621aa9fb6d26ecdac29560bb48cfe7f751ddd8f41  |
| rollouts/95636cf6-da8f-48bd-9730-35964ac99fdf.json | 92e873fb223f3f6b29ad197bc53140a9135955ec5a51b180ba4d791e1a60ec56  |
| rollouts/9b8db9ca-f53f-4811-bfa9-1a2c618d8fd6.json | 4593c01d72ce73d83cd476f4e3f89a964a0adcc118b699d1cfbeef6d24b1df22  |
| rollouts/a116d4fa-48b8-47d4-83d9-0d300be62a8b.json | f19a9026c6aab52630d8f5a80ed314f78480ef2602410aa91bd5f3597ed6a5d1  |
| rollouts/b3f86ec4-60d4-40f1-9482-b51bb3f0b2b7.json | 957aa6a8fe5ef17f00a06fffd0c5fa5c6c2b038f1b632a6cf74efb99baa4ee31b |
| rollouts/b4a95e09-f935-48d0-b79f-69c45c5dc341.json | 4e7206169f78c5a8b99e8fd3c674d0a05455d9857d3ad9d5908f701519c7dc24  |
| rollouts/b4f9ae08-95c3-41f4-848c-ed0edd82b145.json | 75edd1a44f3b8b5ed6a07f37096a4ee55ca7a7b2fcd636c6ae79344674401451  |
| rollouts/bbef3c65-99be-4a8a-83db-ea794108c317.json | a7a9815bf129d98da564ff9bf2a93634e959eea510cdb9cc1bc0a7a509df7b78  |
| rollouts/c20efdb4-48a5-42f1-af8a-3fc6df3560ce.json | 5e297e565b112b644a8f7363c6442ff7ab79f8f30893dcd351b6773b20101365  |
| rollouts/c8c5c1f3-0c97-4022-8451-127d48f6953a.json | 0956e3caf54e2596183f40906fd7a388cdab8015b12184528a71a80116121a46  |
| rollouts/cc461d13-0b1b-40a2-8903-2d17c8ffe681.json | 6eb1859ed1f57ca4cedb10414fd862ce818d2f3126c1681d4cd96a71ec4d2ea3  |
| rollouts/d641f68a-d3a6-45d0-8228-0e8ff30ea176.json | f81f17004b13489e33073f2b92a786353dee80586510f96eb77d3efcee24cdca  |
| rollouts/d6987896-0e83-4e30-832a-35ae28f5e0e8.json | 76aab57eef5293c1270d57a9d370164ff1e5a00fbe27801edf9b700f51232fcf  |
| rollouts/da5c8bda-9910-4ec7-893d-e4fda9fb617c.json | 0da0f242816d1d1a3e254ae079a4d9a28367bf69010a80d86d284098214dfa6c  |
| rollouts/e415a6c4-b070-41d7-be54-c68e5dcefaaa.json | 4fcb78cb3f748628d95f62a10451d7ef2131dae262aaa123f12327f629b7a6f2  |
| rollouts/e52d496d-c202-4c0f-9fbc-4c4328dcf0bc.json | 8c1b0975dd0a6fbbedbac9b54643b2f841eefd62ce07c48d0ddd7841cf444db81 |
|                                                    |                                                                   |



| ARTIFACT                                           | SHA-256                                                          |
|----------------------------------------------------|------------------------------------------------------------------|
| rollouts/e771f4b2-674d-46db-8f64-ac620c935e3d.json | b5142923e8c761389e644df882ec7c94f14f3cfafbc1eed05cb4d92954030f8e |
| rollouts/fe44cb82-d2b1-4a7e-ac94-c9c086a65d01.json | 23e1bc1d203a2f9db695033b15a360baa6e8d99659bd16a264f6f884becb306d |
| spec                                               | 79647b29130d3013f9061b0089ff43a26c9952ef5a5f3332fee8d5d702e755ae |
| summary                                            | 1fc2604a382037b95e760a3aeac37e70b462eb99d33a14dda05035ebf033c2db |

Reproducing this run

Every rollout can be re-derived: the exam is frozen (fingerprint above), the grader ran in the recorded container image, and each rollout's full trace — every tool call, every result, every word — is in the evidence bundle at its rollouts/<id>.json path. A re-run uses the same job shape: the exam id, your endpoint, n, and the runtime. The record id names this run forever.

Appendix C — redacted transcripts

For each rollout: the tool calls it made, in order — which tool, on which of the model's own paths, whether the call succeeded, and how many characters came back. What a tool returned is not here, and neither is the submission: on this exam the submitted content is the graded answer, so no diff, no answer value and no model claim is printed. A request for the reference solution or the hidden tests is recorded as a request; the path it asked for is replaced by a label. See Appendix D, "What this report withholds and why".

Disclosure class applied to this exam: state disclosure (ownership vvdex\_proprietary — engine registry; family browser): the exam is VVDex evaluation IP and the graded output is the application's own state and audit trail, so no submission content, diff or state is published.

532e1db3 · cli:cli/claude-sonnet · seed 0 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_click    | —       | ok     | 65    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 715   |
| 13   | browser_fill     | —       | ok     | 36    |
| 14   | browser_click    | —       | ok     | 65    |
| 15   | browser_snapshot | —       | ok     | 775   |
| 16   | browser_click    | —       | ok     | 73    |
| 17   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

d641f68a · cli:cli/claude-sonnet · seed 1 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 3    | browser_click    | —    | ok     | 81    |
| 4    | browser_snapshot | —    | ok     | 1 328 |
| 5    | browser_click    | —    | ok     | 65    |
| 6    | browser_snapshot | —    | ok     | 605   |
| 7    | browser_fill     | —    | ok     | 36    |
| 8    | browser_fill     | —    | ok     | 36    |
| 9    | browser_fill     | —    | ok     | 36    |
| 10   | browser_click    | —    | ok     | 65    |
| 11   | browser_click    | —    | ok     | 65    |
| 12   | browser_snapshot | —    | ok     | 715   |
| 13   | browser_fill     | —    | ok     | 36    |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 775   |
| 16   | browser_click    | —    | ok     | 73    |
| 17   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### b4f9ae08 · cli:cli/claude-sonnet · seed 2 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_click    | —       | ok     | 65    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 715   |
| 13   | browser_fill     | —       | ok     | 36    |
| 14   | browser_click    | —       | ok     | 65    |
| 15   | browser_snapshot | —       | ok     | 775   |

| STEP | TOOL          | PATH | RESULT | CHARS |
|------|---------------|------|--------|-------|
| 16   | browser_click | —    | ok     | 73    |
| 17   | submit        | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### da5c8bda · cli:cli/claude-sonnet · seed 3 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_click    | —       | ok     | 65    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 715   |
| 13   | browser_fill     | —       | ok     | 36    |
| 14   | browser_click    | —       | ok     | 65    |
| 15   | browser_snapshot | —       | ok     | 775   |
| 16   | browser_click    | —       | ok     | 73    |
| 17   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### a116d4fa · cli:cli/claude-sonnet · seed 4 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 6    | browser_snapshot | —    | ok     | 605   |
| 7    | browser_fill     | —    | ok     | 36    |
| 8    | browser_fill     | —    | ok     | 36    |
| 9    | browser_fill     | —    | ok     | 36    |
| 10   | browser_click    | —    | ok     | 65    |
| 11   | browser_click    | —    | ok     | 65    |
| 12   | browser_snapshot | —    | ok     | 715   |
| 13   | browser_fill     | —    | ok     | 36    |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 775   |
| 16   | browser_click    | —    | ok     | 73    |
| 17   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### d6987896 · cli:cli/claude-sonnet · seed 5 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_click    | —       | ok     | 65    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 715   |
| 13   | browser_fill     | —       | ok     | 36    |
| 14   | browser_click    | —       | ok     | 65    |
| 15   | browser_snapshot | —       | ok     | 775   |
| 16   | browser_click    | —       | ok     | 73    |
| 17   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is

the graded answer, so publishing an excerpt of it would publish the answer key.

**e52d496d · cli:cli/claude-sonnet · seed 6 · submitted\_passed**

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_click    | —       | ok     | 65    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 715   |
| 13   | browser_fill     | —       | ok     | 36    |
| 14   | browser_click    | —       | ok     | 65    |
| 15   | browser_snapshot | —       | ok     | 775   |
| 16   | browser_click    | —       | ok     | 73    |
| 17   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

**7f40f719 · cli:cli/claude-sonnet · seed 7 · submitted\_passed**

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 10   | browser_click    | —    | ok     | 65    |
| 11   | browser_click    | —    | ok     | 65    |
| 12   | browser_snapshot | —    | ok     | 715   |
| 13   | browser_fill     | —    | ok     | 36    |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 775   |
| 16   | browser_click    | —    | ok     | 73    |
| 17   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 9b8db9ca · cli:cli/claude-sonnet · seed 8 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_click    | —       | ok     | 65    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 715   |
| 13   | browser_fill     | —       | ok     | 36    |
| 14   | browser_click    | —       | ok     | 65    |
| 15   | browser_snapshot | —       | ok     | 775   |
| 16   | browser_click    | —       | ok     | 73    |
| 17   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 38d7cace · cli:cli/claude-sonnet · seed 9 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_click    | —       | ok     | 65    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 715   |
| 13   | browser_fill     | —       | ok     | 36    |
| 14   | browser_click    | —       | ok     | 65    |
| 15   | browser_snapshot | —       | ok     | 775   |
| 16   | browser_click    | —       | ok     | 73    |
| 17   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (46 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 6bd00d3c · cli:cli/codex · seed 0 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_click    | —       | ok     | 81    |
| 4    | browser_snapshot | —       | ok     | 1 328 |
| 5    | browser_click    | —       | ok     | 65    |
| 6    | browser_snapshot | —       | ok     | 605   |
| 7    | browser_fill     | —       | ok     | 36    |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |



| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 12   | browser_click    | —    | ok     | 65    |
| 13   | browser_snapshot | —    | ok     | 715   |
| 14   | browser_fill     | —    | ok     | 36    |
| 15   | browser_click    | —    | ok     | 65    |
| 16   | browser_snapshot | —    | ok     | 775   |
| 17   | browser_click    | —    | ok     | 73    |
| 18   | browser_snapshot | —    | ok     | 635   |
| 19   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### b3f86ec4 · cli:cli/codex · seed 1 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_click    | —       | ok     | 65    |
| 13   | browser_snapshot | —       | ok     | 715   |
| 14   | browser_fill     | —       | ok     | 36    |
| 15   | browser_click    | —       | ok     | 65    |
| 16   | browser_snapshot | —       | ok     | 775   |
| 17   | browser_click    | —       | ok     | 73    |
| 18   | browser_snapshot | —       | ok     | 635   |
| 19   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## Od1dabed · cli:cli/codex · seed 2 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_click    | —       | ok     | 65    |
| 13   | browser_snapshot | —       | ok     | 715   |
| 14   | browser_fill     | —       | ok     | 36    |
| 15   | browser_click    | —       | ok     | 65    |
| 16   | browser_snapshot | —       | ok     | 775   |
| 17   | browser_click    | —       | ok     | 73    |
| 18   | browser_snapshot | —       | ok     | 635   |
| 19   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## e415a6c4 · cli:cli/codex · seed 3 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_click    | —    | ok     | 65    |
| 12   | browser_snapshot | —    | ok     | 614   |
| 13   | browser_click    | —    | ok     | 65    |
| 14   | browser_snapshot | —    | ok     | 715   |
| 15   | browser_fill     | —    | ok     | 36    |
| 16   | browser_click    | —    | ok     | 65    |
| 17   | browser_snapshot | —    | ok     | 775   |
| 18   | browser_click    | —    | ok     | 73    |
| 19   | browser_snapshot | —    | ok     | 635   |
| 20   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (49 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### e771f4b2 · cli:cli/codex · seed 4 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 614   |
| 13   | browser_click    | —       | ok     | 65    |
| 14   | browser_snapshot | —       | ok     | 715   |
| 15   | browser_fill     | —       | ok     | 36    |
| 16   | browser_click    | —       | ok     | 65    |
| 17   | browser_snapshot | —       | ok     | 775   |
| 18   | browser_click    | —       | ok     | 73    |
| 19   | browser_snapshot | —       | ok     | 635   |

| STEP | TOOL   | PATH | RESULT | CHARS |
|------|--------|------|--------|-------|
| 20   | submit | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (49 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### c8c5c1f3 · cli:cli/codex · seed 5 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_click    | —       | ok     | 65    |
| 13   | browser_snapshot | —       | ok     | 715   |
| 14   | browser_fill     | —       | ok     | 36    |
| 15   | browser_click    | —       | ok     | 65    |
| 16   | browser_snapshot | —       | ok     | 775   |
| 17   | browser_click    | —       | ok     | 73    |
| 18   | browser_snapshot | —       | ok     | 635   |
| 19   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### c20efdb4 · cli:cli/codex · seed 6 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 5    | browser_snapshot | —    | ok     | 621   |
| 6    | browser_click    | —    | ok     | 65    |
| 7    | browser_snapshot | —    | ok     | 605   |
| 8    | browser_fill     | —    | ok     | 36    |
| 9    | browser_fill     | —    | ok     | 36    |
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_click    | —    | ok     | 65    |
| 12   | browser_click    | —    | ok     | 65    |
| 13   | browser_snapshot | —    | ok     | 715   |
| 14   | browser_fill     | —    | ok     | 36    |
| 15   | browser_click    | —    | ok     | 65    |
| 16   | browser_snapshot | —    | ok     | 775   |
| 17   | browser_click    | —    | ok     | 73    |
| 18   | browser_snapshot | —    | ok     | 635   |
| 19   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 6015f268 · cli:cli/codex · seed 7 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_snapshot | —       | ok     | 614   |
| 13   | browser_click    | —       | ok     | 65    |
| 14   | browser_snapshot | —       | ok     | 715   |
| 15   | browser_fill     | —       | ok     | 36    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 16   | browser_snapshot | —    | ok     | 712   |
| 17   | browser_click    | —    | ok     | 65    |
| 18   | browser_snapshot | —    | ok     | 775   |
| 19   | browser_click    | —    | ok     | 73    |
| 20   | browser_snapshot | —    | ok     | 635   |
| 21   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (50 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### bbef3c65 · cli:cli/codex · seed 8 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_click    | —       | ok     | 65    |
| 13   | browser_snapshot | —       | ok     | 715   |
| 14   | browser_fill     | —       | ok     | 36    |
| 15   | browser_click    | —       | ok     | 65    |
| 16   | browser_snapshot | —       | ok     | 775   |
| 17   | browser_click    | —       | ok     | 73    |
| 18   | browser_snapshot | —       | ok     | 635   |
| 19   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 3aa7a74b · cli:cli/codex · seed 9 · submitted\_passed

| STEP | TOOL             | PATH    | RESULT | CHARS |
|------|------------------|---------|--------|-------|
| 0    | read_file        | TASK.md | ok     | 1 975 |
| 1    | browser_open     | —       | ok     | 62    |
| 2    | browser_snapshot | —       | ok     | 1 298 |
| 3    | browser_fill     | —       | ok     | 36    |
| 4    | browser_click    | —       | ok     | 87    |
| 5    | browser_snapshot | —       | ok     | 621   |
| 6    | browser_click    | —       | ok     | 65    |
| 7    | browser_snapshot | —       | ok     | 605   |
| 8    | browser_fill     | —       | ok     | 36    |
| 9    | browser_fill     | —       | ok     | 36    |
| 10   | browser_fill     | —       | ok     | 36    |
| 11   | browser_click    | —       | ok     | 65    |
| 12   | browser_click    | —       | ok     | 65    |
| 13   | browser_snapshot | —       | ok     | 715   |
| 14   | browser_fill     | —       | ok     | 36    |
| 15   | browser_click    | —       | ok     | 65    |
| 16   | browser_snapshot | —       | ok     | 775   |
| 17   | browser_click    | —       | ok     | 73    |
| 18   | browser_snapshot | —       | ok     | 635   |
| 19   | submit           | —       | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## cc461d13 · mistral:codestral-latest · seed 0 · submitted\_passed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 81    |
| 7    | browser_snapshot | —    | ok     | 1 328 |
| 8    | browser_click    | —    | ok     | 65    |
| 9    | browser_snapshot | —    | ok     | 605   |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_fill     | —    | ok     | 36    |
| 12   | browser_fill     | —    | ok     | 36    |
| 13   | browser_click    | —    | ok     | 65    |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 715   |
| 16   | browser_fill     | —    | ok     | 36    |
| 17   | browser_click    | —    | ok     | 65    |
| 18   | browser_snapshot | —    | ok     | 775   |
| 19   | browser_click    | —    | ok     | 73    |
| 20   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (50 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 26427e2b · mistral:codestral-latest · seed 1 · submitted\_failed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 65    |
| 7    | browser_snapshot | —    | ok     | 600   |
| 8    | browser_back     | —    | ok     | 61    |
| 9    | browser_snapshot | —    | ok     | 1 298 |
| 10   | browser_click    | —    | ok     | 65    |
| 11   | browser_snapshot | —    | ok     | 599   |
| 12   | browser_back     | —    | ok     | 61    |
| 13   | browser_snapshot | —    | ok     | 1 298 |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 599   |
| 16   | browser_fill     | —    | ok     | 36    |
| 17   | browser_fill     | —    | ok     | 36    |
| 18   | browser_fill     | —    | ok     | 36    |
| 19   | browser_fill     | —    | ok     | 36    |



| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 20   | browser_click    | —    | ok     | 65    |
| 21   | browser_snapshot | —    | ok     | 602   |
| 22   | browser_click    | —    | ok     | 65    |
| 23   | browser_snapshot | —    | ok     | 703   |
| 24   | browser_fill     | —    | ok     | 36    |
| 25   | browser_click    | —    | ok     | 65    |
| 26   | browser_snapshot | —    | ok     | 781   |
| 27   | browser_click    | —    | ok     | 73    |
| 28   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (59 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### b4a95e09 · mistral:codestral-latest · seed 2 · model\_api\_failure

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 81    |
| 7    | browser_snapshot | —    | ok     | 1 328 |
| 8    | browser_click    | —    | ok     | 65    |
| 9    | browser_snapshot | —    | ok     | 605   |
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_fill     | —    | ok     | 36    |
| 12   | browser_click    | —    | ok     | 65    |
| 13   | browser_snapshot | —    | ok     | 616   |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 717   |
| 16   | browser_fill     | —    | ok     | 36    |

Submission diff withheld by the public-disclosure policy (24 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 4df83755 · mistral:codestral-latest · seed 3 · submitted\_failed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_fill     | —    | ok     | 36    |
| 5    | browser_fill     | —    | ok     | 36    |
| 6    | browser_fill     | —    | ok     | 36    |
| 7    | browser_click    | —    | ok     | 65    |
| 8    | browser_snapshot | —    | ok     | 706   |
| 9    | browser_fill     | —    | ok     | 36    |
| 10   | browser_click    | —    | ok     | 65    |
| 11   | browser_snapshot | —    | ok     | 774   |
| 12   | browser_click    | —    | ok     | 73    |
| 13   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (38 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 3d19affd · mistral:codestral-latest · seed 4 · submitted\_failed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 65    |
| 7    | browser_snapshot | —    | ok     | 600   |
| 8    | browser_back     | —    | ok     | 61    |
| 9    | browser_snapshot | —    | ok     | 1 298 |
| 10   | browser_back     | —    | ok     | 44    |
| 11   | browser_open     | —    | ok     | 62    |
| 12   | browser_snapshot | —    | ok     | 1 298 |
| 13   | browser_click    | —    | ok     | 81    |
| 14   | browser_snapshot | —    | ok     | 1 328 |
| 15   | browser_click    | —    | ok     | 65    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 16   | browser_snapshot | —    | ok     | 605   |
| 17   | browser_fill     | —    | ok     | 36    |
| 18   | browser_fill     | —    | ok     | 36    |
| 19   | browser_click    | —    | ok     | 65    |
| 20   | browser_snapshot | —    | ok     | 616   |
| 21   | browser_click    | —    | ok     | 65    |
| 22   | browser_snapshot | —    | ok     | 717   |
| 23   | browser_fill     | —    | ok     | 36    |
| 24   | browser_click    | —    | ok     | 65    |
| 25   | browser_snapshot | —    | ok     | 777   |
| 26   | browser_click    | —    | ok     | 73    |
| 27   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (54 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 7ee376ca · mistral:codestral-latest · seed 5 · submitted\_failed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 81    |
| 7    | browser_snapshot | —    | ok     | 1 328 |
| 8    | browser_click    | —    | ok     | 65    |
| 9    | browser_snapshot | —    | ok     | 605   |
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_fill     | —    | ok     | 36    |
| 12   | browser_click    | —    | ok     | 65    |
| 13   | browser_snapshot | —    | ok     | 616   |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 717   |
| 16   | browser_fill     | —    | ok     | 36    |
| 17   | browser_click    | —    | ok     | 65    |
| 18   | browser_snapshot | —    | ok     | 777   |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 19   | browser_click    | —    | ok     | 73    |
| 20   | browser_snapshot | —    | ok     | 637   |
| 21   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 5ca4b95a · mistral:codestral-latest · seed 6 · submitted\_failed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 81    |
| 7    | browser_snapshot | —    | ok     | 1 328 |
| 8    | browser_click    | —    | ok     | 65    |
| 9    | browser_snapshot | —    | ok     | 605   |
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_fill     | —    | ok     | 36    |
| 12   | browser_click    | —    | ok     | 65    |
| 13   | browser_snapshot | —    | ok     | 616   |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 717   |
| 16   | browser_fill     | —    | ok     | 36    |
| 17   | browser_click    | —    | ok     | 65    |
| 18   | browser_snapshot | —    | ok     | 777   |
| 19   | browser_click    | —    | ok     | 73    |
| 20   | browser_snapshot | —    | ok     | 637   |
| 21   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### fe44cb82 · mistral:codestral-latest · seed 7 · submitted\_failed

| STEP | TOOL         | PATH | RESULT | CHARS |
|------|--------------|------|--------|-------|
| 0    | browser_open | —    | ok     | 62    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 65    |
| 7    | browser_snapshot | —    | ok     | 600   |
| 8    | browser_back     | —    | ok     | 61    |
| 9    | browser_snapshot | —    | ok     | 1 298 |
| 10   | browser_back     | —    | ok     | 44    |
| 11   | browser_open     | —    | ok     | 62    |
| 12   | browser_snapshot | —    | ok     | 1 298 |
| 13   | browser_click    | —    | ok     | 81    |
| 14   | browser_snapshot | —    | ok     | 1 328 |
| 15   | browser_click    | —    | ok     | 65    |
| 16   | browser_snapshot | —    | ok     | 605   |
| 17   | browser_fill     | —    | ok     | 36    |
| 18   | browser_fill     | —    | ok     | 36    |
| 19   | browser_click    | —    | ok     | 65    |
| 20   | browser_snapshot | —    | ok     | 616   |
| 21   | browser_click    | —    | ok     | 65    |
| 22   | browser_snapshot | —    | ok     | 717   |
| 23   | browser_fill     | —    | ok     | 36    |
| 24   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (31 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 86e8cb58 · mistral:codestral-latest · seed 8 · submitted\_failed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 81    |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 7    | browser_snapshot | —    | ok     | 1 328 |
| 8    | browser_click    | —    | ok     | 65    |
| 9    | browser_snapshot | —    | ok     | 605   |
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_fill     | —    | ok     | 36    |
| 12   | browser_click    | —    | ok     | 65    |
| 13   | browser_snapshot | —    | ok     | 616   |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 717   |
| 16   | browser_fill     | —    | ok     | 36    |
| 17   | browser_click    | —    | ok     | 65    |
| 18   | browser_snapshot | —    | ok     | 777   |
| 19   | browser_click    | —    | ok     | 73    |
| 20   | browser_snapshot | —    | ok     | 637   |
| 21   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 95636cf6 · mistral:codestral-latest · seed 9 · submitted\_failed

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 0    | browser_open     | —    | ok     | 62    |
| 1    | browser_snapshot | —    | ok     | 1 298 |
| 2    | browser_click    | —    | ok     | 65    |
| 3    | browser_snapshot | —    | ok     | 594   |
| 4    | browser_back     | —    | ok     | 61    |
| 5    | browser_snapshot | —    | ok     | 1 298 |
| 6    | browser_click    | —    | ok     | 81    |
| 7    | browser_snapshot | —    | ok     | 1 328 |
| 8    | browser_click    | —    | ok     | 65    |
| 9    | browser_snapshot | —    | ok     | 605   |
| 10   | browser_fill     | —    | ok     | 36    |
| 11   | browser_fill     | —    | ok     | 36    |
| 12   | browser_click    | —    | ok     | 65    |
| 13   | browser_snapshot | —    | ok     | 616   |
| 14   | browser_click    | —    | ok     | 65    |
| 15   | browser_snapshot | —    | ok     | 717   |

| STEP | TOOL             | PATH | RESULT | CHARS |
|------|------------------|------|--------|-------|
| 16   | browser_fill     | —    | ok     | 36    |
| 17   | browser_click    | —    | ok     | 65    |
| 18   | browser_snapshot | —    | ok     | 777   |
| 19   | browser_click    | —    | ok     | 73    |
| 20   | browser_snapshot | —    | ok     | 637   |
| 21   | submit           | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (48 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

10 Exam · fault-recovery-1

vvdex.harness.fault-recovery-1 · record fr-20260902-a6f12b64 · record digest d5a8264aa0c20dd6... · harness clean · containment clean

Executive summary

MODELS TESTED

3

CERTIFIED PASSES

20

of 30 graded rollouts

SUBMITTED

21 of 30

graded rollouts that called submit

NOT GRADED — LANE ERRORS

0

of 30 attempts

Purpose

This report presents a controlled evaluation of 3 model lane(s) against the certified exam vvdex.harness.fault-recovery-1 (v0.1.0, family harness\_eval). Every lane received the identical frozen workspace, tool contract and limits; grading ran afterwards, in isolation, against hidden tests no lane ever saw. The purpose is to state, with reproducible evidence, what each lane did and where it stopped.

Outcome

20 of 30

graded rollouts passed the independent hidden tests and were certified

20 of 30 graded rollouts passed. cli/claude-sonnet, cli/codex completed the full loop (inspect, edit, run the visible tests, submit) and the sealed grader accepted the submission. The most common way to fail was context\_exhaustion — ran out of output context before it could submit.

Key findings

- F-01 cli/claude-sonnet, cli/codex passed the independent hidden tests
- F-02 context\_exhaustion × 5 (codestral-latest)
- F-03 edited\_tested\_no\_submit × 4 (codestral-latest)
- F-04 submitted\_failed × 1 (codestral-latest)
- F-05 1 overclaim(s) — success stated, then refuted by the grader

Each finding is stated in full, with evidence, in the Findings section; recommendations for acting on them follow it. Elapsed wall clock for the whole engagement: 3724.5s.



Exam definition

**In scope.** The ability of each configured model lane to complete this one certified task end to end — inspect the workspace, produce a correct edit, verify it with the visible tests, and submit — within 24 tool steps and 5880s of wall clock, at 10 rollout(s) per lane. Behavioural measurements along the way (tool discipline, grounding, overclaim) are in scope because they are read from the recorded trace, not judged by another model.

**Out of scope.** General model quality, performance on other task families, prompt-tuning on the lane's behalf, and any comparison this run's sample size cannot support. A lane's API failure is reported as infrastructure, never as model capability.

**The instrument.** Exam `vvdex.harness.fault-recovery-1` was certified before this run: its reference solution passes, an empty submission fails, its grader distinguishes near-misses, and its sealed evidence is unchanged by this evaluation (see Certification evidence).

What was measured

|                                |         |              |                   |
|--------------------------------|---------|--------------|-------------------|
| EXAM                           | VERSION | FAMILY       | ROLLOUTS          |
| vvdex.harness.fault-recovery-1 | 0.1.0   | harness_eval | 30 (10 per model) |

Where the defect came from

This exam has no upstream repository to credit: the defect, the reference solution and the hidden suite are VVDex's own.

Certification evidence

4 of 5 certification pillars are recorded in this package, loaded from the receipts sealed into the exam and matching this run's exam fingerprint. What is recorded is shown with its real value; what is not is named below and is not claimed.

FROZEN BASELINE

FAIL

expected — an empty submission over 2 run(s) must not pass

→

GOLD / REFERENCE

PASS

expected — the reference solution over 2 run(s) must pass

GRADER CONTROLS

12 / 12

The grader accepted the reference and rejected every near-miss.

ATTACK PROBES

10 / 10 blocked

0 trivial exploit(s) found.

RUNTIME

sha256:679b36225a1f83238efba8c71b9cde3c24caaeacc9b682ae92819cb55eec328f

network policy: deny

Certification metadata is not included in this report package for:

- sealed evidence bundle

Benchmark results remain valid as run evidence; the pillar(s) above are not substantiated by this document and this report does not claim them.

What the package does carry: the exam fingerprint below is the contract digest this run was executed against — a holder of the certification bundle for this fingerprint can join the two independently.

EXAM FINGERPRINT

4a206fbfe8fb70fb3e37943705065a8599fab492e495dca326279781ee960b1e

The contract digest this run was executed against.

Evaluation configuration

|                |                                                                     |
|----------------|---------------------------------------------------------------------|
| REPORT         | fr-20260902-a6f12b64                                                |
| ISSUED         | 2026-09-02                                                          |
| SUBJECT EXAM   | vvdex.harness.fault-recovery-1 · v0.1.0                             |
| FAMILY         | harness_eval                                                        |
| PREPARED BY    | VVDex Forge engine vvdex-env 0.1.0                                  |
| CLASSIFICATION | Independent model evaluation report — independently verifiable      |
| CERTIFICATION  | Exam certification: partially recorded (see Certification evidence) |
| STATUS         | FINAL · report sealed against its own digest                        |

Timeline

| WHEN (UTC)          | EVENT                                         |
|---------------------|-----------------------------------------------|
| 2026-09-02 13:47:41 | Evaluation run started                        |
| 2026-09-02 14:49:46 | Evaluation run finished                       |
| 2026-09-02 14:49:46 | Report generated from the sealed run evidence |

Models under test

| MODEL                                  | PROVIDER | ENDPOINT         | BILLING                                            |
|----------------------------------------|----------|------------------|----------------------------------------------------|
| Claude Code CLI (Sonnet, subscription) | cli      | local runtime    | operator subscription, flat — not billed per token |
| Codex CLI (GPT, subscription)          | cli      | local runtime    | operator subscription, flat — not billed per token |
| codestral-latest                       | mistral  | VVDex-configured | VVDex free-quota                                   |

A customer endpoint is recorded by origin only — never its port, its path, or its key.

Limits

|                                              |                                                |                                                     |                                                                                                            |
|----------------------------------------------|------------------------------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| <div>RUNTIME</div> <div><b>docker</b></div>  | <div>STEP LIMIT</div> <div><b>24</b></div>     | <div>WALL-CLOCK LIMIT</div> <div><b>5880s</b></div> | <div>MAX OUTPUT TOKENS</div> <div><b>2048</b></div>                                                        |
| <div>TEMPERATURE</div> <div><b>0.2</b></div> | <div>RETRY POLICY</div> <div><b>none</b></div> | <div>COMMAND BUDGET</div> <div><b>0</b></div>       | <div>TOOLS OFFERED</div> <div><b>list_files, read_file, write_file, edit_file, run_tests, submit</b></div> |

The evaluated model never saw the hidden tests or the reference solution, and could not change its result. Grading ran in a separate step, after submission, on a container with no network.

Model outcomes

**Denominators.** Attempts requested: 30. Graded (evaluable) rollouts: 30. Not graded — lane errors: 0. A lane error is a rollout the API or the runtime ended before the hidden grader ran: it is listed, excluded from every rate and pass@k, and never silently dropped. Passes are certified passes: hidden grader exit 0 with integrity verified.

| MODEL                                                       | ATTEMPTS | GRADED | PASSED  | MODEL FAILS | LANE ERRORS | SUBMITTED | MEAN TIME | TYPICAL DEEPEST STAGE |
|-------------------------------------------------------------|----------|--------|---------|-------------|-------------|-----------|-----------|-----------------------|
| Claude Code CLI (Sonnet, subscription)<br>cli/claude-sonnet | 10       | 10     | 10 / 10 | 0           | 0           | 10 / 10   | 77.9s     | Passed hidden tests   |
| Codex CLI (GPT, subscription)<br>cli/codex                  | 10       | 10     | 10 / 10 | 0           | 0           | 10 / 10   | 147.4s    | Passed hidden tests   |
| codestral-latest<br>codestral-latest                        | 10       | 10     | 0 / 10  | 10          | 0           | 1 / 10    | 127.0s    | Graded                |

Every rollout, with its own deepest stage and grade, is in Appendix A.

Success rate, confidence and pass@k

Every rate on this page is a measurement of a finite number of rollouts, so every rate carries the interval that measurement actually supports. n is the evaluable count — attempts minus rollouts the lane ended before grading; those are listed under "not graded" and sit in no rate, interval or pass@k.

| MODEL             | ATTEMPTS | N  | NOT GRADED | PASSES | RATE   | 95% INTERVAL | SEEDS | PASS@1 | PASS@3 | PASS@5 | PASS@10 |
|-------------------|----------|----|------------|--------|--------|--------------|-------|--------|--------|--------|---------|
| cli/claude-sonnet | 10       | 10 | 0          | 10     | 100.0% | [72%, 100%]  | 0–9   | 100.0% | 100.0% | 100.0% | 100.0%  |
| cli/codex         | 10       | 10 | 0          | 10     | 100.0% | [72%, 100%]  | 0–9   | 100.0% | 100.0% | 100.0% | 100.0%  |
| codestral-latest  | 10       | 10 | 0          | 0      | 0.0%   | [0%, 28%]    | 0–9   | 0.0%   | 0.0%   | 0.0%   | 0.0%    |

Interval and pass@k methods are stated in full in Appendix D. pass@k is shown for k = 1, 3, 5, 10; the sealed record carries every k up to n.

Model comparison

| MODEL             | PASS@1 | 95% INTERVAL | TOKENS    | COST       | MEAN ROLLOUT | OVERCLAIM RATE | TOP FAILURE CLASS  |
|-------------------|--------|--------------|-----------|------------|--------------|----------------|--------------------|
| cli/claude-sonnet | 100.0% | [72%, 100%]  | n/a       | n/a        | 77.9s        | 0.0%           | none               |
| cli/codex         | 100.0% | [72%, 100%]  | n/a       | n/a        | 147.4s       | 0.0%           | none               |
| codestral-latest  | 0.0%   | [0%, 28%]    | 1 147 890 | not billed | 127.0s       | 10.0%          | context_exhaustion |

Tokens and cost read n/a where a lane reports no telemetry (a flat-rate CLI) — an absent measurement, not zero. pass@1 and its interval are over evaluable rollouts only.

This is not a leaderboard. Separated by this run (intervals do not overlap): cli/claude-sonnet vs codestral-latest; cli/codex vs codestral-latest. Not separated (intervals overlap): cli/claude-sonnet vs cli/codex. The primary comparison in this report is the stage funnel below — where a model stops is a finding; a percentage over this many rollouts is not.

Stage funnel

The funnel is the primary reading of a run. Where a model stops says more than a single pass percentage does, especially at low N.

| STAGE               | CLI:CLI/CLAUDE-SONNET | CLI:CLI/CODEX | MISTRAL:CODESTRAL-LATEST |
|---------------------|-----------------------|---------------|--------------------------|
| Inspected           | 10 / 10               | 10 / 10       | 10 / 10                  |
| Edited              | 10 / 10               | 10 / 10       | 9 / 10                   |
| Ran tests           | 10 / 10               | 10 / 10       | 10 / 10                  |
| Submitted           | 10 / 10               | 10 / 10       | 1 / 10                   |
| Graded              | 10 / 10               | 10 / 10       | 10 / 10                  |
| Passed hidden tests | 10 / 10               | 10 / 10       | 0 / 10                   |

Deepest stage reached

| MODEL                    | DEEPEST (ANY ATTEMPT) | TYPICAL (MOST ATTEMPTS) | HIDDEN-TEST PASSES | NOT GRADED |
|--------------------------|-----------------------|-------------------------|--------------------|------------|
| cli:cli/claude-sonnet    | Passed hidden tests   | Passed hidden tests     | 10 / 10            | 0          |
| cli:cli/codex            | Passed hidden tests   | Passed hidden tests     | 10 / 10            | 0          |
| mistral:codestral-latest | Graded                | Graded                  | 0 / 10             | 0          |

Stage definitions are in Appendix D. The matrix counts evaluable rollouts; lane errors are shown beside it, not inside it. The stages are not strictly nested: a model can submit without editing, and the matrix shows that rather than hiding it. Each rollout's own deepest stage is in Appendix A.

Behavioural analysis

Long-horizon behaviour

Counted off the recorded trace of each rollout. A dead end is a step that moved nothing: a re-read of a slice already returned, a repeat of the previous action, or a call to a tool this exam does not have.

| MODEL                    | N  | STEPS USED | RAN OUT OF STEPS | COMMANDS | CHANGED THE TREE | REFUSED (OVER BUDGET) | REVISITS | DEAD ENDS / ROLLOUT |
|--------------------------|----|------------|------------------|----------|------------------|-----------------------|----------|---------------------|
| cli:cli/claude-sonnet    | 10 | 10 / 24    | 0                | 0 / 0    | 0                | 0                     | 17       | 2                   |
| cli:cli/codex            | 10 | 16 / 24    | 0                | 0 / 0    | 0                | 0                     | 27       | 3                   |
| mistral:codestral-latest | 10 | 21 / 24    | 9                | 0 / 0    | 0                | 0                     | 7        | 6                   |

Each column is defined in Appendix D.

Hallucination & overclaim

Three measurements, each with a stated definition. None of them is a judgement of the model's prose by another model — every number below comes from comparing what the model wrote against what was on disk, or against what the independent grader returned.

| MODEL                    | N  | GROUNDING FAILURES | KINDS               | ROLLOUTS AFFECTED | OVERCLAIMS | OVERCLAIM RATE | RE-READS |
|--------------------------|----|--------------------|---------------------|-------------------|------------|----------------|----------|
| cli:cli/claude-sonnet    | 10 | 0                  | none                | 0 / 10            | 0 / 10     | 0.0%           | 17       |
| cli:cli/codex            | 10 | 0                  | none                | 0 / 10            | 0 / 10     | 0.0%           | 27       |
| mistral:codestral-latest | 10 | 4                  | nonexistent_path x4 | 4 / 10            | 1 / 10     | 10.0%          | 7        |

**mistral:codestral-latest** wrote 4 path reference(s) not in the tree it was given, across 4 of 10 rollout(s); claimed a fix the hidden tests then refuted in 1 of 10 rollout(s).

Every term above is defined in Appendix D.

Efficiency & telemetry

This run has no per-token price attached — a local model, a free quota, or a customer endpoint we are not billed for — so spend is reported in tokens. Tokens are what was actually measured; a dollar figure here would be invented. Lanes run through a flat-rate local CLI report no token telemetry; their cells say n/a — an absent measurement, not zero. Rollout counts here are evaluable rollouts.

| MODEL                    | ROLLOUTS | TOKENS    | TOKENS / ROLLOUT | COST                        | PASSES  | RATE   |
|--------------------------|----------|-----------|------------------|-----------------------------|---------|--------|
| cli:cli/claude-sonnet    | 10       | n/a       | n/a              | n/a – telemetry unavailable | 10 / 10 | 100.0% |
| cli:cli/codex            | 10       | n/a       | n/a              | n/a – telemetry unavailable | 10 / 10 | 100.0% |
| mistral:codestral-latest | 10       | 1 147 890 | 114 789          | not billed                  | 0 / 10  | 0.0%   |

Findings

Every finding below is derived from the recorded data of this run — none is an opinion.  
Severity: PASS a lane succeeded · ATTENTION a capability gap · LANE / INFRA  
infrastructure, not capability · NOTE a property of the measurement.

|                                                                                                                                                                                                                   |                                                      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|
| F-01                                                                                                                                                                                                              | PASS                                                 |
| cli/claude-sonnet, cli/codex passed the independent hidden tests                                                                                                                                                  |                                                      |
| Severity: PASS                                                                                                                                                                                                    | Evidence: Model outcomes · Stage funnel · Appendix A |
| 20 of 30 graded rollouts completed the full loop (inspect, edit, run the visible tests, submit) and the sealed grader accepted the submission. This demonstrates the task is solvable under the published limits. |                                                      |
| F-01 · derived from the recorded run data                                                                                                                                                                         |                                                      |
| F-02                                                                                                                                                                                                              | ATTENTION                                            |
| context_exhaustion × 5 (codestral-latest)                                                                                                                                                                         |                                                      |
| Severity: ATTENTION                                                                                                                                                                                               | Evidence: Appendix A · Appendix C                    |
| Ran out of output context before it could submit.                                                                                                                                                                 |                                                      |
| F-02 · derived from the recorded run data                                                                                                                                                                         |                                                      |
| F-03                                                                                                                                                                                                              | ATTENTION                                            |
| edited_tested_no_submit × 4 (codestral-latest)                                                                                                                                                                    |                                                      |
| Severity: ATTENTION                                                                                                                                                                                               | Evidence: Appendix A · Appendix C                    |
| Edited files and ran the visible tests but never submitted.                                                                                                                                                       |                                                      |
| F-03 · derived from the recorded run data                                                                                                                                                                         |                                                      |
| F-04                                                                                                                                                                                                              | ATTENTION                                            |
| submitted_failed × 1 (codestral-latest)                                                                                                                                                                           |                                                      |
| Severity: ATTENTION                                                                                                                                                                                               | Evidence: Appendix A · Appendix C                    |
| Submitted a change; the independent hidden tests still failed.                                                                                                                                                    |                                                      |
| F-04 · derived from the recorded run data                                                                                                                                                                         |                                                      |
| F-05                                                                                                                                                                                                              | ATTENTION                                            |
| 1 overclaim(s) — success stated, then refuted by the grader                                                                                                                                                       |                                                      |
| Severity: ATTENTION                                                                                                                                                                                               | Evidence: Behavioural analysis                       |
| mistral:codestral-latest declared the task fixed and the independent hidden tests then failed. Counted claimed-and-wrong per rollout, from the model's own words.                                                 |                                                      |
| F-05 · derived from the recorded run data                                                                                                                                                                         |                                                      |



4 grounding failure(s) — paths cited that do not exist

Severity: ATTENTION

Evidence: Behavioural analysis

mistral:codestral-latest reasoned about files not present in the tree they were given, detected by matching cited source paths against the agent box on disk.

F-06 · derived from the recorded run data

Recommendations

One recommendation per observed failure mode, addressed to the lane it affects. Each traces back to a finding above and to the raw trace in Appendix A.

**R-01** PROBLEM  
**Ran out of output context before it could submit.**

AFFECTED LANES  
**codestral-latest**

WHAT WE WOULD LOOK AT FIRST  
The model fills its window before converging — working-set discipline over long files is the gap.

**R-02** PROBLEM  
**Edited files and ran the visible tests but never submitted.**

AFFECTED LANES  
**codestral-latest**

WHAT WE WOULD LOOK AT FIRST  
The model does the work and never calls submit — terminal-action reliability is the gap.

**R-03** PROBLEM  
**Submitted a change; the independent hidden tests still failed.**

AFFECTED LANES  
**codestral-latest**

WHAT WE WOULD LOOK AT FIRST  
The model completes the loop and produces a plausible near-miss — the named failing tests are the exact behavioral cases distinguishing it from the reference fix.

Verification

RUN ID

live-20260902T134741Z

EXAM FINGERPRINT

4a206fbfe8fb70fb3e37943705065a8599fab492e495dca32627978  
1ee960b1e

The contract digest this run was executed against.

Provenance of this chapter

This chapter was rendered by the campaign generator from the sealed evaluation record; it is not the standalone report reproduced byte for byte. Verify the standalone report with its own digest, verify the record with `vvdex-env records verify`, and verify this campaign document as a whole.

RELATIONSHIP

campaign-rendered  
chapter

Derived from the same sealed evaluation record as the standalone report; these bytes are authenticated by the campaign artifact that contains them.

SEALED RECORD DIGEST

d5a8264aa0c20dd67c148798  
56a744e2ff1ab79da35ea8bc  
ea92b4ba1ea14d5f

sha256 over the record's canonical JSON — the identity every renderer works from.

SOURCE RECORD FILE

5af5f844bf99f5172f661f5b  
51ed39a4bedc7a35585899a6  
2859cb85cb411461

sha256 of fr-20260902-a6f12b64.json as written beside the standalone report.

SOURCE STANDALONE  
REPORT

0b727f15e52999aef98b5f52  
2c2ed0a112d25ef2bc3177ea  
3ea5e828e2b5517d

sha256 of fr-20260902-a6f12b64.html — independently verifiable with its own digest.

SOURCE STANDALONE PDF

cfe7b88bbca60ce04e8f0b72  
7568c1443938e391757319eb  
1dee8083edb9fc64

sha256 of fr-20260902-a6f12b64.pdf.

RUN EVIDENCE BUNDLE

a6f12b647a54dbf0c0ecf80a  
cda77ee562a8ccdb3ad1f44b  
ccffa20c0716d664

The digest the run's own bundle computed over itself.

CERTIFIED EVIDENCE SEAL

not available in this  
package

The exam's sealed evidence, established before this run.

Measurement history

This is the first recorded run on this exam. There is nothing to compare it against yet, and a single measurement is not a trend.  
  
The full artifact-by-artifact digest table, and the reproduction protocol, are in Appendix B.

## Appendix A — every rollout

| ROLLOUT  | MODEL             | SEED | OUTCOME            | SUBMITTED | DEEPEST STAGE       | HIDDEN TESTS | FILES | TOKENS  | ELAPSED |
|----------|-------------------|------|--------------------|-----------|---------------------|--------------|-------|---------|---------|
| 3c178cb0 | cli/claude-sonnet | 0    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 74.7s   |
| 230a8274 | cli/claude-sonnet | 1    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 73.9s   |
| 459f9de3 | cli/claude-sonnet | 2    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 64.7s   |
| 3a7da64d | cli/claude-sonnet | 3    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 92.5s   |
| 1e7f41d8 | cli/claude-sonnet | 4    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 83.8s   |
| 9902eaa3 | cli/claude-sonnet | 5    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 77.7s   |
| 12f95490 | cli/claude-sonnet | 6    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 84.0s   |
| affa9ea3 | cli/claude-sonnet | 7    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 76.2s   |
| ab27ff4e | cli/claude-sonnet | 8    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 85.5s   |
| cd337d97 | cli/claude-sonnet | 9    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 65.9s   |
| 879eca05 | cli/codex         | 0    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 161.2s  |
| fd449898 | cli/codex         | 1    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 162.3s  |
| 5d078aad | cli/codex         | 2    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 223.6s  |
| 4ac68744 | cli/codex         | 3    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 144.3s  |
| 7d1b1531 | cli/codex         | 4    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 114.1s  |
| 662f4a3d | cli/codex         | 5    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 135.7s  |
| 660efecd | cli/codex         | 6    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 127.3s  |
| 51c40893 | cli/codex         | 7    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 126.5s  |
| 899ad596 | cli/codex         | 8    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 144.5s  |
| e90dd0c8 | cli/codex         | 9    | submitted_passed   | yes       | Passed hidden tests | pass         | 3     | n/a     | 134.5s  |
| 0711410a | codestral-latest  | 0    | context_exhaustion | no        | Graded              | fail         | 1     | 80 881  | 75.3s   |
| de0f078f | codestral-latest  | 1    | context_exhaustion | no        | Graded              | fail         | 9     | 203 624 | 151.0s  |
| 5c42bd02 | codestral-latest  | 2    | submitted_failed   | yes       | Graded              | fail         | 0     | 4 126   | 7.4s    |
| 3498fcf5 | codestral-latest  | 3    | context_exhaustion | no        | Graded              | fail         | 9     | 175 540 | 100.7s  |

| ROLLOUT  | MODEL            | SEED | OUTCOME                     | SUBMITTED | DEEPEST STAGE | HIDDEN TESTS | FILES | TOKENS  | ELAPSED |
|----------|------------------|------|-----------------------------|-----------|---------------|--------------|-------|---------|---------|
| 5e744f53 | codestral-latest | 4    | edited_tested_no_submi<br>t | no        | Graded        | fail         | 11    | 102 805 | 81.2s   |
| b761b8be | codestral-latest | 5    | edited_tested_no_submi<br>t | no        | Graded        | fail         | 10    | 89 896  | 94.4s   |
| eddbc8c8 | codestral-latest | 6    | edited_tested_no_submi<br>t | no        | Graded        | fail         | 1     | 85 524  | 81.4s   |
| b0c7e737 | codestral-latest | 7    | edited_tested_no_submi<br>t | no        | Graded        | fail         | 1     | 62 082  | 65.4s   |
| 3061565d | codestral-latest | 8    | context_exhaustion          | no        | Graded        | fail         | 8     | 251 723 | 513.2s  |
| 8b5af559 | codestral-latest | 9    | context_exhaustion          | no        | Graded        | fail         | 9     | 91 689  | 99.7s   |

Failure taxonomy

| CLASS                   | COUNT | WHAT IT MEANS                                                  |
|-------------------------|-------|----------------------------------------------------------------|
| context_exhaustion      | 5     | Ran out of output context before it could submit.              |
| edited_tested_no_submit | 4     | Edited files and ran the visible tests but never submitted.    |
| submitted_failed        | 1     | Submitted a change; the independent hidden tests still failed. |

Appendix B — evidence and artifact digests

RUN BUNDLE DIGEST

a6f12b647a54dbf0c0ecf80a  
cda77ee562a8ccdb3ad1f44b  
ccffa20c0716d664

RUN ID

live-  
20260902T134741Z

STARTED

2026-09-  
02T13:47:41.546440  
+00:00

FINISHED

2026-09-  
02T14:49:46.020126  
+00:00

Artifact digests

| ARTIFACT                                           | SHA-256                                                           |
|----------------------------------------------------|-------------------------------------------------------------------|
| publicSummary                                      | 92ec8ad502cca03db70ca82d7c593206728ddfa95c2e483a198203d73b81ccb6  |
| rollouts/0711410a-20af-4809-97d9-eb6f1cb4ed52.json | e76288222b67f8622db779c912d61b460fba164efaf041126bd6dcb14a87cdc8  |
| rollouts/12f95490-752e-4fae-8352-8fc3f600c46c.json | 05fad9811badd35c5ba8e2c8b3884d87ffe09385cc1d870be5d8725bc9af84a2  |
| rollouts/1e7f41d8-724c-4906-94aa-77195464bafe.json | 01744a44277bacc58c08bcae2b1b80959ce3bf8c47588a7c787fd83453b30354  |
| rollouts/230a8274-69d8-4aa7-a026-3972e84dee78.json | 66a3d04b57a30ded39eafba676ee1fa846909384b59ad96016e4dfebb3386cff  |
| rollouts/3061565d-c1ba-453b-b793-1e061a2e4a62.json | 1f9200514a2b2c38b9ee97118974f2d5629406e67349552f13ad03b710fc49fd  |
| rollouts/3498fcf5-bbb6-414b-aba0-a13bad481435.json | c9e901f199c5a36bda324d35fea1f3ffe95e3dc31907a59e48c79d53deaad30e  |
| rollouts/3a7da64d-1728-43ad-b959-185afd23de73.json | 4ee16b3a4a8d0092617a1dfee773295ce2a1acb590e9b58abeeda7aacb6cbbb6  |
| rollouts/3c178cb0-987f-499b-b4c5-8e6a51d22739.json | 2b77fd47c36b9ced52164b48be6988332475b6467ab185166d9bf6a9bad8b861  |
| rollouts/459f9de3-dd18-4b28-9e46-eefcda169291.json | 81ee5801eda8feea8903bdc3e959cfdcf4e495fe3a8039620ed058080a6009d4  |
| rollouts/4ac68744-04cf-46df-9fde-24f77013e84c.json | 64555ef1cfd29429efb7ffa3c4f0f611744ea7d31e27a9dc6087941312b3eb7e  |
| rollouts/51c40893-6126-4096-88a2-2ed8a13df341.json | 39fa04de1b8f70e1f90e4d1713206db95e2d0450c682658e3369b780e5b8a1b2  |
| rollouts/5c42bd02-e324-467a-a4a8-d8264ec66778.json | 17860fd2c9c0127b8a37dbdee8d3105b4add25c756e2b45ab4d38790e1520412  |
| rollouts/5d078aad-9bc3-42b7-97b8-a615b5f9a87f.json | 8463d90244f36a14c9095d900f885147fab82e5c6bf9e8406ea984e06ad1208a  |
| rollouts/5e744f53-ec91-4f5b-85e2-d6f150221616.json | 3e6c5a77724a182243f898fe82b806aed906eb9a4b156276f9677d471c01f409  |
| rollouts/660efecd-4c0a-4092-9713-fd3677d3528f.json | 7435d69b8bc0ea51765cde0eff6a2e1926c36059307be111e3c82807d9bf2646  |
| rollouts/662f4a3d-ea26-4e49-b9ee-24a190ed2db3.json | 6d0227476d2a60f1f595800852d3c2b187d38591cb7b7fdcec39071104c6ef3c  |
| rollouts/7d1b1531-f014-45b5-93f8-c578d036d820.json | 755def32bc1166a4edba484cef698b57f399394937a13bf5b15c8f1ca9b93074  |
| rollouts/879eca05-6ed5-481f-a4c0-58a675435c85.json | fcff7d31005d2bc12895065eb0356058fd81fe6573074fbc73a54ce29ad96118  |
| rollouts/899ad596-b098-4a27-b1a8-ddc53e4346f2.json | 835c88ee481264fa1b0b844eb4ed17d76c60185ddf56214e73629beca582145e  |
| rollouts/8b5af559-b0f7-4aaa-9748-435f7836143e.json | 42b8c77bec005e209190119a559320f4908762c2b85460f19e97d0cbf4ebe051  |
| rollouts/9902eaa3-4af4-4039-946a-2b4fbbb3eb0c.json | 8f91bdd28114bb10fa0f57b3c9030dda7a96fc3c26b3f47a9fffb19f7d161cc3e |
| rollouts/ab27ff4e-329f-4ad0-b20e-cd10c9e7e4b6.json | f8c53bac344a5ae08a4f020dbe6c65b3f8d0f66275cad641651c26ff098fa84b  |
| rollouts/affa9ea3-9250-418d-9507-8cfbf429b84c.json | 47d6031bef983bfd8f5878d13bbf4ef24c192a42f7a79186490048b9745c788a  |
| rollouts/b0c7e737-a914-495b-ba72-aee2b3fd18b1.json | 4048e436ea6ce3169b884cbfc4620936645573daf579ad52a5429b04032c0c19  |
| rollouts/b761b8be-4d5d-4934-8e0e-6d63e67c573d.json | b3d3e9ee57a3f991b1d0c127d595178e1c9367b8ca17879d948d08f9fa584477  |
| rollouts/cd337d97-6960-429c-99dd-10a17b935b0d.json | 0051949472962b064fd9b7934f6acbb607de390a516e2fc2b5f59d7d03efe4c9  |
| rollouts/de0f078f-5b50-4853-873f-208337f892f9.json | 0fdc5de0bbf5032da58e7fa47df2f5000c926f566ec1c3ff8fb450f1aea2ca91  |
| rollouts/e90dd0c8-6384-4a8e-857d-560d91cc8a8d.json | 6fa264a19e220ee863979f0f2ac37f82b75e269d3ba5d54b0a7dd2957786f56e  |
|                                                    |                                                                   |

| ARTIFACT                                           | SHA-256                                                          |
|----------------------------------------------------|------------------------------------------------------------------|
| rollouts/eddbc8c8-36ca-4533-b298-2cd72c5d5c62.json | 7c4702032ea6d2d74a3fcf758665e109cb780012c387e4c7c6cd53b5cf1cb72f |
| rollouts/fd449898-96bc-4c78-bd82-2d37535c2987.json | 1030a0bd7437271001c13f01cd8f725b116c4c08d9e13ddc4d7132bc925865cc |
| spec                                               | c5580395b0da0e89877b88e47c897742665c2711455762bc87c742b9f68019ec |
| summary                                            | adcd3c1bdb43057c1e2f1114afe7303277a5f95db0d1786f64407524d6eead72 |

Reproducing this run

Every rollout can be re-derived: the exam is frozen (fingerprint above), the grader ran in the recorded container image, and each rollout's full trace — every tool call, every result, every word — is in the evidence bundle at its rollouts/<id>.json path. A re-run uses the same job shape: the exam id, your endpoint, n, and the runtime. The record id names this run forever.

Appendix C — redacted transcripts

For each rollout: the tool calls it made, in order — which tool, on which of the model's own paths, whether the call succeeded, and how many characters came back. What a tool returned is not here, and neither is the submission: on this exam the submitted content is the graded answer, so no diff, no answer value and no model claim is printed. A request for the reference solution or the hidden tests is recorded as a request; the path it asked for is replaced by a label. See Appendix D, "What this report withholds and why".

Disclosure class applied to this exam: answer-key disclosure (ownership vvdex\_proprietary — engine registry; family harness\_eval): the exam is VVDex evaluation IP and the graded output is an answer or a keyed value, so no submission content, diff, model claim or hidden-assertion name is published.

3c178cb0 · cli:cli/claude-sonnet · seed 0 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 61    |
| 9    | run_tests  | —            | ok     | 268   |
| 10   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (210 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

230a8274 · cli:cli/claude-sonnet · seed 1 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 61    |
| 9    | run_tests  | —            | ok     | 268   |



| STEP | TOOL   | PATH | RESULT | CHARS |
|------|--------|------|--------|-------|
| 10   | submit | —    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (212 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 459f9de3 · cli:cli/claude-sonnet · seed 2 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 61    |
| 9    | run_tests  | —            | ok     | 268   |
| 10   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (210 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 3a7da64d · cli:cli/claude-sonnet · seed 3 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | write_file | src/rates.py | ok     | 61    |
| 8    | run_tests  | —            | ok     | 268   |
| 9    | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (199 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 1e7f41d8 · cli:cli/claude-sonnet · seed 4 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 61    |
| 9    | run_tests  | —            | ok     | 268   |
| 10   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (210 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 9902eaa3 · cli:cli/claude-sonnet · seed 5 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 61    |
| 9    | run_tests  | —            | ok     | 268   |
| 10   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (210 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 12f95490 · cli:cli/claude-sonnet · seed 6 · submitted\_passed

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 0    | read_file | src/rates.py | ok     | 1 335 |
| 1    | edit_file | src/rates.py | ok     | 50    |

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 62    |
| 9    | run_tests  | —            | ok     | 268   |
| 10   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (214 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### affa9ea3 · cli:cli/claude-sonnet · seed 7 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | write_file | src/rates.py | ok     | 61    |
| 8    | run_tests  | —            | ok     | 268   |
| 9    | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (199 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### ab27ff4e · cli:cli/claude-sonnet · seed 8 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 61    |
| 9    | run_tests  | —            | ok     | 268   |
| 10   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (212 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### cd337d97 · cli:cli/claude-sonnet · seed 9 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | src/rates.py | ok     | 1 335 |
| 1    | edit_file  | src/rates.py | ok     | 50    |
| 2    | run_tests  | —            | failed | 95    |
| 3    | run_tests  | —            | ok     | 1 581 |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | write_file | src/rates.py | ok     | 62    |
| 6    | run_tests  | —            | ok     | 1 581 |
| 7    | write_file | src/rates.py | ok     | 61    |
| 8    | run_tests  | —            | ok     | 268   |
| 9    | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (199 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 879eca05 · cli:cli/codex · seed 0 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | TASK.md      | ok     | 1 633 |
| 1    | read_file  | —            | failed | 35    |
| 2    | read_file  | src/rates.py | ok     | 1 335 |
| 3    | edit_file  | src/rates.py | ok     | 50    |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | read_file  | src/rates.py | ok     | 0     |
| 6    | run_tests  | —            | failed | 95    |
| 7    | run_tests  | —            | ok     | 1 581 |
| 8    | write_file | src/rates.py | ok     | 62    |
| 9    | read_file  | src/rates.py | ok     | 157   |
| 10   | read_file  | src/rates.py | ok     | 40    |
| 11   | read_file  | src/rates.py | ok     | 0     |

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 12   | write_file | src/rates.py | ok     | 62    |
| 13   | read_file  | src/rates.py | ok     | 148   |
| 14   | run_tests  | —            | ok     | 268   |
| 15   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (270 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### fd449898 · cli:cli/codex · seed 1 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | list_files | .            | ok     | 94    |
| 1    | read_file  | TASK.md      | ok     | 1 633 |
| 2    | read_file  | src/rates.py | ok     | 1 335 |
| 3    | edit_file  | src/rates.py | ok     | 50    |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | read_file  | src/rates.py | ok     | 0     |
| 6    | read_file  | src/rates.py | ok     | 0     |
| 7    | run_tests  | —            | failed | 95    |
| 8    | run_tests  | —            | ok     | 1 581 |
| 9    | write_file | src/rates.py | ok     | 62    |
| 10   | read_file  | src/rates.py | ok     | 157   |
| 11   | read_file  | src/rates.py | ok     | 20    |
| 12   | read_file  | src/rates.py | ok     | 0     |
| 13   | run_tests  | —            | ok     | 1 581 |
| 14   | write_file | src/rates.py | ok     | 61    |
| 15   | read_file  | src/rates.py | ok     | 892   |
| 16   | run_tests  | —            | ok     | 268   |
| 17   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (288 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 5d078aad · cli:cli/codex · seed 2 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | list_files | .            | ok     | 94    |
| 1    | read_file  | TASK.md      | ok     | 1 633 |
| 2    | read_file  | —            | failed | 35    |
| 3    | read_file  | src/rates.py | ok     | 1 335 |

| STEP | TOOL       | PATH                | RESULT | CHARS |
|------|------------|---------------------|--------|-------|
| 4    | read_file  | tests/test_rates.py | ok     | 719   |
| 5    | edit_file  | src/rates.py        | ok     | 50    |
| 6    | read_file  | src/rates.py        | ok     | 157   |
| 7    | read_file  | src/rates.py        | ok     | 0     |
| 8    | read_file  | src/rates.py        | ok     | 39    |
| 9    | read_file  | src/rates.py        | ok     | 60    |
| 10   | read_file  | src/rates.py        | ok     | 0     |
| 11   | run_tests  | –                   | failed | 95    |
| 12   | run_tests  | –                   | ok     | 1 581 |
| 13   | write_file | src/rates.py        | ok     | 62    |
| 14   | read_file  | src/rates.py        | ok     | 157   |
| 15   | run_tests  | –                   | ok     | 1 581 |
| 16   | write_file | src/rates.py        | ok     | 61    |
| 17   | read_file  | src/rates.py        | ok     | 787   |
| 18   | run_tests  | –                   | ok     | 268   |
| 19   | submit     | –                   | ok     | 85    |

Submission diff withheld by the public-disclosure policy (327 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 4ac68744 · cli:cli/codex · seed 3 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | TASK.md      | ok     | 1 633 |
| 1    | read_file  | –            | failed | 35    |
| 2    | read_file  | src/rates.py | ok     | 1 335 |
| 3    | edit_file  | src/rates.py | ok     | 50    |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | read_file  | src/rates.py | ok     | 0     |
| 6    | run_tests  | –            | failed | 95    |
| 7    | read_file  | src/rates.py | ok     | 0     |
| 8    | run_tests  | –            | ok     | 1 581 |
| 9    | write_file | src/rates.py | ok     | 62    |
| 10   | read_file  | src/rates.py | ok     | 157   |
| 11   | run_tests  | –            | ok     | 1 581 |
| 12   | write_file | src/rates.py | ok     | 61    |
| 13   | read_file  | src/rates.py | ok     | 791   |
| 14   | run_tests  | –            | ok     | 268   |

| STEP | TOOL   | PATH | RESULT | CHARS |
|------|--------|------|--------|-------|
| 15   | submit | –    | ok     | 85    |

Submission diff withheld by the public-disclosure policy (284 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 7d1b1531 · cli:cli/codex · seed 4 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | TASK.md      | ok     | 1 633 |
| 1    | read_file  | –            | failed | 35    |
| 2    | read_file  | src/rates.py | ok     | 1 335 |
| 3    | edit_file  | src/rates.py | ok     | 50    |
| 4    | run_tests  | –            | failed | 95    |
| 5    | run_tests  | –            | ok     | 1 581 |
| 6    | read_file  | src/rates.py | ok     | 157   |
| 7    | write_file | src/rates.py | ok     | 62    |
| 8    | read_file  | src/rates.py | ok     | 157   |
| 9    | write_file | src/rates.py | ok     | 62    |
| 10   | read_file  | src/rates.py | ok     | 1 278 |
| 11   | run_tests  | –            | ok     | 268   |
| 12   | submit     | –            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (213 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 662f4a3d · cli:cli/codex · seed 5 · submitted\_passed

| STEP | TOOL       | PATH                | RESULT | CHARS |
|------|------------|---------------------|--------|-------|
| 0    | read_file  | TASK.md             | ok     | 1 633 |
| 1    | read_file  | –                   | failed | 35    |
| 2    | read_file  | src/rates.py        | ok     | 1 335 |
| 3    | read_file  | tests/test_rates.py | ok     | 719   |
| 4    | edit_file  | src/rates.py        | ok     | 50    |
| 5    | read_file  | src/rates.py        | ok     | 157   |
| 6    | read_file  | src/rates.py        | ok     | 0     |
| 7    | run_tests  | –                   | failed | 95    |
| 8    | run_tests  | –                   | ok     | 1 581 |
| 9    | write_file | src/rates.py        | ok     | 62    |
| 10   | read_file  | src/rates.py        | ok     | 157   |
| 11   | read_file  | src/rates.py        | ok     | 20    |

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 12   | write_file | src/rates.py | ok     | 62    |
| 13   | read_file  | src/rates.py | ok     | 1 198 |
| 14   | run_tests  | —            | ok     | 268   |
| 15   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (246 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 660efecd · cli:cli/codex · seed 6 · submitted\_passed

| STEP | TOOL       | PATH                | RESULT | CHARS |
|------|------------|---------------------|--------|-------|
| 0    | read_file  | TASK.md             | ok     | 1 633 |
| 1    | list_files | .                   | ok     | 94    |
| 2    | read_file  | src/rates.py        | ok     | 1 335 |
| 3    | read_file  | tests/test_rates.py | ok     | 719   |
| 4    | edit_file  | src/rates.py        | ok     | 50    |
| 5    | read_file  | src/rates.py        | ok     | 157   |
| 6    | run_tests  | —                   | failed | 95    |
| 7    | run_tests  | —                   | ok     | 1 581 |
| 8    | write_file | src/rates.py        | ok     | 62    |
| 9    | read_file  | src/rates.py        | ok     | 157   |
| 10   | read_file  | src/rates.py        | ok     | 0     |
| 11   | read_file  | src/rates.py        | ok     | 0     |
| 12   | write_file | src/rates.py        | ok     | 62    |
| 13   | run_tests  | —                   | ok     | 268   |
| 14   | submit     | —                   | ok     | 85    |

Submission diff withheld by the public-disclosure policy (237 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 51c40893 · cli:cli/codex · seed 7 · submitted\_passed

| STEP | TOOL       | PATH                | RESULT | CHARS |
|------|------------|---------------------|--------|-------|
| 0    | list_files | .                   | ok     | 94    |
| 1    | read_file  | TASK.md             | ok     | 1 633 |
| 2    | read_file  | src/rates.py        | ok     | 1 335 |
| 3    | read_file  | tests/test_rates.py | ok     | 719   |
| 4    | edit_file  | src/rates.py        | ok     | 50    |
| 5    | run_tests  | —                   | failed | 95    |
| 6    | run_tests  | —                   | ok     | 1 581 |



| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 7    | read_file  | src/rates.py | ok     | 157   |
| 8    | write_file | src/rates.py | ok     | 62    |
| 9    | read_file  | src/rates.py | ok     | 157   |
| 10   | read_file  | src/rates.py | ok     | 20    |
| 11   | write_file | src/rates.py | ok     | 61    |
| 12   | read_file  | src/rates.py | ok     | 892   |
| 13   | run_tests  | —            | ok     | 268   |
| 14   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (255 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 899ad596 · cli:cli/codex · seed 8 · submitted\_passed

| STEP | TOOL       | PATH         | RESULT | CHARS |
|------|------------|--------------|--------|-------|
| 0    | read_file  | TASK.md      | ok     | 1 633 |
| 1    | read_file  | —            | failed | 35    |
| 2    | read_file  | src/rates.py | ok     | 1 335 |
| 3    | edit_file  | src/rates.py | ok     | 50    |
| 4    | read_file  | src/rates.py | ok     | 157   |
| 5    | read_file  | src/rates.py | ok     | 0     |
| 6    | read_file  | src/rates.py | ok     | 60    |
| 7    | run_tests  | —            | failed | 95    |
| 8    | run_tests  | —            | ok     | 1 581 |
| 9    | write_file | src/rates.py | ok     | 62    |
| 10   | read_file  | src/rates.py | ok     | 157   |
| 11   | read_file  | src/rates.py | ok     | 20    |
| 12   | run_tests  | —            | ok     | 1 581 |
| 13   | write_file | src/rates.py | ok     | 61    |
| 14   | read_file  | src/rates.py | ok     | 892   |
| 15   | run_tests  | —            | ok     | 268   |
| 16   | submit     | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (278 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### e90dd0c8 · cli:cli/codex · seed 9 · submitted\_passed

| STEP | TOOL      | PATH    | RESULT | CHARS |
|------|-----------|---------|--------|-------|
| 0    | read_file | TASK.md | ok     | 1 633 |

| STEP | TOOL       | PATH                | RESULT | CHARS |
|------|------------|---------------------|--------|-------|
| 1    | list_files | .                   | ok     | 94    |
| 2    | read_file  | src/rates.py        | ok     | 1 335 |
| 3    | read_file  | tests/test_rates.py | ok     | 719   |
| 4    | edit_file  | src/rates.py        | ok     | 50    |
| 5    | read_file  | src/rates.py        | ok     | 157   |
| 6    | read_file  | src/rates.py        | ok     | 20    |
| 7    | read_file  | src/rates.py        | ok     | 0     |
| 8    | write_file | src/rates.py        | ok     | 62    |
| 9    | read_file  | src/rates.py        | ok     | 157   |
| 10   | run_tests  | —                   | failed | 95    |
| 11   | run_tests  | —                   | ok     | 1 581 |
| 12   | write_file | src/rates.py        | ok     | 62    |
| 13   | read_file  | src/rates.py        | ok     | 1 168 |
| 14   | run_tests  | —                   | ok     | 268   |
| 15   | submit     | —                   | ok     | 85    |

Submission diff withheld by the public-disclosure policy (267 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 0711410a · mistral:codestral-latest · seed 0 · context\_exhaustion

| STEP | TOOL              | PATH         | RESULT | CHARS |
|------|-------------------|--------------|--------|-------|
| 0    | read_file         | —            | failed | 35    |
| 1    | invalid_tool_call | "}           | failed | 103   |
| 2    | list_files        | .            | ok     | 94    |
| 3    | read_file         | TASK.md      | ok     | 1 633 |
| 4    | read_file         | src/rates.py | ok     | 1 335 |
| 5    | run_tests         | —            | failed | 95    |
| 6    | edit_file         | src/rates.py | ok     | 50    |
| 7    | run_tests         | —            | ok     | 1 581 |
| 8    | edit_file         | src/rates.py | failed | 29    |
| 9    | edit_file         | src/rates.py | failed | 29    |
| 10   | edit_file         | src/rates.py | failed | 29    |
| 11   | edit_file         | src/rates.py | failed | 29    |
| 12   | edit_file         | src/rates.py | failed | 29    |
| 13   | edit_file         | src/rates.py | failed | 29    |
| 14   | edit_file         | src/rates.py | failed | 29    |
| 15   | edit_file         | src/rates.py | failed | 29    |

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 16   | edit_file | src/rates.py | failed | 29    |
| 17   | edit_file | src/rates.py | failed | 29    |
| 18   | edit_file | src/rates.py | failed | 29    |
| 19   | edit_file | src/rates.py | failed | 29    |
| 20   | edit_file | src/rates.py | failed | 29    |
| 21   | edit_file | src/rates.py | failed | 29    |
| 22   | edit_file | src/rates.py | failed | 29    |
| 23   | edit_file | src/rates.py | failed | 29    |

Submission diff withheld by the public-disclosure policy (350 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### de0f078f · mistral:codestral-latest · seed 1 · context\_exhaustion

| STEP | TOOL              | PATH         | RESULT | CHARS |
|------|-------------------|--------------|--------|-------|
| 0    | read_file         | —            | failed | 35    |
| 1    | invalid_tool_call | "}           | failed | 103   |
| 2    | list_files        | .            | ok     | 94    |
| 3    | read_file         | src/rates.py | ok     | 1 335 |
| 4    | edit_file         | src/rates.py | ok     | 50    |
| 5    | run_tests         | —            | failed | 95    |
| 6    | run_tests         | —            | ok     | 1 581 |
| 7    | edit_file         | src/rates.py | failed | 29    |
| 8    | edit_file         | src/rates.py | failed | 29    |
| 9    | write_file        | src/rates.py | ok     | 62    |
| 10   | run_tests         | —            | ok     | 1 581 |
| 11   | write_file        | src/rates.py | ok     | 62    |
| 12   | run_tests         | —            | ok     | 1 579 |
| 13   | edit_file         | src/rates.py | ok     | 50    |
| 14   | run_tests         | —            | ok     | 1 579 |
| 15   | edit_file         | src/rates.py | ok     | 50    |
| 16   | run_tests         | —            | ok     | 1 579 |
| 17   | edit_file         | src/rates.py | ok     | 50    |
| 18   | run_tests         | —            | ok     | 1 579 |
| 19   | edit_file         | src/rates.py | ok     | 50    |
| 20   | run_tests         | —            | ok     | 1 579 |
| 21   | edit_file         | src/rates.py | ok     | 50    |
| 22   | run_tests         | —            | ok     | 1 579 |

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 23   | edit_file | src/rates.py | ok     | 50    |

Submission diff withheld by the public-disclosure policy (341 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 5c42bd02 · mistral:codestral-latest · seed 2 · submitted\_failed

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 0    | read_file | src/rates.py | ok     | 1 335 |
| 1    | run_tests | —            | failed | 95    |
| 2    | submit    | —            | ok     | 85    |

Submission diff withheld by the public-disclosure policy (57 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 3498fcf5 · mistral:codestral-latest · seed 3 · context\_exhaustion

| STEP | TOOL              | PATH         | RESULT | CHARS |
|------|-------------------|--------------|--------|-------|
| 0    | read_file         | —            | failed | 35    |
| 1    | invalid_tool_call | "}           | failed | 103   |
| 2    | list_files        | .            | ok     | 94    |
| 3    | read_file         | TASK.md      | ok     | 1 633 |
| 4    | read_file         | src/rates.py | ok     | 1 335 |
| 5    | edit_file         | src/rates.py | ok     | 50    |
| 6    | run_tests         | —            | failed | 95    |
| 7    | run_tests         | —            | ok     | 1 581 |
| 8    | edit_file         | src/rates.py | ok     | 50    |
| 9    | run_tests         | —            | ok     | 1 561 |
| 10   | edit_file         | src/rates.py | ok     | 50    |
| 11   | run_tests         | —            | ok     | 1 561 |
| 12   | edit_file         | src/rates.py | ok     | 50    |
| 13   | run_tests         | —            | ok     | 1 570 |
| 14   | edit_file         | src/rates.py | ok     | 50    |
| 15   | run_tests         | —            | ok     | 1 543 |
| 16   | edit_file         | src/rates.py | ok     | 50    |
| 17   | run_tests         | —            | ok     | 1 543 |
| 18   | edit_file         | src/rates.py | ok     | 50    |
| 19   | run_tests         | —            | ok     | 1 543 |
| 20   | edit_file         | src/rates.py | ok     | 50    |
| 21   | run_tests         | —            | ok     | 1 543 |

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 22   | edit_file | src/rates.py | ok     | 50    |
| 23   | run_tests | —            | ok     | 1 543 |

Submission diff withheld by the public-disclosure policy (337 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 5e744f53 · mistral:codestral-latest · seed 4 · edited\_tested\_no\_submit

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 0    | read_file | —            | failed | 35    |
| 1    | read_file | src/rates.py | ok     | 1 335 |
| 2    | run_tests | —            | failed | 95    |
| 3    | edit_file | src/rates.py | ok     | 50    |
| 4    | run_tests | —            | ok     | 1 581 |
| 5    | edit_file | src/rates.py | ok     | 50    |
| 6    | run_tests | —            | ok     | 1 561 |
| 7    | edit_file | src/rates.py | ok     | 50    |
| 8    | run_tests | —            | ok     | 2 005 |
| 9    | edit_file | src/rates.py | ok     | 50    |
| 10   | run_tests | —            | ok     | 1 999 |
| 11   | edit_file | src/rates.py | ok     | 50    |
| 12   | run_tests | —            | ok     | 1 999 |
| 13   | edit_file | src/rates.py | ok     | 50    |
| 14   | run_tests | —            | ok     | 1 999 |
| 15   | edit_file | src/rates.py | ok     | 50    |
| 16   | run_tests | —            | ok     | 1 999 |
| 17   | edit_file | src/rates.py | ok     | 50    |
| 18   | run_tests | —            | ok     | 1 999 |
| 19   | edit_file | src/rates.py | ok     | 50    |
| 20   | run_tests | —            | ok     | 1 999 |
| 21   | edit_file | src/rates.py | ok     | 50    |
| 22   | run_tests | —            | ok     | 1 999 |
| 23   | edit_file | src/rates.py | ok     | 50    |

Submission diff withheld by the public-disclosure policy (339 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## b761b8be · mistral:codestral-latest · seed 5 · edited\_tested\_no\_submit

| STEP | TOOL              | PATH         | RESULT | CHARS |
|------|-------------------|--------------|--------|-------|
| 0    | read_file         | —            | failed | 35    |
| 1    | invalid_tool_call | "}           | failed | 103   |
| 2    | list_files        | .            | ok     | 94    |
| 3    | read_file         | src/rates.py | ok     | 1 335 |
| 4    | edit_file         | src/rates.py | ok     | 50    |
| 5    | run_tests         | —            | failed | 95    |
| 6    | run_tests         | —            | ok     | 1 581 |
| 7    | edit_file         | src/rates.py | ok     | 50    |
| 8    | run_tests         | —            | ok     | 1 561 |
| 9    | edit_file         | src/rates.py | ok     | 50    |
| 10   | run_tests         | —            | ok     | 1 539 |
| 11   | edit_file         | src/rates.py | ok     | 50    |
| 12   | run_tests         | —            | ok     | 1 540 |
| 13   | edit_file         | src/rates.py | ok     | 50    |
| 14   | run_tests         | —            | ok     | 1 540 |
| 15   | edit_file         | src/rates.py | ok     | 50    |
| 16   | run_tests         | —            | ok     | 1 540 |
| 17   | edit_file         | src/rates.py | ok     | 50    |
| 18   | run_tests         | —            | ok     | 1 540 |
| 19   | edit_file         | src/rates.py | ok     | 50    |
| 20   | run_tests         | —            | ok     | 1 540 |
| 21   | edit_file         | src/rates.py | ok     | 50    |
| 22   | run_tests         | —            | ok     | 1 540 |
| 23   | edit_file         | src/rates.py | ok     | 50    |

Submission diff withheld by the public-disclosure policy (338 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## eddbc8c8 · mistral:codestral-latest · seed 6 · edited\_tested\_no\_submit

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 0    | read_file | —            | failed | 35    |
| 1    | read_file | TASK.md      | ok     | 1 633 |
| 2    | read_file | src/rates.py | ok     | 1 335 |
| 3    | edit_file | src/rates.py | ok     | 50    |
| 4    | run_tests | —            | failed | 95    |
| 5    | run_tests | —            | ok     | 1 581 |

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 6    | edit_file | src/rates.py | failed | 29    |
| 7    | edit_file | src/rates.py | failed | 29    |
| 8    | edit_file | src/rates.py | failed | 29    |
| 9    | edit_file | src/rates.py | failed | 29    |
| 10   | edit_file | src/rates.py | failed | 29    |
| 11   | edit_file | src/rates.py | failed | 29    |
| 12   | edit_file | src/rates.py | failed | 29    |
| 13   | edit_file | src/rates.py | failed | 29    |
| 14   | edit_file | src/rates.py | failed | 29    |
| 15   | edit_file | src/rates.py | failed | 29    |
| 16   | edit_file | src/rates.py | failed | 29    |
| 17   | edit_file | src/rates.py | failed | 29    |
| 18   | edit_file | src/rates.py | failed | 29    |
| 19   | edit_file | src/rates.py | failed | 29    |
| 20   | edit_file | src/rates.py | failed | 29    |
| 21   | edit_file | src/rates.py | failed | 29    |
| 22   | edit_file | src/rates.py | failed | 29    |
| 23   | edit_file | src/rates.py | failed | 29    |

Submission diff withheld by the public-disclosure policy (355 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### b0c7e737 · mistral:codestral-latest · seed 7 · edited\_tested\_no\_submit

| STEP | TOOL              | PATH         | RESULT | CHARS |
|------|-------------------|--------------|--------|-------|
| 0    | read_file         | —            | failed | 35    |
| 1    | invalid_tool_call | "}           | failed | 103   |
| 2    | list_files        | .            | ok     | 94    |
| 3    | read_file         | src/rates.py | ok     | 1 335 |
| 4    | edit_file         | src/rates.py | ok     | 50    |
| 5    | run_tests         | —            | failed | 95    |
| 6    | run_tests         | —            | ok     | 1 581 |
| 7    | edit_file         | src/rates.py | failed | 29    |
| 8    | edit_file         | src/rates.py | failed | 29    |
| 9    | edit_file         | src/rates.py | failed | 29    |
| 10   | edit_file         | src/rates.py | failed | 29    |
| 11   | edit_file         | src/rates.py | failed | 29    |
| 12   | edit_file         | src/rates.py | failed | 29    |

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 13   | edit_file | src/rates.py | failed | 29    |
| 14   | edit_file | src/rates.py | failed | 29    |
| 15   | edit_file | src/rates.py | failed | 29    |
| 16   | edit_file | src/rates.py | failed | 29    |
| 17   | edit_file | src/rates.py | failed | 29    |
| 18   | edit_file | src/rates.py | failed | 29    |
| 19   | edit_file | src/rates.py | failed | 29    |
| 20   | edit_file | src/rates.py | failed | 29    |
| 21   | edit_file | src/rates.py | failed | 29    |
| 22   | edit_file | src/rates.py | failed | 29    |
| 23   | edit_file | src/rates.py | failed | 29    |

Submission diff withheld by the public-disclosure policy (350 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 3061565d · mistral:codestral-latest · seed 8 · context\_exhaustion

| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 0    | read_file | src/rates.py | ok     | 1 335 |
| 1    | edit_file | src/rates.py | ok     | 50    |
| 2    | run_tests | —            | failed | 95    |
| 3    | run_tests | —            | ok     | 1 581 |
| 4    | read_file | src/rates.py | ok     | 157   |
| 5    | edit_file | src/rates.py | ok     | 50    |
| 6    | run_tests | —            | ok     | 1 001 |
| 7    | read_file | src/rates.py | ok     | 318   |
| 8    | edit_file | src/rates.py | ok     | 50    |
| 9    | run_tests | —            | ok     | 1 001 |
| 10   | read_file | src/rates.py | ok     | 318   |
| 11   | edit_file | src/rates.py | ok     | 50    |
| 12   | run_tests | —            | ok     | 1 001 |
| 13   | read_file | src/rates.py | ok     | 318   |
| 14   | edit_file | src/rates.py | ok     | 50    |
| 15   | run_tests | —            | ok     | 1 001 |
| 16   | read_file | src/rates.py | ok     | 318   |
| 17   | edit_file | src/rates.py | ok     | 50    |
| 18   | run_tests | —            | ok     | 1 001 |
| 19   | read_file | src/rates.py | ok     | 318   |



| STEP | TOOL      | PATH         | RESULT | CHARS |
|------|-----------|--------------|--------|-------|
| 20   | edit_file | src/rates.py | ok     | 50    |
| 21   | run_tests | —            | ok     | 1 001 |
| 22   | read_file | src/rates.py | ok     | 318   |
| 23   | edit_file | src/rates.py | ok     | 50    |

Submission diff withheld by the public-disclosure policy (343 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

#### 8b5af559 · mistral:codestral-latest · seed 9 · context\_exhaustion

| STEP | TOOL              | PATH         | RESULT | CHARS |
|------|-------------------|--------------|--------|-------|
| 0    | read_file         | —            | failed | 35    |
| 1    | invalid_tool_call | "}           | failed | 103   |
| 2    | list_files        | .            | ok     | 94    |
| 3    | read_file         | TASK.md      | ok     | 1 633 |
| 4    | read_file         | src/rates.py | ok     | 1 335 |
| 5    | run_tests         | —            | failed | 95    |
| 6    | run_tests         | —            | ok     | 1 583 |
| 7    | edit_file         | src/rates.py | ok     | 50    |
| 8    | run_tests         | —            | ok     | 1 581 |
| 9    | edit_file         | src/rates.py | ok     | 50    |
| 10   | run_tests         | —            | ok     | 1 581 |
| 11   | edit_file         | src/rates.py | ok     | 50    |
| 12   | run_tests         | —            | ok     | 1 561 |
| 13   | edit_file         | src/rates.py | ok     | 50    |
| 14   | run_tests         | —            | ok     | 1 539 |
| 15   | edit_file         | src/rates.py | ok     | 50    |
| 16   | run_tests         | —            | ok     | 1 562 |
| 17   | edit_file         | src/rates.py | ok     | 50    |
| 18   | run_tests         | —            | ok     | 1 540 |
| 19   | edit_file         | src/rates.py | ok     | 50    |
| 20   | run_tests         | —            | ok     | 1 562 |
| 21   | edit_file         | src/rates.py | ok     | 50    |
| 22   | run_tests         | —            | ok     | 1 541 |
| 23   | edit_file         | src/rates.py | ok     | 50    |

Submission diff withheld by the public-disclosure policy (343 line(s) changed). Submission content withheld — proprietary evaluation material. On this exam the submitted change is the graded answer, so publishing an excerpt of it would publish the answer key.

## 11 Evidence

Every number above is recomputable from the sealed records below; each record verifies itself with `vvdex-env records verify`, and this document was regenerated from them with `vvdex-env records campaign`.

- `vvdex.browser.order-desk-1` → `fr-20260902-6e618c05` · `recordDigest` `59f94854d78f7ce174866ff114505b2b41ca2333f287f40b604fbb38cc267da5`
- `vvdex.harness.fault-recovery-1` → `fr-20260902-a6f12b64` · `recordDigest` `d5a8264aa0c20dd67c14879856a744e2ff1ab79da35ea8bcea92b4ba1ea14d5f`

---

## 12 Attestation

---

Certified results appear only where evidence proves them. Withheld, invalid and lane-error cells are never presented as model results, and no historical evidence was modified in producing this document. Counts are exact; below ten rollouts per cell no rate or ranking beyond the counts is asserted.

© VVDex. All rights reserved. Public materials are provided for viewing, evaluation and verification. Reuse, redistribution, derivative benchmark creation, training use, republication or commercial use requires written permission unless a specific file states otherwise. Full terms: [vvdexops.com/terms/](https://vvdexops.com/terms/). Third-party open source reproduced in an exam keeps its own licence.