


Backend Configuration & Data Setup Data Architecture

1)Update Set Creation


Navigated to System Definition → Update Sets → Local Update Sets and created a new update set named "Virtual Agent for SLA V1", then set it as the current update set using "Submit and Make Current".



The screenshot shows the 'Update Set - Create' form in ServiceNow. The form is titled 'Update Set - Create...' and has a 'New record' label. It includes fields for 'Name' (Virtual Agent for SLA V1), 'Application' (Global), 'State' (In progress), 'Parent' (empty), 'Release date' (empty), and 'Description' (Update Set for Virtual Agent-Driven SLA Breach Awareness & Justification System). There are 'Submit' and 'Submit and Make Current' buttons at the bottom.

2)Create Business Schedule

Navigated to System Scheduler → Schedules → New and created a schedule named "IT Support Business Hours" with the time zone set to IST. This schedule defines the working hours against which the SLA timer will run.



The screenshot shows the 'Schedule - IT Support Business Hours' form in ServiceNow. The form is titled 'Schedule - IT Support Business Hours' and has an 'Update' button. It includes fields for 'Name' (IT Support Business Hours), 'Time zone' (Floating --), 'Parent' (empty), 'Application' (Global), 'Type' (empty), and 'Description' (empty). There are 'Update' and 'Delete' buttons at the bottom. Below the form, there is a 'Related Links' section with a link to 'Show Schedule'.

Schedule Entry Configuration

Added a new Schedule Entry under "IT Support Business Hours" covering Monday–Friday, 09:00 AM to 06:00 PM, marked as "Busy". This entry represents the active business hours used by the SLA engine to calculate elapsed and remaining time.

The screenshot shows the 'Schedule Entry - IT Support Business Hours' configuration page in ServiceNow. The 'Name' field is 'IT Support Business Hours'. The 'Type' is set to 'None'. The 'Show as' is 'Busy'. The 'When' section shows a date range from 2026-07-04 to 2026-07-04, with a time range from 09:00:00 to 18:00:00. A message states: 'Please set the schedule greater than one minute to obtain optimal performance.' The 'Repeats' section is set to 'Every Weekday (Mon-Fri)'. The 'Repeat until' field is empty. There are 'Update' and 'Delete' buttons at the bottom.

3)SLA Creation

SLA Definition Creation

Navigated to Service Level Management → SLA → SLA Definitions and created a new SLA named "Incident Resolution - Virtual Agent Governance" on the Incident table, with Type = SLA, Target = Resolution, Duration Type = User Specified, and Schedule = "IT Support Business Hours".

The screenshot shows the 'SLA Definition - New Record' form in ServiceNow. The 'Name' field is 'Incident Resolution - Virtual Agent Gove'. The 'Type' is 'SLA'. The 'Target' is 'Resolution'. The 'Table' is 'Incident [Incident]'. The 'Flow' is 'Default SLA flow'. The 'Application' is 'Global'. The 'Duration type' is 'User specified duration'. The 'Duration' is set to 8 Days, 00 Hours, 00 Minutes, and 00 Seconds. The 'Schedule source' is 'SLA definition'. The 'Schedule' is 'IT Support Business Hours'. The 'Timezone source' is 'The caller's time zone'. There are checkboxes for 'Enable logging' (unchecked) and 'Active' (checked). A blue banner at the top states: 'An SLA starting now will breach on 2026-07-06 17:00:00 (Actual elapsed time: 2 Days 15 Hours 21 Minutes)'. There is a 'Submit' button at the bottom right.

4)Configure SLA Start / Stop / Pause Conditions

SLA Definition Detail View

Verified the SLA Definition is Active and correctly linked to the Incident table and business schedule. The system confirmation banner validates that the SLA is correctly calculating breach time based on the configured duration and schedule.

SLA Definition
Incident Resolution - Virtual Agent Gove

Start condition | Pause condition | Stop condition | Reset condition

The conditions under which the new SLA will be attached and canceled

Start condition: Add Filter Condition | Add OR Clause

State is In Progress

AND OR

Retroactive start: ☐

When to cancel: Cancel conditions are met

Cancel condition: Add Filter Condition | Add OR Clause

-- choose field -- -- oper -- -- value --

Update Delete

SLA Start, Pause, Stop, and Reset Conditions

Configured the SLA lifecycle conditions: Start Condition (State is "In Progress"), Pause Condition (State is "On Hold", resuming when conditions are met), and Stop Condition (State is "Resolved" or "Closed"). These conditions determine exactly when the SLA clock starts counting, pauses, and completes.

SLA Definition
Incident Resolution - Virtual Agent Gove

Start condition | Pause condition | Stop condition | Reset condition

The conditions under which the SLA will pause (stop increasing elapsed time) and resume

Pause condition: Add Filter Condition | Add OR Clause

State is On Hold

AND OR

When to resume: Resume conditions are met

Resume condition: Add Filter Condition | Add OR Clause

-- choose field -- -- oper -- -- value --

Update Delete

Related Links

[Show Schedule](#)

[Validate SLA Definition](#)

SLA Definition
Incident Resolution - Virtual Agent Gove

Start condition | Pause condition | Stop condition | Reset condition

The condition under which the SLA will complete

Stop condition: Add Filter Condition | Add OR Clause

State is Resolved

AND OR

or State is Closed

Update Delete

Related Links

[Show Schedule](#)

[Validate SLA Definition](#)

SLA Reset Condition

Configured the Reset Condition (State changes from "Canceled") with Reset Action set to "Cancel existing Task SLA", ensuring a clean SLA record is generated if a canceled incident is reopened.

ServiceNow

SLA Definition Incident Resolution - Virtual Agent Gove

Start condition Pause condition Stop condition **Reset condition**

The condition under which the running SLA will be cancelled or completed and a new SLA will be attached. For a new SLA to be attached the start condition must match

[Reset condition](#) [Add Filter Condition](#) [Add OR Clause](#)

State changes from Canceled AND OR X

[Reset action](#) Cancel existing Task SLA

[Update](#) [Delete](#)

Related Links
Show Schedule

5)Create Required Incident Fields - SLA Justification Fields

Custom Incident Fields and Choice Values

Created four custom fields on the Incident table: SLA Breach Reason (Choice), SLA Breach Justification (String), SLA Acknowledged (True/False), and SLA At Risk (True/False). Populated the SLA Breach Reason choice list with six values — Dependency on third party, Awaiting user response, Incorrect categorization, System outage, Approval delay, and Other — to standardize breach reporting across incidents.

Table Incident

[Update](#) [Delete All Records](#)

Columns Controls Application Access

Table Columns for text Search

1 to 20 of 99 New

Column label	Type	Reference	Max length	Default value	Display
Child Incidents	Integer	(empty)	40	0	false
Resolved	Date/Time	(empty)	40		false
SLA Acknowledgement	True/False	(empty)	40		false
Problem	Reference	Problem	32		false
SLA Breach Reason	Choice	(empty)	40		false
Caller	Reference	User	32	javascript:incidentGetCaller();	false
Subcategory	String	(empty)	40		false
Last reopened at	Date/Time	(empty)	40		false
Parent Incident	Reference	Incident	32		false
SLA Breach Justification	String	(empty)	200		false
Business impact	String	(empty)	4,000		false
Severity	Integer	(empty)	40	3	false
Last reopened by	Reference	User	32		false
SLA At Risk	True/False	(empty)	40		false