

HandsMen Threads Salesforce Project Documentation

Prepared for Project Review

Salesforce Platform Developer Project

Data Model Automation Security Apex Testing

Contents

Section	Description
1	Project Overview
2	Objectives and Implementation Scope
3	Requirement Analysis and Data Model
4	Salesforce Configuration and Data Security
5	Data Quality and Business Rules
6	Email Templates and Process Automation
7	Apex Triggers and Handler Logic
8	Batch Apex and Scheduled Processing
9	User Interface and Sample Records
10	Functional Testing Evidence
11	Conclusion

1 Project Overview

HandsMen Threads is a Salesforce solution for a fashion business that manages customers, products, orders, inventory, and marketing campaigns. The project brings operational data into one platform and applies automation to improve customer communication, stock control, loyalty management, and order processing.

The implementation combines custom objects, custom fields, lookup and master detail relationships, formula fields, validation rules, profiles, roles, permission sets, email templates, record triggered flows, scheduled automation, Apex triggers, Batch Apex, and Scheduled Apex.

Main Business Outcomes

- Send an automatic confirmation message when an order is confirmed.
- Update customer loyalty status from purchase history.
- Notify the inventory team when stock falls below the defined threshold.
- Calculate order totals and deduct stock when confirmed orders are processed.
- Process inventory updates in bulk through scheduled Apex.

Technology Used

Area	Salesforce Feature
Data	Custom objects, custom fields, formula fields, relationships
Automation	Record triggered flows and scheduled flow
Development	Apex classes, triggers, handler pattern, Batch Apex, Scheduled Apex
Security	Profiles, roles, users, permission sets, object access
Communication	Classic email templates and email alerts

2 Objectives and Implementation Scope

2.1 Project Objectives

- Create a structured Salesforce data model for customers, products, orders, inventory, and campaigns.
- Maintain accurate customer, order, and stock information through UI level validation.
- Automate order confirmation, low stock alerts, and loyalty status updates.
- Apply role based access so teams can work only with relevant business records.
- Use Apex for order validation, total calculation, stock deduction, and bulk processing.

2.2 Current Implementation Scope

Area	Included Implementation	Review Evidence
Data model	Five custom objects with business fields and relationships	Object Manager and Schema Builder
Data quality	Formula fields and validation rules	Field and validation rule screens
Security	Profile, role hierarchy, users, permission set	Setup security screens
Automation	Order, stock, and loyalty flows	Flow Builder canvases
Development	Handler, triggers, batch, and scheduler	Apex class and trigger screens
Testing	Sample records, error messages, updates, and emails	Lightning records and test results

3 Requirement Analysis and Data Model

The data model separates master data from transaction data. Customer and product records store reusable business information. Orders capture transactions, inventory records track stock by product, and marketing campaigns connect promotional activity with customers.

Custom Object	Key Fields	Business Purpose
HandsMen Customer	Name, First Name, Last Name, Email, Phone, Loyalty Status, Total Purchases	Stores customer identity, contact, and loyalty details.
HandsMen Product	Name, SKU, Price, Stock Quantity	Stores the product catalogue and pricing.
HandsMen Order	Order Number, Status, Quantity, Total Amount, Customer, Product	Captures customer purchases and order status.
Inventory	Inventory Number, Warehouse, Stock Quantity, Product	Tracks stock levels for each product.
Marketing Campaign	Campaign Number, Start Date, End Date, Customer	Stores promotional campaigns and customer association.

Setup > Object Manager > HandsMen Customer

Details

Fields & Relationships
11 Items, Sorted by Field Label

Q Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Email	Email__c	Email		
FirstName	FirstName__c	Text(20)		
Full_Name__c	Full_Name__c	Formula (Text)		
HandsMen Customer Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
LastName	LastName__c	Text(20)		
Loyalty Status	Loyalty_Status__c	Picklist		

Figure 1 HandsMen Customer object fields including email phone loyalty status and total purchases

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Product

Details

Fields & Relationships
8 Items, Sorted by Field Label

Q Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
HandsMen Product Name	Name	Text(80)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Order	Order__c	Lookup(HandsMen Order)		✓
Owner	OwnerId	Lookup(User,Group)		✓
Price	Price__c	Currency(18, 0)		
SKU	SKU__c	Text(18)		
Stock Quantity	Stock_Quantity__c	Number(18, 0)		

Figure 2 HandsMen Product object fields including SKU price and stock quantity

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Order

Details

Fields & Relationships
10 Items, Sorted by Field Label

Q Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Customer	Customer__c	Lookup(HandsMen Customer)		✓
Customer Email	Customer_Email__c	Email		
HandsMen Order Name	Name	Auto Number		✓
HandsMen Product	HandsMen_Product__c	Lookup(HandsMen Product)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User,Group)		✓
Quantity	Quantity__c	Number(18, 0)		
Status	Status__c	Picklist		
Total Amount	Total_Amount__c	Number(18, 0)		

Figure 3 HandsMen Order object fields and relationships including status quantity total amount customer and product

Setup Home Object Manager

SETUP > OBJECT MANAGER

Inventory

Details

Fields & Relationships
7 Items, Sorted by Field Label

Q Quick Find New Deleted Fields Field Dependencies Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Inventory Name	Name	Auto Number		✓
Last Modified By	LastModifiedById	Lookup(User)		
Product	Product__c	Master-Detail(HandsMen Product)		✓
Stock Quantity	Stock_Quantity__c	Number(18, 0)		
Stock Status	Stock_Status__c	Formula (Text)		
Warehouse	Warehouse__c	Text(18)		

Figure 4 Inventory object fields and relationship including warehouse stock quantity and related product

SETUP > OBJECT MANAGER Marketing Campaign				
Details Fields & Relationships Page Layouts Lightning Record Pages Buttons, Links, and Actions Compact Layouts Field Sets Object Limits Record Types Related Lookup Filters Search Layouts List View Button Layout	Fields & Relationships 7 Items, Sorted by Field Label Q Quick Find New Deleted Fields Field Dependencies Set History Tracking			
	FIELD LABEL	FIELD NAME	DATA TYPE	INDEXED
	Created By	CreatedById	Lookup(User)	
	End Date	End_Date__c	Date	
	HandsMen Customer	HandsMen_Customer__c	Lookup(HandsMen Customer)	✓
	Last Modified By	LastModifiedById	Lookup(User)	
	Marketing Campaign Name	Name	Auto Number	✓
	Owner	OwnerId	Lookup(User,Group)	✓
	Start Date	Start_Date__c	Date	

Figure 6 Marketing Campaign object fields and relationship including campaign dates and related customer

3.1 Relationships and Important Fields

Child Object	Relationship	Related Object	Purpose
Marketing Campaign	Lookup	HandsMen Customer	Associates a campaign with a customer.
HandsMen Product	Lookup	HandsMen Order	Connects product information to an order as documented.
HandsMen Order	Lookup	HandsMen Customer	Links each order to the purchasing customer.
Inventory	Master Detail	HandsMen Product	Makes inventory dependent on its product.




Figure 2 Schema Builder Data Model

4 Salesforce Configuration and Data Security

The project uses custom tabs and a dedicated navigation workspace so users can open customer, product, order, inventory, and campaign records from Lightning Experience. Security is controlled through profiles, roles, and a permission set.

Role	Intended Access
Sales Manager	Full access to customer and order records.
Inventory Manager	Read and edit access to inventory and product records.
Marketing Manager or Team	Read customer records and manage marketing campaign records.




Figure 4 HandsMen Lightning App and Navigation




Figure 5 Role Hierarchy

4.1 Profiles Users and Permission Sets

Security Item	Configuration	Purpose
Profile	Platform 1 cloned from Standard User	Provides the base Salesforce Platform access.
User	Sales user assigned to Sales role	Supports customer and order activities.
User	Inventory user assigned to Inventory role	Supports product and inventory activities.
Permission Set	Permission Platform 1	Adds create, read, edit, and delete access for selected project objects.

The screenshot shows the Salesforce Setup interface for 'Permission Sets'. The breadcrumb trail is 'Permission Set Overview > Object Settings'. The selected permission set is 'Permission Platform 1'. Under 'Object Settings', 'HandsMen Customers' is selected. The 'Tab Settings' section shows 'Available' and 'Visible' checkboxes, both of which are unchecked. The 'Object Permissions' table lists various permissions for 'HandsMen Customers'.

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

Figure 1 HandsMen Customer permissions configured in Permission Platform 1

The screenshot shows the Salesforce Setup interface for 'Permission Sets'. The breadcrumb trail is 'Permission Set Overview > Object Settings'. The selected permission set is 'Permission Platform 1'. Under 'Object Settings', 'HandsMen Orders' is selected. The 'Tab Settings' section shows 'Available' and 'Visible' checkboxes, both of which are unchecked. The 'Object Permissions' table lists various permissions for 'HandsMen Orders'.

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☐
Modify All Records	☐
View All Fields	☐

Figure 2 HandsMen Order permissions configured in Permission Platform 1




Figure 3 HandsMen Products permissions configured in Permission Platform 1




Figure 4 Project Users and Assigned Roles

5 Data Quality and Business Rules

5.1 Formula Fields

Object	Formula Field	Return Type	Formula
HandsMen Customer	Full Name	Text	FirstName__c + " " + LastName__c
Inventory	Stock Status	Text	IF(Stock_Quantity__c > 10, "Available", "Low Stock")

5.2 Validation Rules

Object	Rule	Condition	Expected Message
HandsMen Order	Total Amount	Total_Amount__c <= 0	Please enter a correct amount.
Inventory	Stock Quantity	Stock_Quantity__c <= 0	Inventory count cannot be less than or equal to zero.
HandsMen Customer	Email	NOT(CONTAINS(Email__c, "@gmail.com"))	Please enter a correct Gmail address.

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Order

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

ACTIVE ☒

Description

Error Condition Formula

Example: `Discount_Percent__c > 0.30` [More Examples...](#)
 Display an error if Discount is more than 30%
 If this formula expression is **true**, display the text defined in the Error Message area

[Insert Field](#) [Use Formula Assistant](#) [Insert Operator](#)

`Total_Amount__c <= 0`

[Check Syntax](#) No errors found

Functions

-- All Function Categories --

ABS
ACOS
ADDMONTHS
AND
ASCII
ASIN

[Insert Selected Function](#)

ABS(number)
Returns the absolute value of a number, a number without its sign

[Help on this function](#)

Figure 1 Total Amount field configuration and successful syntax validation

Setup Home Object Manager

SETUP > OBJECT MANAGER

HandsMen Customer

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Rule Name `Email`

Active ☒

Description

Error Condition Formula

Example: `Discount_Percent__c > 0.30` [More Examples...](#)
 Display an error if Discount is more than 30%
 If this formula expression is **true**, display the text defined in the Error Message area

[Insert Field](#) [Use Formula Assistant](#) [Insert Operator](#)

`NOT CONTAINS( Email__c , "@gmail.com")`

[Check Syntax](#) No errors found

Functions

-- All Function Categories --

ABS
ACOS
ADDMONTHS
AND
ASCII
ASIN

[Insert Selected Function](#)

ABS(number)
Returns the absolute value of a number, a number without its sign

[Help on this function](#)

Figure 2 Email formula field configuration and successful syntax validation

Setup Home Object Manager

SETUP > OBJECT MANAGER

Inventory

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Rule Name: Stock_Quantity

Active: ☒

Description:

Error Condition Formula

Example: Discount_Percent__c > 0.30 More Examples...

Display an error if Discount is more than 30%

If this formula expression is **true**, display the text defined in the Error Message area

Insert Field Use Formula Assistant Insert Operator

Stock_Quantity__c <= 0

Check Syntax No errors found

Functions

-- All Function Categories --

ABS

ACOS

ADDMONTHS

AND

ASCII

ASIN

Insert Selected Function

ABS(number)

Returns the absolute value of a number, a number without its sign

Help on this function

Figure 3 Stock Quantity configuration and successful syntax validation

New HandsMen Customer

* = Required Information

Information

* HandsMen Customer Name

ravi

Owner

samisriram gomba

Email

238w1a0516@vrsec.ac.in

Phone

Loyalty Status

--None--

FirstName

LastName

Total Purchases

We hit a snag.

Review the errors on this page.

Please fill Correct Gmail

Cancel Save & New Save

Figure 3 Customer email validation rule preventing an invalid email from being saved

6 Email Templates and Process Automation

6.1 Email Templates and Alerts

Template	Type	Used For
Order Confirmation	HTML	Sent when an order changes to Confirmed.
Low Stock Alert	Text	Sent to the inventory team when stock is below five.
Loyalty Program Email	HTML	Supports customer loyalty communication.



SETUP

Classic Email Templates

Edit Del	Appointment for Unauthenticated User using Engagement Channels-For third party.	Custom	✓	Email template for confirmation of an appointment when appointments are scheduled using engagement channels with third party video applications.	sfdcadm	6/1/2026
Edit Del	Canceled Service Appointment Confirmation Email	Custom	✓	Email Template to confirm canceling of a service appointment.	sfdcadm	6/1/2026
Edit Del	Commerce Reorder Portal: Invitation	Custom	✓	Invite a contact to a Commerce Reorder Portal.	autoproc	6/1/2026
Edit Del	Group Service Appointments Enrollment Confirmation Email	Custom	✓	Email Template to confirm enrollment of an attendee to a Group service appointment.	sfdcadm	6/1/2026
Edit Del	Low Stock Alert	Text	✓		lik	9/11/2026
Edit Del	Loyalty Program Email	HTML	✓		lik	9/11/2026
Edit Del	Marketing Product Inquiry Response	Text	✓	Standard email response to website product inquiries	OEPIC	6/1/2026
Edit Del	Order Confirmation Email	HTML	✓		lik	9/11/2026

Figure 10 Email Templates List



SETUP

Email Alerts

All Email Alerts

[Help for this Page](#)

Email alerts are used to send emails from a flow or other automation.

View: [All Email Alerts](#) [Create New View](#)

A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other

New Email Alert				
Action	Description ↑	Email Template Name	Object	Last Modified Date
Edit Del	Low Stock Alert	Low Stock Alert	Inventory	9/11/2026
Edit Del	Loyalty program email	Loyalty Program Email	HandsMen Customer	9/11/2026
Edit Del	Order Confirmation Email Alert	Order Confirmation Email	HandsMen Order	9/11/2026

Figure 11 Order Confirmation Email Alert

6.2 Salesforce Flows

Flow	Type	Start Condition	Action
Order Confirmation Flow	Record Triggered	Order status changes to Confirmed	Sends the order confirmation email alert.
Stock Alert Flow	Record Triggered	Inventory stock quantity is below 5	Sends a low stock email alert.
Loyalty Status Update Flow	Schedule Triggered	Runs daily	Sets Gold, Silver, or Bronze from Total Purchases.




Figure 12 Order Confirmation Flow




Figure 13 Stock Alert Flow




Figure 14 Loyalty Status Update Flow

7 Apex Triggers and Handler Logic

Apex is used where record processing requires reusable logic and transaction level enforcement. The order trigger delegates status based quantity validation to OrderTriggerHandler so the trigger remains small and the rule can be maintained in one class.

Status	Quantity Rule	Outcome
Confirmed	Quantity must be greater than 500	The record is blocked when the quantity is missing or too low.
Pending	Quantity must be greater than 200	The record is blocked when the quantity is missing or too low.
Rejection	Quantity must equal 0	Rejected orders cannot contain a positive quantity.

```
trigger OrderTrigger on HandsMen_Order__c (before insert, before update) {  
    OrderTriggerHandler.validateOrderQuantity(Triiger.new);  
}
```

```
public class OrderTriggerHandler {  
  
    public static void validateOrderQuantity(List<HandsMen_Order__c> orderList) {  
  
        for (HandsMen_Order__c order : orderList) {  
  
            if (order.Status__c == 'Confirmed') {  
  
                if (order.Quantity__c == null || order.Quantity__c <= 500) {  
  
                    order.Quantity__c.addError('For Status "Confirmed", Quantity must be more than 500.');  
                }  
  
            } else if (order.Status__c == 'Pending') {  
  
                if (order.Quantity__c == null || order.Quantity__c <= 200) {  
  
                    order.Quantity__c.addError('For Status "Pending", Quantity must be more than 200.');  
                }  
  
            } else if (order.Status__c == 'Rejection') {  
  
                if (order.Quantity__c == null || order.Quantity__c != 0) {  
  
                    order.Quantity__c.addError('For Status "Rejection", Quantity must be 0.');  
                }  
  
            }  
  
        }  
  
    }  
  
}
```

Figure 15 OrderTriggerHandler Apex Class

```
trigger OrderTrigger on HandsMen_Order__c (before insert, before update) {  
  
    if (Trigger.isBefore && (Trigger.isInsert || Trigger.isUpdate)) {  
  
        OrderTriggerHandler.validateOrderQuantity(Triiger.new);  
  
    }  
  
}
```

Figure 16 OrderTrigger Apex Trigger

7.1 Order Total and Stock Deduction Triggers

Apex Artifact	Event	Responsibility
Order Total Trigger	Before insert and before update	Reads the related product price and sets Total Amount to Quantity multiplied by Price.
Stock Deduction Trigger	After insert and after update	When an order becomes Confirmed, totals ordered quantity by product and reduces Inventory Stock Quantity.

The stock deduction design collects product identifiers in a set, aggregates quantities in a map, queries matching inventory records once, and performs one bulk update. This avoids database operations inside the record loop.

```
trigger OrderTotalTrigger on HandsMen_Order__c (before insert, before update) {
    Set<Id> productIds = new Set<Id>();

    for (HandsMen_Order__c order : Trigger.new) {
        if (order.HandsMen_Product__c != null) {
            productIds.add(order.HandsMen_Product__c);
        }
    }

    Map<Id, HandsMen_Product__c> productMap = new Map<Id, HandsMen_Product__c>(
        [SELECT Id, Price__c FROM HandsMen_Product__c WHERE Id IN :productIds]
    );

    for (HandsMen_Order__c order : Trigger.new) {
        if (order.HandsMen_Product__c != null && productMap.containsKey(order.HandsMen_Product__c)) {
            HandsMen_Product__c product = productMap.get(order.HandsMen_Product__c);
            if (order.Quantity__c != null) {
                order.Total_Amount__c = order.Quantity__c * product.Price__c;
            }
        }
    }
}
```

Figure 17 Order Total Trigger

```

trigger StockDeductionTrigger on HandsMen_Order__c (after insert, after update) {
    Set<Id> productIds = new Set<Id>();
    for (HandsMen_Order__c order : Trigger.new) {
        Boolean shouldDeduct = false;

        if (order.Status__c == 'Confirmed') {

            if (Trigger.isInsert) {
                shouldDeduct = true;
            }
            else if (Trigger.isUpdate) {
                HandsMen_Order__c oldOrder = Trigger.oldMap.get(order.Id);

                if (oldOrder.Status__c != 'Confirmed') {
                    shouldDeduct = true;
                }
            }
        }

        if (shouldDeduct && order.HandsMen_Product__c != null) {
            productIds.add(order.HandsMen_Product__c);
        }
    }

    if (productIds.isEmpty()) {
        return;
    }

    if (shouldDeduct &&
        order.HandsMen_Product__c != null &&
        order.Quantity__c != null) {

        Inventory__c existingInventory =
            inventoryMap.get(order.HandsMen_Product__c);

        if (existingInventory != null) {

            Decimal currentStock =
                existingInventory.Stock_Quantity__c == null
                ? 0
                : existingInventory.Stock_Quantity__c;

            Decimal newStock =
                currentStock - order.Quantity__c;

            inventoriesToUpdate.add(
                new Inventory__c(
                    Id = existingInventory.Id,
                    Stock_Quantity__c = newStock
                )
            );
        }
    }

    if (!inventoriesToUpdate.isEmpty()) {
        update inventoriesToUpdate;
    }
}

```

```

// See inventory for the products
Map<Id, Inventory__c> inventoryMap = new Map<Id, Inventory__c>();

for (Inventory__c inv : [
    SELECT Id, Stock_Quantity__c, Product__c
    FROM Inventory__c
    WHERE Product__c IN :productIds
]) {
    inventoryMap.put(inv.Product__c, inv);
}

List<Inventory__c> inventoriesToUpdate = new List<Inventory__c>();
// Deduct stock
for (HandsMen_Order__c order : Trigger.new) {

    Boolean shouldDeduct = false;

    if (order.Status__c == 'Confirmed') {

        if (Trigger.isInsert) {
            shouldDeduct = true;
        }
        else if (Trigger.isUpdate) {
            HandsMen_Order__c oldOrder = Trigger.oldMap.get(order.Id);

            if (oldOrder.Status__c != 'Confirmed') {
                shouldDeduct = true;
            }
        }
    }
}

```

Figure 18 Stock Deduction Trigger

8 Batch Apex and Scheduled Processing

InventoryBatchJob implements Database Batchable and Schedulable. It identifies low stock products, applies the restocking logic in manageable batches, and can be scheduled for automatic execution.

Method or Process	Responsibility	Expected Evidence
start	Queries products that meet the low stock condition.	SOQL query and selected fields.
execute	Adds the restock quantity and updates records in bulk.	Loop, update list, and DML statement.
finish	Records that inventory synchronization completed.	Completion debug statement.
Schedulable execute	Starts the batch with a scope of 200.	Database executeBatch call.
Scheduled job	Runs Daily Inventory Sync automatically.	Scheduled Jobs entry and next run time.

```

global class InventoryBatchJob implements Database.Batchable<SObject>, Schedulable {
    global Database.QueryLocator start(Database.BatchableContext BC) {
        return Database.getQueryLocator(
            'SELECT Id, Stock_Quantity__c FROM Product__c WHERE Stock_Quantity__c < 10'
        );
    }

    global void execute(Database.BatchableContext BC, List<SObject> records) {
        List<HandsMen_Product__c> productsToUpdate = new List<HandsMen_Product__c>();
        // Cast SObject list to Product__c list
        for (SObject record : records) {
            HandsMen_Product__c product = (HandsMen_Product__c) record;
            product.Stock_Quantity__c += 50; // Restock logic
            productsToUpdate.add(product);
        }

        if (!productsToUpdate.isEmpty()) {
            try {
                update productsToUpdate;
            } catch (DmlException e) {
                System.debug('Error updating inventory: ' + e.getMessage());
            }
        }
    }

    global void finish(Database.BatchableContext BC) {
        System.debug('Inventory Sync Completed');
    }

    // Scheduler Method
    global void execute(SchedulableContext SC) {
        InventoryBatchJob batchJob = new InventoryBatchJob();
        Database.executeBatch(batchJob, 200);
    }
}

```

Figure 19 InventoryBatchJob Apex Class

The screenshot shows the Salesforce Setup page for Scheduled Jobs. The left sidebar contains navigation links for Setup, Home, and Object Manager. The main content area is titled 'Scheduled Jobs' and includes a search bar and a table of scheduled jobs. The table has columns for Action, Job Name, Submitted By, Submitted, Started, Next Scheduled Run, Type, and Cron Trigger ID. The table lists three jobs: Daily Inventory Sync, Metalytics Data Loader Job, and Program Milestone Computation Cron Job.

Action	Job Name	Submitted By	Submitted	Started	Next Scheduled Run	Type	Cron Trigger ID
Manage Del Pause Job	Daily Inventory Sync	gompasamir	9/19/2026, 9:45 AM	9/19/2026, 12:00 AM	9/20/2026, 12:00 AM	Scheduled Apex	08ejV000001oZy9
Del	Metalytics Data Loader Job for Org : 00DJV000002CVR	User Integration	9/2/2026, 4:46 AM	9/18/2026, 10:33 PM	9/19/2026, 10:33 PM	Autonomous Data Loader Job	08ejV000000gmK
	Program Milestone Computation Cron Job	Process, Automated	9/2/2026, 4:46 AM	9/18/2026, 11:59 PM	9/19/2026, 6:59 AM	Program Milestone Computation Cron Job	08ejV000000gmI
	Program Status Update Cron Job	Process, Automated	9/2/2026, 4:46 AM	9/18/2026, 8:00 PM	9/19/2026, 5:00 AM	Program Status Update Cron Job	08ejV000000gmJ

Figure 20 Scheduled Inventory Job

9 User Interface and Sample Records

Sample records should demonstrate that the configured fields, relationships, and automation are available to business users in Lightning Experience. Use realistic but non-sensitive data and keep the browser zoom between 80 and 100 percent so labels and values remain readable.

Record	Recommended Fields to Show
HandsMen Customer	Full name, email, phone, loyalty status, total purchases
HandsMen Product	Product name, SKU, price, stock quantity
HandsMen Order	Order number, customer, product, status, quantity, total amount
Inventory	Inventory number, product, warehouse, stock quantity, stock status
Marketing Campaign	Campaign number or name, dates, related customer

HandsMen Threads

HandsMen Customers

HandsMen Orders

HandsMen Products

Inventories

Reports

Dashboards

Accounts

Contacts

Marketing Campaigns

HandsMen Customer

chinnu

New Contact

Edit

New Opportunity

Related

Details

HandsMen Customer Name

chinnu

Email

238w1a0502@gmail.com

Phone

(123) 456-7890

Loyalty Status

Bronze

FirstName

G

LastName

Chinnu

FullName

G Chinnu

Total Purchases

200

Created By

samisriram gompaa, 9/19/2026, 10:05 AM

Owner

samisriram gompaa

Last Modified By

OrgFarm EPIC, 9/19/2026, 10:05 AM

HandsMen Threads

HandsMen Customers

HandsMen Orders

HandsMen Products

Inventories

Reports

Dashboards

Accounts

Contacts

Marketing Campaigns

HandsMen Product

shorts

New Contact

Edit

New Op

Related

Details

HandsMen Product Name

shorts

Order

SKU

Price

\$20

Stock Quantity

5,000

Created By

samisriram gompaa, 9/19/2026, 10:08 AM

Owner

samisriram gompaa

Last Modified By

samisriram gompaa, 9/19/2026, 10:08 AM

Figure 21 Customer and Product Sample Records




Figure 22 Order and Inventory Sample Records

10 Functional Testing Evidence

Functional testing should show both configuration and business outcomes. Capture the action and its result, and use before and after screenshots where a value changes.

Test Case	Action	Expected Result	Evidence
Order quantity validation	Save a status and quantity combination that violates the handler rule.	Save is blocked with the Apex error.	Error on Order page
Order total	Create or edit an order with product and quantity.	Total Amount equals Quantity multiplied by Price.	Order values
Stock deduction	Change an order from Pending to Confirmed.	Inventory decreases once by the ordered quantity.	Before and after stock
Order confirmation	Confirm an order.	Customer receives the confirmation email.	Email inbox
Low stock alert	Set stock below 5.	Inventory manager receives an alert.	Email inbox
Loyalty update	Run or debug the scheduled flow with purchase values.	Customer loyalty changes to Gold, Silver, or Bronze.	Flow debug and record
Batch processing	Execute InventoryBatchJob.	Low stock records are processed and the job completes.	Apex Jobs and record

New HandsMen Order

* = Required Information

Information

HandsMen OrderNumber

Owner
samisiram gompa

Customer

jsk

Status

Pending

Quantity

40

For Status "Pending", Quantity must be more than 200.

Total Amount

*customer email

238w1a0521@vrsec.ac.in

Product

T Shirt

We hit a snag.

Review the following fields

- Quantity

Cancel

Save & New

Save

Figure 23 Order Validation Error

10.1 Automation Test Results

HandsMen Threads

HandsMen Customers

HandsMen Orders

HandsMen Products

Inventorys

Reports

Dashboards

HandsMen Product

shorts

Related

Details

HandsMen Product Name

shorts

Order

O-0007

SKU

Price

\$20

Stock Quantity

5,000

Created By

samisriram gompa

, 9/19/2026, 10:08 AM

Owner

samisriram gompa

Last Modified By

samisriram gompa

, 9/19/2026, 10:15 AM

HandsMen Threads

HandsMen Customers

HandsMen Orders

HandsMen Products

Inventorys

Reports

Dashboards

HandsMen Order

O-0007

Related

Details

HandsMen OrderNumber

O-0007

Customer

jsk

Status

Confirmed

Quantity

8,999

Total Amount

233,974

customer email

238w1a0515@vrsec.ac.in

Product

pant

Created By

samisriram gompa

, 9/19/2026, 9:33 AM

Owner

samisriram gompa

Last Modified By

samisriram gompa

, 9/19/2026, 10:13 AM

Figure 24 Order Total Calculation

HandsMen Threads

HandsMen Customers

HandsMen Orders

HandsMen Products

Inventories

Reports

Dashboards

Accounts

Contacts

Marketing Campaigns

Inventory

I -0004

New Contact

Edit

New Opportunity

Related

Details

Inventory Number

I -0004

Product

[shorts](#)

Stock Quantity

20,000

Stock Status

Available

Warehouse

safe 3

Created By

[samisriram gompaa](#), 9/19/2026, 10:08 AM

Last Modified By

[samisriram gompaa](#), 9/19/2026, 10:08 AM

HandsMen Threads

HandsMen Customers

HandsMen Orders

HandsMen Order "O-0008" was created.

HandsMen Products

HandsMen Order

O-0008

Related

Details

HandsMen OrderNumber

O-0008

Customer

[chinnu](#)

Status

Confirmed

Quantity

1,000

Total Amount

20,000

customer email

[238w1a0516@vrsec.ac.in](#)

Product

[shorts](#)

Created By

[samisriram gompaa](#), 9/19/2026, 10:17 AM

Owner

[samisriram gompaa](#)

Last Modified By

[samisriram gompaa](#), 9/19/2026, 10:17 AM

Details

 samisriram gompaa, 9/19/2026, 10:17 AM




Figure 26 Automated Email Evidence

10.2 Scheduled Automation and Batch Results

HandsMen Customer
chinnu

Related

Details

HandsMen Customer Name	chinnu	Owner	samisriram gompaa
Email	238w1a0502@gmail.com		
Phone	(123) 456-7890		
Loyalty Status	Bronze		
FirstName	G		
LastName	Chinnu		
FullName	G Chinnu		
Total Purchases	200		
Created By	samisriram gompaa, 9/19/2026, 10:05 AM	Last Modified By	OrgFarm EPIC, 9/19/2026, 10:05 AM

Figure 27 Loyalty Status Update Result




Figure 28 Batch Job Execution Result

11 Conclusion

The HandsMen Threads Salesforce project provides a practical CRM and operations solution for a fashion business. It organizes customer, product, order, inventory, and campaign data; applies validation and formula logic; controls access with Salesforce security features; automates customer and stock communication; and uses Apex for business rules and bulk processing.

Together, the configuration, automation, development, and testing evidence demonstrate core Salesforce Platform Developer skills. The completed screenshot set will give the reviewer a clear path from the data model and security design to working automation and functional outcomes.