

Cucumber Report

Oct 26, 2023, 10:52:45 AM

Start : Oct 26, 10:51:53.440 AM

End : Oct 26, 10:52:36.672 AM

Duration : 43.232 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 11




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Perform add to cart operation</u>	43.076 s	1	0	1	0	8	0	1	7
<u>Wishlist Functionality</u>	43.217 s	1	0	1	0	5	0	1	4

#	Feature Name	Scenario Name
1	<u>Perform add to cart operation</u>	<u>User performs add to cart operation with validations</u>
2	<u>Wishlist Functionality</u>	<u>Add an item to the wishlist</u>





#	Feature Name	T	P	F	S	Duration
1	<u>Perform add to cart operation</u>	1	0	1	0	43.076 s
2	<u>Wishlist Functionality</u>	1	0	1	0	43.217 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Perform add to cart operation</u>	<u>User performs add to cart operation with validations</u>	8	0	1	7	43.070 s
2	<u>Wishlist Functionality</u>	<u>Add an item to the wishlist</u>	5	0	1	4	43.217 s

Perform add to cart operation

FAILED	DURATION - 43.076 s	Scenarios		Steps	
/ 10:51:53.440 AM // 10:52:36.516 AM /		Total - 1		Total - 8	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	



User performs add to cart operation with validations

<div>FAILED</div> <div>DURATION - 43.070 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 7</div>	<div></div>
<div>/ 10:51:53.446 AM // 10:52:36.516 AM /</div>				
<div>Perform add to cart operation</div>				



#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to the login page of Lenskart</p> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: #wzrk\cancel For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [15edc9b2-2e4e-411d-81b7-4b343fe3eca4, findElement {using=id, value=wzrk-cancel}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.2, moz:accessibilityChecks: false, moz:buildID: 20231009140911, moz:debuggerAddress: 127.0.0.1:27882, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 16872, moz:profile: C:\Users\IRAYTR~1\AppData\L..., moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:27882/devtoo..., se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 15edc9b2-2e4e-411d-81b7-4b343fe3eca4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p>	FAILED	13.708 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at StepDefinitions.ControlHelper.clickButton(ControlHelper.java:30) at StepDefinitions.PageObjectModel.POMAddToCartLenskart.login(POMAddToCartLenskart.java:42) at StepDefinitions.AddToCartLenskart.user_navigates_to_the_login_page_of_lenskart(AddToCartLenskart.java:32) at ?.user navigates to the login page of Lenskart(file:///C:/Users/Iray%20Trust/Desktop/CucumberProject/SeleniumCucumberBDD/src/test/ resources/Features/AdToCart1.feature:4) * Not displayable characters are replaced by '?'. </pre>		
2	And user navigates to the Computer Glasses section	SKIPPED	0.000 s
3	When user performs a random click to select any product	SKIPPED	0.001 s
4	And user navigated to product	SKIPPED	0.001 s
5	Then user validate the product by price	SKIPPED	0.000 s
6	When user clicks on buynow operation	SKIPPED	0.001 s
7	Then user validate the product by name	SKIPPED	0.000 s
8	And user navigates to the Lenskart homepage	SKIPPED	0.001 s
	AFTER - StepDefinitions.Hook.Hook.tearDown(io.cucumber.java.Scenario)	FAILED	0.010 s
	<pre> java.lang.ClassCastException: class java.lang.ThreadLocal cannot be cast to class org.openqa.selenium.TakesScreenshot (java.lang. ThreadLocal is in module java.base of loader 'bootstrap'; org.openqa.selenium.TakesScreenshot is in unnamed module of loader 'app') at StepDefinitions.Hook.Hook.tearDown(Hook.java:40) </pre>		

Wishlist Functionality

FAILED	DURATION - 43.217 s	Scenarios		Steps	
/ 10:51:53.455 AM // 10:52:36.672 AM /		Total - 1		Total - 5	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

Add an item to the wishlist

<div><div>FAILED</div><div>DURATION - 43.217 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 5</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 4</div></div>	<div></div>
/ 10:51:53.455 AM // 10:52:36.672 AM /				
Wishlist Functionality				

#	Step / Hook Details	Status	Duration
1	<p>Given a logged-in user is on the product page</p> <p>org.openqa.selenium.NoSuchElementException: Unable to locate element: #wzrk\cancel For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.firefox.FirefoxDriver Command: [3c708783-9455-4637-b4ee-ac68dec46245, findElement {using=id, value=wzrk-cancel}] Capabilities {acceptInsecureCerts: true, browserName: firefox, browserVersion: 118.0.2, moz:accessibilityChecks: false, moz:buildID: 20231009140911, moz:debuggerAddress: 127.0.0.1:48135, moz:geckodriverVersion: 0.33.0, moz:headless: false, moz:platformVersion: 10.0, moz:processID: 18288, moz:profile: C:\Users\IRAYTR~1\AppData\Local\Temp\18288, moz:shutdownTimeout: 60000, moz:webdriverClick: true, moz:windowless: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://127.0.0.1:48135/devtools, se:cdpVersion: 85.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify} Session ID: 3c708783-9455-4637-b4ee-ac68dec46245</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353) at StepDefinitions.ControlHelper.clickButton(ControlHelper.java:30) at StepDefinitions.PageObjectModel.POMAddToCartLenskart.login(POMAddToCartLenskart.java:42) at StepDefinitions.PageObjectModel.POMAddToWishlistAndRemove.login(POMAddToWishlistAndRemove.java:61) at StepDefinitions.AddToWishlistAndRemove.a_logged_in_user_is_on_the_product_page(AddToWishlistAndRemove.java:19) </pre>	FAILED	5.216 s

#	Step / Hook Details	Status	Duration
	at ?.a logged-in user is on the product page(file:///C:/Users/Iray%20Trust/Desktop/CucumberProject/SeleniumCucucmberBDD/src/test/resources/Features/AddToWishlist.feature:4) * Not displayable characters are replaced by '?'.		
2	When user clicks on KidsGlasses	SKIPPED	0.001 s
3	When the user adds an item to their wishlist	SKIPPED	0.000 s
4	When user clicks on wishlist	SKIPPED	0.000 s
5	Then user validate price of select product	SKIPPED	0.000 s
	AFTER - StepDefinitions.Hook.Hook.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.ClassCastException: class java.lang.ThreadLocal cannot be cast to class org.openqa.selenium.TakesScreenshot (java.lang.ThreadLocal is in module java.base of loader 'bootstrap'; org.openqa.selenium.TakesScreenshot is in unnamed module of loader 'app') at StepDefinitions.Hook.Hook.tearDown(Hook.java:40)		