Partial outcome. App preparation measured; saboteur 0.13.0 stages not started.

Saboteur Rails field report

Generated from the evidence files by script/summarize.rb. Missing measurements remain unknown. No conclusion extends beyond the measured stages.

App summary

App	Shape	Tracked Ruby files	Tracked spec files	Baseline (s)	Map (s)
chatwoot	large Postgres and Redis Rails app	2957	1014	213	unknown
lobsters	mid-size Rails app	488	109	35.345	unknown
solidus	Rails engine / multi-gem repository	2112	822	1542	unknown

chatwoot

Source: https://github.com/chatwoot/chatwoot at `7fe41fe03731fc2f5b1841b84351386962d2fd05`.

Stage status

Stage	Status	Reason	Evidence
environment	done	toolchain source-built (documented deviation, no sudo available); app deps installed; pg+redis up; schema loaded; smoke spec green	apps/chatwoot/ENV.md, apps/chatwoot/commands.sh
baseline	done	3252 examples 0 failures 2 pending (enterprise-audit pending markers) exit 0, 213s; extra baseline 31/0/0 exit 0 for out-of-scope PR specs	apps/chatwoot/reports/baseline/measurement.json, apps/chatwoot/reports/baseline-extra/measurement.json, apps/chatwoot/logs/baseline-rspec.json, apps/chatwoot/logs/baseline-extra-rspec.json, apps/chatwoot/reports/baseline/pending_examples.json
documented_flow	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
map	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
pr_replays	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	apps/chatwoot/selected_prs.json
parallelism	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
determinism	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
triage	not_done	Not started: no versioned mutation reports exist to sample or independently verify. Findings unknown, not zero.	
kills	not_done	Not started: no versioned mutation reports exist to sample or independently verify. Findings unknown, not zero.	

Runs and resource cost

Scenario	Kind	Status	Version	Saboteur SHA	Base	Head	Wall (s)	Peak RSS (KiB)	Exit
baseline	baseline	done	unknown	unknown	7fe41fe03731fc2f5b1841b84351386962d2fd05	unknown	213	628840	0
baseline-extra	baseline	done	unknown	unknown	7fe41fe03731fc2f5b1841b84351386962d2fd05	unknown	8	unknown	0

Baseline example results

Examples	Failures	Pending	Errors outside examples
3252	0	2	0

Additional baseline results

Scenario	Examples	Failures	Pending	Errors outside examples	Wall (s)
baseline-extra	31	0	0	0	8

Per-PR raw results

Scenario	PR	Mutants	Killed	Survived	Timeout	Errors	Other	Score

Survivor triage counts

Classification	Count
unknown	unknown

Kill causes

Cause	Count
unknown	unknown

Fake kills: unknown.

False survivors

Scenario	ID	Location	Evidence
unknown	unknown	unknown	unknown

Parallel and determinism verdict comparisons

Scenario	Reference	Reference-only rows	Compared-only rows	Diff evidence
unknown	unknown	unknown	unknown	unknown

App findings

Chatwoot preparation findings

Application setup completed with recorded source-build and database-initialization deviations. This is not an unchanged setup flow and does not establish that saboteur install/map CI works. Tool versions and dependency constraints are in ENV.md.

The measured baseline covers the selected Community Edition models and services directories, not the entire application. Enterprise paths were stripped following the pinned FOSS workflow; the remaining pending enterprise-audit examples and their reasons are preserved in reports/baseline/pending_examples.json. Additional PR-related mailbox/job baseline evidence is separate, not silently added into the primary baseline. No baseline failures were excluded from either successful run.

An initial /usr/bin/time invocation failed because that executable was unavailable. logs/baseline-rspec.time preserves that failure. The successful baseline resource measurement instead used the supplied shell sampler and meta.env. This is environment friction, not a saboteur bug.

The sampler observes the RSpec parent and direct children only, at periodic intervals. It is not complete descendant-tree peak memory, excludes database/Redis services and may miss short peaks. Its elapsed wall time includes the polling loop tail and uses integer wall-clock seconds. RSpec's own example duration is a separate measure. Lobsters used a different peak-child-RSS method, so the memory figures must not be compared as equivalent costs.

Saboteur versioned runs, map cost, mutation results, parallelism, determinism, independent survivor triage and kill verification remain unknown. No Rails PR-gate conclusion is supported by these preparation baselines.

lobsters

Source: https://github.com/lobsters/lobsters at `407536444934ac7d78f4ce1c18f228e3891a8663`.

Stage status

Stage	Status	Reason	Evidence
environment	done	bin/setup exit 0 only after recorded deviations (libvips 8.18.7 prebuilt, libyaml headers); documented flow was blocked at both points - not completed unchanged	logs/bin-setup.log, ENV.md
baseline	done	913 examples, 2 pre-existing failures observed (F-BASE-1, F-BASE-2; each seen failing in 3 runs, non-flakiness not proven), exit 1, wall 35.3s	logs/baseline-rspec.json, reports/baseline/measurement.json, findings.md
documented_flow	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
map	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
pr_replays	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	prs/selected_prs.json, reports/pr2231-head-specs/measurement.json, reports/pr2204-head-specs/measurement.json, reports/pr2156-head-specs/measurement.json, reports/pr2090-head-specs/measurement.json, reports/pr2143-head-specs/measurement.json, reports/pr2231-base-specs/measurement.json, reports/pr2204-base-specs/measurement.json, reports/pr2156-base-specs/measurement.json, reports/pr2090-base-specs/measurement.json, reports/pr2143-base-specs/measurement.json
parallelism	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
determinism	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	logs/baseline-failures-recheck.log
triage	not_done	Not started: no versioned mutation reports exist to sample or independently verify. Findings unknown, not zero.	
kills	not_done	Not started: no versioned mutation reports exist to sample or independently verify. Findings unknown, not zero.	

Runs and resource cost

Scenario	Kind	Status	Version	Saboteur SHA	Base	Head	Wall (s)	Peak RSS (KiB)	Exit
baseline	baseline	done	unknown	unknown	407536444934ac7d78f4ce1c18f228e3891a8663	unknown	35.345	454056	1
pr2090-base-specs	verification	done	unknown	unknown	81ba649e1a667afddd1c780d0aeb37bad37ac308	87e1e318fc7cc914646605c34dae39ff4d28ef34	8.453	312268	0
pr2090-head-specs	verification	done	unknown	unknown	81ba649e1a667afddd1c780d0aeb37bad37ac308	87e1e318fc7cc914646605c34dae39ff4d28ef34	8.541	318272	0
pr2143-base-specs	verification	done	unknown	unknown	e72cf85f041cfa82157173e0af82bce693e5c9d0	81ba649e1a667afddd1c780d0aeb37bad37ac308	9.219	327968	0
pr2143-head-specs	verification	done	unknown	unknown	e72cf85f041cfa82157173e0af82bce693e5c9d0	81ba649e1a667afddd1c780d0aeb37bad37ac308	9.463	328388	0
pr2156-base-specs	verification	partly	unknown	unknown	9a773eac0b49fd86b16585ad503de9a51919c496	d9998c2555317db7b3cb9a159ef7878ff993ab78	0.361	41152	1
pr2156-head-specs	verification	done	unknown	unknown	9a773eac0b49fd86b16585ad503de9a51919c496	d9998c2555317db7b3cb9a159ef7878ff993ab78	5.81	290924	0
pr2204-base-specs	verification	done	unknown	unknown	8f1b50061e5ef0b88ddbadc675395f7b5cf4eb76	ed722e449227b39ab6268f4260aaa66df95275bd	8.701	356552	0
pr2204-head-specs	verification	done	unknown	unknown	8f1b50061e5ef0b88ddbadc675395f7b5cf4eb76	ed722e449227b39ab6268f4260aaa66df95275bd	9.146	344936	0
pr2231-base-specs	verification	done	unknown	unknown	372345a2cca5ed8e5d3376dcdc7e0a33e7f4f17c	9fd8f5fca9b5f93a465a079cd0847b17b2acebe8	8.056	341092	0
pr2231-head-specs	verification	done	unknown	unknown	372345a2cca5ed8e5d3376dcdc7e0a33e7f4f17c	9fd8f5fca9b5f93a465a079cd0847b17b2acebe8	8.498	314800	0

Baseline example results

Examples	Failures	Pending	Errors outside examples
913	2	0	0

Per-PR raw results

Scenario	PR	Mutants	Killed	Survived	Timeout	Errors	Other	Score

Survivor triage counts

Classification	Count
unknown	unknown

Kill causes

Cause	Count
unknown	unknown

Fake kills: unknown.

False survivors

Scenario	ID	Location	Evidence
unknown	unknown	unknown	unknown

Parallel and determinism verdict comparisons

Scenario	Reference	Reference-only rows	Compared-only rows	Diff evidence
unknown	unknown	unknown	unknown	unknown

App findings

Lobsters findings (prose; computed numbers live in logs/ and reports/)

Pinned app SHA: 407536444934ac7d78f4ce1c18f228e3891a8663 (origin/main, 2026-10-23). Setup required recorded deviations from the documented flow (see ENV.md); findings below were observed after those deviations. No app files modified.

F-ENV-1: documented `sudo apt install libvips` is insufficient on Ubuntu 22.04

CONTRIBUTING.md says to install libvips via apt. Ubuntu 22.04 ships libvips 8.12.1; Rails 8.1 then refuses to boot: “libvips’s unfuzzed operations are not safe to use with untrusted content… requires libvips 8.13 or later and ruby-vips 2.2.1 or later.” Verified twice in logs/bin-setup.log (RETRY2). Worked around for this run with prebuilt libvips 8.18.7 (see ENV.md); the documented instruction alone does not produce a bootable app on this common LTS. Environment/docs finding, not necessarily an app bug.

F-BASE-1: spec/extras/github_spec.rb:14 observed failing repeatedly on the pinned tree + required Ruby (3 runs; non-flakiness not proven)

- Command: bundle exec rspec spec/extras/github_spec.rb (also in full-suite baseline, logs/baseline-rspec.json)
- Error: NoMethodError: undefined method ‘parse’ for class CGI
- Cause verified: Ruby 4.0.9 (the version .ruby-version REQUIRES at this pin) ships cgi 0.5.1, where CGI.parse no longer exists (ruby -e ‘require “cgi”; p CGI.respond_to?(:parse)’ => false).
- Real code path affected: extras/github.rb:21 `ps = CGI.parse(res)` inside Github.token_and_user_from_code (GitHub account linking). The spec comment says it exists to prove CGI.parse is loaded. On the required Ruby this feature would raise at runtime.
- Observed failing in the original full-suite baseline plus 2 subsequent isolated reruns (3 observed runs total; logs/baseline-failures-recheck.log). Repeated failures observed; 3 runs do not prove non-flakiness.

F-BASE-2: spec/features/user_administration_spec.rb:39 “banning” observed failing repeatedly (3 runs; non-flakiness not proven)

- Command: bundle exec rspec spec/features/user_administration_spec.rb (also in full-suite baseline)
- Error: RSpec::Expectations::ExpectationNotMetError: Expected 0 to eq 1. Failing expectation: line 50 `expect(sent_emails.size).to eq(1)` - banning a user sends no notification email on the pinned tree.
- Context: pinned history includes 2026-10-21 commit e646f63a “restore transactional + notifications email; not yet mailing list mode”; the pinned tree appears mid-repair of the email subsystem. Not investigated further - root-cause triage is reserved for the independent fresh-context triager per protocol.
- Observed failing in the original full-suite baseline plus 2 subsequent isolated reruns (3 observed runs total; same log). Repeated failures observed; 3 runs do not prove non-flakiness.

Impact on downstream stages

- Neither failing spec overlaps the 5 selected PRs' spec files (comment/story/settings/home/search). F-BASE-1 and F-BASE-2 are baseline-red, explicitly named here with reasons. No exit code, map result, or replay result is adjusted for them; the observed baseline suite was not green. Any map or replay run that hits red (including these) is reported as a finding.
- F-ENV-1 means any environment rebuild must repeat the libvips 8.18.7 provision in ENV.md.

F-ENV-2: PR #2053's head tree (2026-07-09) requires MySQL; documented setup cannot complete here

- Era check: all selected PR trees pre-2026-07-15 still used MySQL via the trilogy gem (pr2053 Gemfile:10 `gem "trilogy"`, DATABASE_URL mysql). The pinned main and later trees use app-compiled SQLite. The MySQL->SQLite migration landed between 2026-07-09 and 2026-07-15.
- trilogy 2.9.0 also needed OpenSSL headers (libssl-dev + multiarch include dir), provisioned locally per ENV.md and recorded in commands.sh section 9 - the gem then built fine.
- Blocker: documented bin/setup -> rails db:setup -> "Connection refused - trilogy_connect - unable to connect to 127.0.0.1:3306" (logs/pr2053-head-specs.log). No MySQL server exists in this no-sudo sandbox and none was provisioned (heavy, out of scope for the speed steer).
- Consequence: #2053 demoted to spare; #2143 substituted (nearest confirmed SQLite-era merged PR, ancestor of pin, story.rb + story_spec.rb). Recorded in prs/selected_prs.json.

solidus

Source: https://github.com/solidusio/solidus at `07d5aff446586f6ab8ca024e2d8d08ee3e0463d8`.

Stage status

Stage	Status	Reason	Evidence
environment	done	unknown	apps/solidus/ENV.md, apps/solidus/logs/env-bundle-install.log, apps/solidus/logs/env-smoke.log
baseline	done	Measured full core baseline exits 1; pre-existing failures preserved in raw JSON and baseline-red-candidates.json. No mutation run or exclusion has been applied.	apps/solidus/logs/baseline-rspec.json, apps/solidus/reports/baseline/measurement.json, apps/solidus/reports/baseline/stdout+stderr.log, apps/solidus/logs/baseline-failures-recheck.log
documented_flow	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
map	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
pr_replays	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	apps/solidus/selection.csv
parallelism	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
determinism	not_done	Not started before the four-hour stop: verified saboteur 0.13.0 release identity was unavailable. Preparation controls are separate evidence, not a substitute.	
triage	not_done	Not started: no versioned mutation reports exist to sample or independently verify. Findings unknown, not zero.	
kills	not_done	Not started: no versioned mutation reports exist to sample or independently verify. Findings unknown, not zero.	

Runs and resource cost

Scenario	Kind	Status	Version	Saboteur SHA	Base	Head	Wall (s)	Peak RSS (KiB)	Exit
baseline	baseline	done	unknown	unknown	07d5aff446586f6ab8ca024e2d8d08ee3e0463d8	07d5aff446586f6ab8ca024e2d8d08ee3e0463d8	1542	408468	1
pr6677-base-scope	baseline	done	unknown	unknown	198c66c2f36fae2aab622851e2945cb66ce9b44b	198c66c2f36fae2aab622851e2945cb66ce9b44b	27	213468	0
pr6677-head-scope	baseline	done	unknown	unknown	4dd53128473a4e0c7b7fdbb6d152e35a5ca7bb1b	4dd53128473a4e0c7b7fdbb6d152e35a5ca7bb1b	26	213528	0
pr6691-base-scope	baseline	done	unknown	unknown	7c1842d9099d76713b4d2a69001eac914a5f16d3	7c1842d9099d76713b4d2a69001eac914a5f16d3	27	212648	0
pr6691-head-scope	baseline	done	unknown	unknown	1514f27fc7b257ab1ae5bab5a3646a04f256b06a	1514f27fc7b257ab1ae5bab5a3646a04f256b06a	26	213632	0
pr6692-base-scope	baseline	done	unknown	unknown	78fb02ba19a443a6648aa870634700eb2c1a0a94	78fb02ba19a443a6648aa870634700eb2c1a0a94	24	213544	0
pr6692-head-scope	baseline	done	unknown	unknown	c27efd40c184eba0c758ecc9429cf23551000f5f	c27efd40c184eba0c758ecc9429cf23551000f5f	25	218320	0
pr6697-base-scope	baseline	done	unknown	unknown	5b47ff22b600011f369e8da0de60bfe60bb27039	5b47ff22b600011f369e8da0de60bfe60bb27039	751	212940	0
pr6697-head-scope	baseline	done	unknown	unknown	8950d6cc6b4d79c65b8a58172e60453d4d5e1d95	8950d6cc6b4d79c65b8a58172e60453d4d5e1d95	25	213280	0
pr6701-base-scope	baseline	done	unknown	unknown	5158ea6d0ebf63d29acce4ae9bc8332d59e2c321	5158ea6d0ebf63d29acce4ae9bc8332d59e2c321	25	212196	0
pr6701-head-scope	baseline	done	unknown	unknown	5b47ff22b600011f369e8da0de60bfe60bb27039	5b47ff22b600011f369e8da0de60bfe60bb27039	457	212968	0

Baseline example results

Examples	Failures	Pending	Errors outside examples
4485	8	0	0

Additional baseline results

Scenario	Examples	Failures	Pending	Errors outside examples	Wall (s)
pr6677-base-scope	233	0	0	0	27
pr6677-head-scope	233	0	0	0	26
pr6691-base-scope	233	0	0	0	27
pr6691-head-scope	239	0	0	0	26
pr6692-base-scope	220	0	0	0	24
pr6692-head-scope	224	0	0	0	25
pr6697-base-scope	226	0	0	0	751
pr6697-head-scope	233	0	0	0	25
pr6701-base-scope	224	0	0	0	25
pr6701-head-scope	226	0	0	0	457

Per-PR raw results

Scenario	PR	Mutants	Killed	Survived	Timeout	Errors	Other	Score

Survivor triage counts

Classification	Count
unknown	unknown

Kill causes

Cause	Count
unknown	unknown

Fake kills: unknown.

False survivors

Scenario	ID	Location	Evidence
unknown	unknown	unknown	unknown

Parallel and determinism verdict comparisons

Scenario	Reference	Reference-only rows	Compared-only rows	Diff evidence
unknown	unknown	unknown	unknown	unknown

App findings

Solidus findings (prose; all numbers recomputable from reports/ and logs/)

Baseline (pin 07d5aff4, whole core suite)

4485 examples, 8 failures, 0 pending, exit 1, RSpec example duration 1536.850863559s; externally measured elapsed wall 1542s including wrapper, peak RSS ~399MB (1s sampled). Seed 49450.

Baseline-red examples: candidates for explicit later exclusions

The raw baseline failures are in image-variant processing. Exact IDs and original exceptions are retained in baseline-red-candidates.json; no mutation-run exclusion has yet been applied. Future narrow replay scope is recorded separately: - spec/models/spree/image_spec.rb[1:5:3] returns attachment url - spec/models/spree/image_spec.rb[1:5:4] computes attachment width - spec/models/spree/image_spec.rb[1:5:5] computes attachment height - spec/models/spree/concerns/active_storage_adapter/attachment_spec.rb[1:1:1..5] (5 #variant examples)

Reason (verified, logs/baseline-failures-recheck.log): - Isolated rerun of the two files, default env: 19 examples, 8 failures - same 8 (NoMethodError “undefined method ‘new’ for nil” at core/app/models/concerns/spree/active_storage_adapter/attachment.rb:38). Repeated failures are recorded in the full baseline and isolated-run logs; the log includes partial earlier reruns as well as later detailed output. These observations do not prove non-flakiness. Baseline width/height errors are expectations of 1 receiving nil, while other baseline failures report undefined new for nil. - Worker diagnosis (not established as the sole cause under the unsupported relocated runtime): core/lib/spree/testing_support/dummy_app.rb:140 defaults active_storage.variant_processor to :vips; the sandbox has no system libvips, so the vips transformer lookup yields nil and `.new` is called on nil. Solidus CI installs libvips; the README core-suite instructions do not mention this dependency (documented-flow gap F-ENV-1). - The app’s own escape hatch (ACTIVE_STORAGE_VARIANT_PROCESSOR=mini_magick, same file:140) does NOT clear them: 19 examples, 6 failures, different error (ActiveStorage UnsupportedImageProcessingMethod: saver - Solidus passes a vips-only `saver:` transformation). Recorded as fact; not used as a workaround.

Status by stage

environment done; baseline done (exit 1, baseline-red candidates above); documented_flow/map/pr_replays/parallelism/determinism not_done pending verified saboteur 0.13.0 SHA; triage/kills assigned to a fresh-context triager (not this agent).

Bounded outcome

The app execution window ran from October 23 at 21:39 IST to October 24 at 01:39 IST, including release waiting. Work stopped at the bound. Preparation baselines and selected-PR direct-spec controls are recorded; none is a saboteur mutation run.

No verified saboteur 0.13.0 release or source SHA was supplied during the window. Release publication remained held. The version, map runtime, per-PR mutation counts and scores, parallel verdict agreement, determinism, survivor classifications and kill causes are unknown. No conclusion that saboteur works as a Rails PR gate is supported.

Status by stage

Application environment preparation and baseline measurements completed with recorded limitations and, on some apps, baseline failures. The requested saboteur install/documented whole-suite-map flow, map build, PR replays, parallel replay and determinism runs were not started. Direct-spec prechecks do not substitute for whole-suite maps or mutation runs. Missing direct specs on some historical bases do not make the entire base suite inapplicable.

Independent mutation triage and kill verification could not start without mutation reports. No empty selection, triage CSV, kill CSV or fake success diff was synthesized. Unknown findings are not zero findings.

Runtime and resource limits

Baseline elapsed time is distinct from RSpec example duration. Published memory values use different methods and are not directly comparable: Lobsters records peak child RSS, while Chatwoot and Solidus sample a parent and direct children. Database-service and whole-machine memory cost were not measured. Wrapper exit limitations and unsupported runtime/setup deviations remain documented under each app.

Crashes, contradictions and issues

Saboteur crashes, hangs, exit 70 and contradictory mutation output remain unknown because saboteur did not run. No saboteur field-test bug issue was filed without evidence. App baseline failures, failed setup attempts, missing historical direct specs and evidence-wrapper failures are preserved with their logs; they were not silently attributed to saboteur.

Next decision

This bounded attempt is stopped, not automatically resumed. A new execution window after a verified release would be needed to complete the unstarted stages and independent verification. No additional run or infrastructure commitment is implied by this report.