HireRoom: Setup, Auth and Email Guide

How to use the kit, the accounts and keys you need, sign-in, event emails, and the end-to-end test that tells you the product is done. Prepared 4 Nov 2026.

1. How to use the kit

The kit is one folder. Unzip it into an empty folder called **hireroom**, open that folder in Antigravity, and the agent has everything it needs.

```
hireroom/
  AGENTS.md            rules plus the full build brief (always on for the agent)
  PROMPTS.md           copy-paste prompts: kickoff, phase 1, 2, 3, final check
  .env.example         every key the app needs, with notes
  docs/
    01-hireroom-product-plan.pdf          the plan (source of truth)
    02-hireroom-setup-guide.pdf           this file
    03-startupathon-screens.pdf           visual reference only
    04-hiring-platform-repo-research.pdf  repo and UI notes
    05-hireroom-status-and-fix-plan.pdf   where the build stands, what to fix
    videos/                               put your two videos and transcripts here
```

File	What it does
AGENTS.md	The standing rules: goal, brand, stack, sign-in, emails, key handling, phases. The agent reads it in every conversation.
PROMPTS.md	What you paste into the agent. One prompt per phase.
.env.example	The list of keys. You copy it to .env.local and fill it in.
01 plan PDF	Flows, data model, repos, AI prompts. The agent opens it when it plans.
03 screens PDF	How Startupathon looks. Structure and feel only, never its name, copy or colors.

Steps

1. Unzip into an empty folder named hireroom. Put your two videos and transcripts in **docs/videos**.
2. Open **AGENTS.md** and fill in the Brand section (three colors, optionally two fonts).
3. **If the app already exists (your case), start with prompt R0 in PROMPTS.md.** It audits the build and writes docs/AUDIT.md before anything new is added. Copy this kit's files into the existing project folder.
4. Open the folder in Antigravity. It reads **AGENTS.md** from the project folder as a standing rule. Rule files are cut off at 24,000 bytes, and AGENTS.md is kept well under that.
5. Open **PROMPTS.md**. Start a new conversation, use **/plan**, paste the Kickoff prompt and then the Phase 1 prompt, and approve the plan.
6. When the agent asks for keys, copy **.env.example** to **.env.local** and fill it in yourself. Do not paste secrets into the chat.
7. When Phase 1 passes the test checklist (section 5), start a **new conversation** for Phase 2, then Phase 3, then the final check. The agent keeps notes in **docs/PROGRESS.md** so each new conversation knows where things stand.

> **Be realistic about tonight.** A good agent run can get Phase 1 working: sign-up, company posting, applying and the status emails. Phases 2 and 3 usually need a second session and your own testing. Antigravity guidance is to split big goals into subtasks and keep each conversation short, so do not ask for everything in one prompt. Folder names for extra Antigravity rules differ by version (.agents or .agent), so rely on AGENTS.md at the project root.

2. Accounts and keys you need

The agent will stop and ask for these. Have them ready and it will not wait on you.

Service	Used for	Env variables	Phase
Supabase	Database, sign-in, file storage, realtime chat	NEXT_PUBLIC_SUPABASE_URL, NEXT_PUBLIC_SUPABASE_ANON_KEY, SUPABASE_SERVICE_ROLE_KEY (server only; newer projects may call these the publishable and secret keys)	1
Claude API (Anthropic)	Resume parsing, listing writer, applicant summaries	ANTHROPIC_API_KEY	1
Resend	Sign-in and event emails. Free plan: 3,000 emails a month, 100 a day, 1 domain (checked Oct 2026). Pro is $20 a month for 50,000.	RESEND_API_KEY, EMAIL_FROM, SEND_EMAIL_HOOK_SECRET	1
A domain you own	Sending from hello@yourdomain. Add the DNS records Resend gives you so mail is verified. Mail from a Gmail address lands in spam.	(used inside EMAIL_FROM)	1
Google sign-in	Continue with Google	Client ID and secret go into the Supabase dashboard (Authentication, Providers), not into .env	1
App settings	Links inside emails, admin access, protecting the email worker	NEXT_PUBLIC_SITE_URL, ADMIN_EMAILS, CRON_SECRET	1
GitHub App	Repo picker for challenge submissions	GITHUB_APP_ID, GITHUB_APP_CLIENT_ID, GITHUB_APP_CLIENT_SECRET	2
Hosting (for example Vercel)	Put the site online. Set the same variables in its dashboard. Check current free-plan limits.	(set in the host's dashboard)	Deploy
Payments (for example Razorpay)	Only if you charge companies. Skip tonight.	later	3

Where to find each one

The agent asks for	Where to get it
Supabase URL and keys	Your Supabase project's settings, under API.
Anthropic key	The Anthropic console, under API keys.
Resend key	The Resend dashboard, under API Keys. Verify your domain first.
Hook secret	Supabase dashboard, Auth Hooks: create the Send Email hook and click Generate Secret. It looks like v1,whsec_...
CRON_SECRET	Any long random string you make up.

3. Sign-in and security

- **Sign-in methods:** an email link or one-time code, plus Google. No passwords in v1, so there is nothing to reset or leak.
- **Role at sign-up:** "I am looking for work" or "I am hiring", stored on the profile. Admins are the emails in ADMIN_EMAILS.

- **Sign-in emails:** Supabase's Send Email hook calls an Edge Function that renders a React Email template and sends it through Resend. Supabase publishes an official example; it needs RESEND_API_KEY and SEND_EMAIL_HOOK_SECRET. The simpler alternative is custom SMTP in Authentication, Emails, SMTP Settings. Either way, set it up before real users arrive: Supabase's production checklist recommends your own SMTP for deliverability, and its limits table lists just 2 auth emails an hour on the built-in setup (as of Sept 2024).
- **Row-level security** on every table. The service-role key is used only in server code, never in the browser.
- **Sign-up protection:** turn on CAPTCHA and sensible rate limits (Supabase offers both).
- **Company verification:** the work email domain must match the website. Free mail domains such as Gmail go to manual admin review.
- **Candidate privacy:** a company sees a candidate's contact details only after that candidate applies.
- **GitHub:** use a GitHub App rather than a classic OAuth app. GitHub's comparison says Apps can request narrow read-only permissions, while an OAuth app needs the broad repo scope to read repository contents.

4. Emails on every event

How it works

1. App code calls one function, **notify(event, payload)**, whenever something happens (application created, status changed, submission received).
2. notify writes an in-app notification and a row in **email_outbox** (event, recipient, payload, status, and a unique key so the same email is never sent twice).
3. A worker (an Edge Function or a protected route, run every minute by cron and guarded by CRON_SECRET) picks pending rows, renders the React Email template, sends through Resend, marks each sent or failed, and retries failures up to 3 times.
4. A Resend webhook reports bounces and complaints. Mark that address as bad and stop sending to it. The free plan allows one webhook endpoint.
5. Non-essential emails carry an unsubscribe link and respect notification preferences. Account and status emails always send.

Sign-in emails take a separate path through the Supabase hook described in section 3.

The events

#	Event	To	When	Says
1	Welcome	Candidate or company	Right after sign-up	First step: candidates finish the profile, companies post a first listing.
2	Sign-in link	User	On login	Link plus one-time code (via the Supabase hook).
3	Company sent for review	Admin	First listing submitted	Company, listing, and an approve link.
4	Listing approved or needs changes	Company	Admin decides	Live link, or what to fix.
5	Application received	Candidate	On apply	Listing, company, what happens next, Campfire link.
6	New applicants	Company	Daily digest	Count, top matches, inbox link.
7	Challenge entered	Candidate	On enter	Brief, deadline, attempts, Campfire link.
8	Submission received	Candidate	Each submit	Version number, attempts left, deadline.
9	New submission	Company	First submit per candidate	Candidate and a link to review.
10	Shortlisted	Candidate	Status changes	Good news and what the company does next.
11	Hired	Candidate, and a confirmation to the company	Status changes	Congratulations and the next steps, all in HireRoom.
12	Not selected	Candidate	Only if the company turns it on	Short and kind, with other open listings.
13	Deadline reminder	Candidate with an open challenge	24 hours before	Attempts left and the deadline.
14	Listing closed summary	Company	On close	Counts and who was shortlisted.
15	Campfire announcement	Room members	A pinned post (opt-in)	The announcement and a link to the room.

Email design and limits

- One React Email layout using your brand tokens, a plain-text version of every email, one main button, and a clear preview line.
- Send from **HireRoom <hello@yourdomain>** and send replies to a support inbox. Add the SPF and DKIM records Resend gives you, plus a DMARC record.
- The free Resend plan allows 100 emails a day, so a busy listing could use it up. That is why company notifications are a daily digest. Move to a paid plan once real users arrive.

5. The end-to-end test

The product is done when every line passes. Phase 2 lines can wait until Phase 2.

1. A candidate signs up with an email link and the email lands in the inbox, not spam, within a minute.
2. The candidate finishes onboarding and a resume upload fills the profile.
3. A company signs up with a work email, verifies, and sees the 4-question flow.

4. The company posts a job in under 2 minutes. AI writes the listing, the admin approves it, and the approval email arrives.
5. The listing shows on the public page and in search.
6. The candidate applies and gets a confirmation email. The company sees the applicant.
7. The company shortlists and the candidate gets the Shortlisted email.
8. The company marks hired and the candidate gets the Hired email.
9. **Phase 2:** a company posts a challenge. A candidate enters, submits a file and a repo picked from a list, both sides get emails, and scores show in the inbox.
10. **Phase 2:** both sides can post in the Campfire room and an announcement can be pinned.
11. The site works at phone width and no step requires leaving HireRoom.
12. With a key missing, the app shows a clear message listing which are missing. No secrets appear in the code or git history.

Sources

- Supabase: production checklist (custom SMTP, rate limits)
- Supabase: Send Email hook with React Email and Resend
- Supabase: sending emails from Edge Functions
- React Email
- Resend plans and limits (verify at resend.com/pricing)
- GitHub: Apps vs OAuth apps
- Antigravity context management guide
- Antigravity rules, skills and workflows