SMART PURSUIT / AGENCY OS

Run it entirely in Arena AI

A step-by-step guide to giving inputs, using prompts, running website audits and reviewing outreach drafts.

AGENT MODE • NO TERMINAL NEEDED • 14 NOVEMBER 2026

Where do I give the inputs?

In the **Arena chat message box**—the same place you typed your request. Paste a prompt, replace its example values, and send it. The agent runs the commands in the workspace.

1	2	3
Prepare	**Run**	**Review**
Check the workspace.	Give a URL or a state.	Open the PDF and drafts.

Inside this guide


02 Start here: the guided prompt
03 Prepare the environment
04 Inputs checklist
05 Audit one website
06 Run a state batch
07 Import your CSV
08 Find and review results
09 Review outreach drafts
10 Everyday follow-up prompts
11 Troubleshooting
12 Final operating checklist

A tool for measured audits, not automatic selling
It produces reports and email drafts. A human reviews them and decides what to send. It does not build websites or send email automatically.

START HERE

One chat. You instruct; the agent runs.

You do not need to find a terminal, edit JSON files, or type npm commands yourself.



The exact controls can vary by Arena view. This is a schematic, not a screenshot.

1. Open the **Arena Agent Mode conversation connected to this repository**. This conversation is already connected.
2. Paste the guided prompt below into the message box and send it.
3. Answer the agent’s questions **in the same chat**. Give one set of details at a time.
4. Wait for the run to finish. Ask the agent to open the verified PDF and show the output locations.

COPY-PASTE MASTER PROMPT

Operate this repository entirely through Arena for me. Read AGENTS.md and docs/RUNBOOK.md, then check whether the workspace is ready.

Ask me one question at a time: do I want a single-website audit, a state batch, or a CSV import? Collect only the inputs needed and confirm them before starting.

Use real measurements. Preserve duplicate protection and quality checks. Generate verified reports and outreach drafts, then open the finished PDF. Nothing may be sent automatically.

If network access or a quality check blocks the run, stop and explain exactly what is needed. Do not invent results.

Prefer filling in the blanks?

Use the prompts on pages 5–7. Replace each [VALUE], including the brackets, before sending. Ask the agent if you are unsure which value to use.

STEP 1

Prepare the workspace first

Send this prompt once before your first audit. Repeat it if the environment changes.

Check	What this guide found · 14 Nov 2026
Node.js	Node v22.22.3 is available; the project requires Node 20+.
Scoring self-test	**PASS**: speed 3, mobile 4, conversion 2, design 6, SEO 5; overall 36.
Browser / dependencies	Chrome was not detected in the checked locations; project dependencies were not installed. Setup is still needed.
Live network access	This sandbox restricts shell network access. Target sites and the public lead endpoint must be checked; access is not guaranteed.

PROMPT 1 · PREPARE AND DIAGNOSE

Prepare this repository to run inside this Arena sandbox. Stay on the current branch. Read AGENTS.md and docs/RUNBOOK.md first.

Check Node.js, installed dependencies, Chrome/Chromium, and the outbound access needed for lead sourcing and target websites. Install permitted dependencies. If a browser is unavailable, report that; do not bypass sandbox network restrictions.

Make only necessary portability fixes, such as the Windows-specific Lighthouse launcher. Do not change the frozen scoring rubric or report design, and do not weaken duplicate or verification checks.

Run the scoring self-test and check CLI help. Do not fetch leads, audit a business, or send email yet.

Report READY, PARTIAL, or BLOCKED with evidence and the next input you need. If code changes cannot meet the live-audit acceptance rules in AGENTS.md, say so rather than claiming full readiness.

What a successful check looks like

- The self-test reports **PASS** and the expected scores above.
- The agent identifies a usable browser and installed dependencies—or gives a concrete blocker.
- A full live audit is **not** considered proven until one actually passes measurement, QA and verification.

STEP 2

What to type—and what is optional

Give these details in chat. The agent turns them into the correct command options.

For one website

Input	Required?	What to provide
Website URL	**Yes**	The public website address, including https:// if known.
Business name	**Yes**	The published name, spelled as it should appear on the report.
City and state	Recommended	The actual location. Ask the agent to confirm missing details rather than guessing.
Contact-page URL	Optional but useful	The real contact page. The default /contact/ path may not exist on every site.
Contact person / niche	Optional	A published person’s name and a supported business category.
Legal name	Optional	Use only if a different legal name belongs in the footer.

For a state batch or CSV

Input	Default / guidance
State	Required. Example: Gujarat. The project defaults to India; specify another country if needed.
Niches	Optional. If omitted, the configured state/default niches are used.
Maximum audits	Default 5. Start with 1–3 while testing.
New-lead limit	Default 25; the current hard cap is 25 per run.
CSV filename / path	Optional. Upload the file first, then tell the agent its filename. See page 7.

Supported niche keys: dentist, clinic, lawyer, real_estate, restaurant, plumber, electrician, hvac, gym, salon.

> **Before client-facing use**
> Ask the agent to show the agency identity in **config/settings.json** and confirm the name, phone, email and location. The checkout is configured for Smart Pursuit.

Do not paste passwords or API keys into chat. Google Places is optional and needs secure environment configuration plus a city list. OpenStreetMap and CSV intake do not need a Places key.

STEP 3 · OPTION A

Run your first real website audit

Use a site you control or have permission to audit. Complete the setup check first.

PROMPT 2 · SINGLE-SITE AUDIT

Run a real audit using this repository for:

Website: [PUBLIC WEBSITE URL]
Business name: [BUSINESS NAME]
City: [CITY]
State: [STATE]
Contact page: [ACTUAL CONTACT-PAGE URL, OR “find and confirm”]

Confirm these details with me before starting. Check that the target is reachable from this sandbox. Use only public information; do not guess a contact person or email.

Measure mobile and desktop with Chrome and Lighthouse. Follow the duplicate gate, scoring, ten-page report, layout QA, PDF and third-eye verification procedures.

Generate four outreach drafts only after a successful audit. Do not use --force, --fixture or --skip-lighthouse for this live prospect. Do not invent measurements or screenshots, and do not send anything.

If a check fails, explain the blocker and label any partial report NOT SENDABLE. Otherwise, open the verified PDF and summarize the results and file paths.

What to expect

- A report contract of **10 A4 pages**, five area scores, an overall score, evidence screenshots and six findings.
- A layout report (**qa.json**) and a verification report (**verify.json**). Both must pass before the audit is accepted.
- Four draft emails and a schedule. The PDF is named after the business and saved under reports/.

A refusal can be the correct outcome

A healthy site may not produce six defensible findings. Long business details can also break the frozen layout. The agent must fix a real data/layout issue or stop—not pad the report with invented claims.

Example values such as example.com are reserved placeholders, not real leads. Replace every placeholder with the actual business details before asking for a live audit.

STEP 3 · OPTION B

Run a small state batch

This sources leads, audits eligible businesses and prepares drafts in one workflow.

PROMPT 3 · STATE BATCH

Run this repository’s workflow in Arena for:

State: Gujarat
Niches: dentist,clinic
Maximum audits: 3

First check access to the lead source and target websites. If this sandbox cannot reach them, stop and explain the blocker; do not substitute fabricated leads or measurements.

Source public leads, respect duplicate checks, cooldowns and opt-outs, and audit only eligible sites. Use real mobile/desktop measurements and Lighthouse. Follow all report QA and verification rules.

Generate four outreach drafts for each accepted audit. Keep client reports, raw measurements and outreach drafts out of Git. Nothing may be sent.

Open the verified PDFs and summarize completed audits, skipped leads, failures, draft counts and output paths.

Setting	Current behavior
Batch size	Default 5 audits; the example above limits it to 3.
Lead intake	Default/cap 25 new leads per run. Leads without an auditable website are skipped.
Repeat protection	An accepted domain enters a 60-day cooldown. Opted-out domains must not be run again.
Failed sites	Failed attempts can be retried in later runs, up to 3 attempts by default.
Scheduling	No built-in scheduler. Ask the agent to run the workflow when you want it.

Want to inspect the queue first?

PROMPT 4 · EXISTING QUEUE ONLY

Show the existing audit queue for Gujarat using the repository’s dry-run mode. Do not fetch new leads, measure any website, or send anything. Explain which leads are eligible or skipped. Note that dry-run inspects leads already on file; it does not preview a new online search.

STEP 3 · OPTION C

Use your own lead list

CSV intake is useful when you already have permissioned business details or the public lead endpoint is unavailable.

1. Prepare a UTF-8 CSV using the columns below. Keep each business on one line; quote fields that contain commas.
2. Attach the CSV using the chat's attachment control, if available, and wait for the upload to finish.
3. Send the import prompt with the actual filename. If attachments are unavailable, ask the agent for a supported workspace upload method; do not assume a path.

```
name,website,city,phone,email,niche,address
Smile Works,https://smileworks.example,Ahmedabad,,,dentist,"CG Road"
Example Clinic,https://clinic.example,Surat,,,clinic,"Ring Road"
```

The example uses reserved .example domains and fictional details. It demonstrates formatting only. Name and an auditable website are needed in practice; published phone/email are optional. State is supplied in the prompt.

PROMPT 5 · IMPORT WITHOUT AUDITING

I attached [FILENAME.csv]. Locate the actual uploaded file and ask me if you cannot access it.

Import it for [STATE] using the repository's CSV adapter, without Overpass or Google Places. Validate the rows and show new leads, duplicates and skipped entries. Do not audit or send anything yet.

The current implementation skips rows without an auditable website. Do not invent missing URLs or contact details. Keep real prospect contact data out of Git.

PROMPT 6 · AFTER CONFIRMING THE IMPORT

Audit up to [NUMBER] eligible leads from the CSV batch you just imported for [STATE]. Follow the normal measurement, duplicate, QA and verification rules. Generate drafts only for accepted audits, open the verified PDFs, and summarize the results. Do not send anything.

No key is needed for CSV intake

A CSV supplies leads only. The actual websites still need to be reachable for a fresh live audit; importing a list does not bypass the browser or network requirements.

STEP 4

Find, open and check the outputs

Ask the agent to open a file rather than searching through the workspace yourself.

```
reports/<business>/
Smart-Pursuit-Audit-<Business-Name>.pdf
report.html
audit.json
qa.json
verify.json
assets/
outreach/<business>/
email-1-first.md
email-2-followup-1.md
email-3-followup-2.md
email-4-followup-3-final.md
sequence.json
```

File	What it tells you
Audit PDF	The client-facing report. Open only an accepted, verified audit for delivery.
audit.json	Business details, scores, findings, facts and provenance used to render the report.
qa.json	Layout checks: page sections, overflow, fonts, images and browser errors.
verify.json	The acceptance gate. Look for ok: true and zero blockers.
sequence.json	Draft dates, attachment paths and status. Drafts are not sent messages.

PROMPT 7 · OPEN AND REVIEW

Open the most recent successfully verified audit PDF for [BUSINESS NAME]. Show its path and summarize the overall score, five area scores and findings.

Check the business name, domain, city, measurement date, ten A4 pages, real screenshots, QA results and verification blockers. Show any warnings and unsupported wording you notice.

Do not edit measurements to force a pass and do not send anything. If the audit is blocked, label it NOT SENDABLE and explain what must be fixed.

Human review still matters: read the entire PDF, confirm the recipient details, and check that every recommendation fits the business. Automated checks are not a substitute for judgment.

Raw evidence lives under data/raw/. Reports, outreach and raw measurements are git-ignored. A failed run may leave partial files, so check verification—not just whether a PDF exists.

STEP 5

Review the four outreach drafts

The repository writes Markdown drafts. It has no sender, and this tutorial does not authorize sending them.

Draft	Planned day	Purpose
1 · First email	Day 0	Deliver the audit; references the PDF attachment.
2 · Follow-up 1	+3 days	Discuss the cost of the measured problem.
3 · Follow-up 2	+6 days	Explain the improvement direction.
4 · Final note	+9 days	Close the sequence without pressure.

The gaps come from config/settings.json and default to [3, 3, 3]. Dates are plans, not automatic send appointments.

PROMPT 8 · REVIEW DRAFTS AGAINST THE AUDIT

Open the four drafts and sequence.json for [BUSINESS NAME]. Review them against the verified audit.

Check the findings, attachment path, dates, opt-out line and unresolved placeholders. Flag assumptions—especially a “broken enquiry form” subject or clinic/patient wording when the audit does not support it.

Show any proposed wording corrections for my approval. Do not invent a recipient, revenue claim or result. Do not send email or create drafts in an email app. Tell me exactly what I still need to review.

Before a human sends anything

- Use a recipient address the business published. The To field is intentionally left for the operator.
- Read the PDF and every draft. Confirm the claims fit this business, not just the clinic-oriented template.
- Attach the correct PDF to the first email. Stop follow-ups after a reply or opt-out.
- Record opt-outs in the lead/audit registries so future runs do not contact or audit them again.

Important template limitation

The current first-email subject assumes a broken enquiry form, and much of the copy is written for appointment-driven practices. Review these assumptions for every prospect; a passing audit does not guarantee that every template sentence fits.

KEEP OPERATING FROM CHAT

Useful follow-up prompts

Send the relevant prompt after a run. Replace business names, paths and dates as needed.

A · CHECK STATUS
Show the current lead and audit counts, recent completed audits, and the existing eligible queue for [STATE]. Do not fetch leads, measure sites or send anything. Explain any cooldowns, blocked domains or exhausted retries.

B · RE-CHECK AN EXISTING AUDIT
Re-run verification for reports/[BUSINESS-SLUG]/audit.json. If the target is reachable, also perform the supported live re-check. Explain every warning or blocker and whether the measurement is still fresh. Do not bypass a failed check or send the report.

C · CHANGE THE PLANNED SEND DATE
Regenerate the four outreach drafts for [BUSINESS NAME] using [YYYY-MM-DD] as the planned first-send date. Use the configured follow-up gaps, preserve the opt-out and no-send rules, and show me the new schedule. Do not send anything.

D · CHECK BEFORE A RE-AUDIT
Check whether [BUSINESS DOMAIN] is eligible for a fresh audit. Explain its cooldown and any opt-out. Do not override the gate automatically. If eligible, ask me to confirm the before/after purpose before measuring again.

If you have genuine recorded measurements
You can upload the original raw JSON, Lighthouse files and screenshots and ask the agent to assess a from-raw render. Never edit measurements to make them pass. Live-prospect measurements must be fresh; fixture mode is for explicitly archived reproducibility, not stale outreach.

WHEN SOMETHING STOPS

Diagnose the blocker—do not bypass it

Paste the error back into chat if the agent has not already explained it.

Symptom	What to ask the agent to do
Chrome not found	Check approved browser locations / CHROME_PATH. Use an available permitted browser; if none can be installed, report setup blocked.
npx.cmd / launcher error	Make the minimal cross-platform launcher fix and retest. Do not change scoring or design.
Missing playwright-core	Install the repository dependencies from the permitted package registry, then retry the relevant check.
Website / Overpass blocked	Confirm the sandbox network restriction and stop. A different prompt cannot grant network access. Do not fabricate a substitute result.
Dry-run has no leads	Dry-run reads the existing registry; it does not fetch new leads. Import a CSV or run permitted lead intake first.
Duplicate / cooldown	Read the registry reason. Respect opt-outs. Do not casually use --force; a deliberate before/after audit needs confirmation.
Wrong page count / overflow	Inspect qa.json and the finding set. Fix the genuine layout/data problem; do not invent a sixth finding or weaken QA.
Stale data / blank screenshot	Re-measure or recapture from the real site. Check the 72-hour freshness limit and screenshot evidence.
Draft claim does not fit	Review the template against audit.json. Correct wording for human approval; never change the measurements to match the copy.

UNIVERSAL DEBUGGING PROMPT

Read the actual error and the relevant QA, verification or run logs. Explain the root cause in plain language and propose the smallest safe fix.

Preserve the scoring rubric, frozen design, duplicate protection and verification rules. Do not use skipped Lighthouse, fixture mode or a forced audit to make a live prospect pass. Do not invent data or bypass sandbox restrictions.

Retest what you can and clearly separate verified results from anything still blocked.

This sandbox allows shell access only to approved hosts. If arbitrary target sites or Overpass are outside that allowlist, a complete fresh live audit cannot run here until the required access or genuine recorded evidence is available.

KEEP THIS HANDY

Your repeatable operating checklist

The normal flow: prepare → give inputs → run → verify → human review.

Before running

- Setup is checked; the self-test passes.
- Agency identity and recipient details are confirmed.
- The target/lead source is reachable, or a genuine CSV/evidence bundle is available.
- The domain is not opted out or inside its cooldown.

After running

- The accepted PDF is 10 A4 pages; QA and verification have no blockers.
- A human has read the report and checked names, dates, screenshots and claims.
- The four drafts fit the actual findings and contain a real opt-out.
- Nothing was sent automatically; any later sending is a separate human decision.

What the agent runs behind the scenes

These are command mappings for understanding—not extra inputs you need to type.

You ask for…	Agent command
Setup check	`npm run selftest`
One website	`npm run audit -- --url … --name …`
State batch	`npm run run -- --state … --max 3`
CSV leads	`npm run leads -- --state … --csv …`
Drafts / re-check	`npm run sequence -- --audit …` `npm run verify -- --audit …`
Counts	`npm run status`

The shortest way to begin
Paste the master prompt on page 2. Answer the agent’s questions in chat. Use the detailed prompts only when you want direct control over a particular step.

Repository references: README.md · docs/RUNBOOK.md · docs/AUDIT-SPEC.md · AGENTS.md

Prepared 14 November 2026 from the current checkout. No live website audit was performed for this tutorial. Environment readiness can change; let the setup prompt re-check it.