

Docker CIS Compliance Report

Generated on 2026-04-29 12:36:55

Compliance Score	40%
Checks Passed	2 / 5
Status	PASS: 2 FAIL: 3 WARN: 0 N/A: 1
Failures by Severity	HIGH: 1 MEDIUM: 2

Image Security (2/6 passed)

Control	Severity	Status	Description	Details
IMG-03	HIGH	FAIL	Ensure Content Trust for Docker is enabled	DOCKER_CONTENT_TRUST is not set. Image pulls are not verified.
IMG-04	LOW	PASS	Ensure there are no dangling images	No dangling images found.
IMG-05	LOW	PASS	Ensure Docker images are not excessively large	All images are under 1.00 GB.
IMG-01	MEDIUM	FAIL	Ensure images are not tagged with 'latest'	Images using latest/untagged: project-3_team_34-se...
IMG-02	MEDIUM	FAIL	Ensure Docker images are not outdated	Stale images (>90d): alpine:latest (91d old)
IMG-06	CRITICAL	N/A	Ensure Docker images are scanned for vulnerabilities	Scanner execution failed for 'project-3_team_34-se...

Remediation for IMG-03:
Enable Docker Content Trust:
export DOCKER_CONTENT_TRUST=1
To make it permanent, add to your shell profile (~/.bashrc or ~/.profile):
echo 'export DOCKER_CONTENT_TRUST=1' >> ~/.bashrc
Windows PowerShell:
[System.Environment]::SetEnvironmentVariable('DOCKER_CONTENT_TRUST','1','User')
Ref: CIS Docker Benchmark v1.6.0, Section 4.5

Remediation for IMG-01:
Always use specific version tags instead of :latest:
docker pull nginx:1.25.3 (instead of docker pull nginx:latest)
In Dockerfile:
FROM python:3.12-slim (instead of FROM python:latest)
Re-tag existing images:
docker tag myapp:latest myapp:1.0.0

Ref: CIS Docker Benchmark v1.6.0, Section 4.7

Remediation for IMG-02:

Rebuild images from updated base images regularly:

`docker pull :`

`docker build --no-cache -t myapp:latest .`

Set up a CI/CD pipeline to rebuild images on a schedule (e.g., weekly).

Ref: Docker Security Best Practices – Image Freshness